

Brain tumor classification using ResNet50-convolutional block attention module

Brain tumor
classification
using ResNet-
CBAM

Oladosu Oyebisi Oladimeji

*Faculty of Engineering and Design, Atlantic Technological University,
Sligo, Ireland, and*

Ayodeji Olusegun J. Ibitoye

*School of Computing and Mathematical Science, University of Greenwich,
Greenwich, UK*

Received 2 September 2023

Revised 6 October 2023

13 November 2023

Accepted 24 November 2023

Abstract

Purpose – Diagnosing brain tumors is a process that demands a significant amount of time and is heavily dependent on the proficiency and accumulated knowledge of radiologists. Over the traditional methods, deep learning approaches have gained popularity in automating the diagnosis of brain tumors, offering the potential for more accurate and efficient results. Notably, attention-based models have emerged as an advanced, dynamically refining and amplifying model feature to further elevate diagnostic capabilities. However, the specific impact of using channel, spatial or combined attention methods of the convolutional block attention module (CBAM) for brain tumor classification has not been fully investigated.

Design/methodology/approach – To selectively emphasize relevant features while suppressing noise, ResNet50 coupled with the CBAM (ResNet50-CBAM) was used for the classification of brain tumors in this research.

Findings – The ResNet50-CBAM outperformed existing deep learning classification methods like convolutional neural network (CNN), ResNet-CBAM achieved a superior performance of 99.43%, 99.01%, 98.7% and 99.25% in accuracy, recall, precision and AUC, respectively, when compared to the existing classification methods using the same dataset.

Practical implications – Since ResNet-CBAM fusion can capture the spatial context while enhancing feature representation, it can be integrated into the brain classification software platforms for physicians toward enhanced clinical decision-making and improved brain tumor classification.

Originality/value – This research has not been published anywhere else.

Keywords Decision support, Deep learning, MRI, ResNet, Brain tumor, Convolutional block attention mechanism

Paper type Research paper

1. Introduction

All functions of the body are regulated by the brain, which also acts as the central nervous system's command hub [1]. Hence, any brain anomaly poses a risk to an individual's health [2]. Among the anomaly that could occur is a brain tumor, which is a deformed mass of tissue. Brain tumors can be broadly categorized into two types: malignant tumors, in which brain tissue's cells multiply quickly and unceasingly and benign tumors, which have a relatively slow growth rate and are non-invasive [3]. There are four grades of brain tumors, based on the

© Oladosu Oyebisi Oladimeji and Ayodeji Olusegun J. Ibitoye. Published in *Applied Computing and Informatics*. Published by Emerald Publishing Limited. This article is published under the Creative Commons Attribution (CC BY 4.0) licence. Anyone may reproduce, distribute, translate and create derivative works of this article (for both commercial and non-commercial purposes), subject to full attribution to the original publication and authors. The full terms of this licence may be seen at <http://creativecommons.org/licenses/by/4.0/legalcode>



Applied Computing and
Informatics
Emerald Publishing Limited
e-ISSN: 2210-8327
p-ISSN: 2634-1964
DOI 10.1108/ACI-09-2023-0022

World Health Organization (WHO) classification; Grade I and Grade II tumors are designated as lower-grade tumors; however, Grade III and Grade IV tumors are more serious ones [4].

Brain tumor is a life-threatening condition that could even lead to death [5]. Hence, to be effectively treated, a timely and accurate diagnosis of brain tumors is necessary [6]. Magnetic resonance imaging (MRI) and computerized tomography (CT) are used for the diagnosis while a biopsy and pathological examination are then carried out to ascertain the diagnosis. MRI is the most desirable of all the image modalities since it is the only non-invasive and non-ionizing modality [7]. Manual examination of medical images for diagnosis has been discovered to be time-consuming [8], demanding and potentially error-prone as a result of patient flow [2]. Therefore, to alleviate this challenge, computer-aided diagnosis (CAD) methods have been helping neuro-oncologists in detecting, classifying and grading tumors.

Current efforts on computer-aided medical diagnosis have achieved enhanced performances due to the development of deep learning principles [9]. Deep learning approaches have been utilized to detect and classify brain tumors, one of such is [1]. Recently, deep transfer learning, a branch of artificial intelligence, has taken the lead in studies on visual categorization and object detection and image classification tasks [10]. Transfer learning has demonstrated potential in the CAD of medical issues. The use of transfer learning on the neuro-oncology subject matter has been gaining the attention of researchers and several works have used and have extracted features from brain MRI using pre-trained networks [11]. It has been revealed that transfer learning is effective with smaller datasets. Ozkaraca *et al.* [2] used DenseNet to classify brain MRI images. Tariq and Naqvi [12] adopted efficientnetb4 to classify brain MRI images into four classes in which 98.58% accuracy was achieved. In the same vein, Al-Ani and Al-Shamma [13] used four common CNN architectures: AlexNet, VGG-16, GoogLeNet and ResNet-50, in which AlexNet performed best. Similarly, Ali *et al.* [14] adopted GoogLeNet, Shuffle-Net and NasNet-Mobile architectures for feature extraction after which supervised machine-learning algorithms were used for the classification in combination with Shuffle-Net and SVM has the best performance.

It has been discovered that convolutional neural networks (CNNs) learned several features in which some features are vital while others are irrelevant [15] in the prediction task as CNNs are mainly based on convolution and pooling layers for feature extraction [16]. Hence, the vital features deserve more attention. Attention-based models for brain tumor classification are dearth in the literature. The existing models are mostly based on CNNs and transfer learning [17], employed 3D-CNNs by introducing a novel network architecture designed to harness multi-channel data, while enabling the acquisition of supervised features for brain tumor classification with an accuracy of 89.9%. By segmenting brain tumors in MRI scans [18], use a fully CNN while demonstrating its effectiveness in accurately segmenting tumors. Through the merges CNN principles with classical architectural elements [19], introduced a correlation learning mechanism (CLM) designed for DNN architectures for CT brain tumor detection with 96% accuracy. Brain tumor image classification was carried out using the AlexNet, GoogLeNet and ResNet50 architectures [20]. Among these, the ResNet50 architecture demonstrated the highest accuracy rate of 85.71%. Two deep-learning models designed for detecting both binary and multiclass brain tumors were proposed by Ref. [21] using a 23-layer CNN on a publicly available dataset comprising 3,064 and 152 MRI images, alongside VGG16 architecture and accuracy of about 97.8% and 100% classification accuracy, respectively. Hence, this research aims at incorporating attention mechanism to brain tumor classification task for improved performance. Attention mechanisms have been proven to be effective in improving the identification of relevant features. Shaikh *et al.* [22] adapted the recurrent attention mechanism (RAM) model proposed by Minh *et al.* [23] for enhanced classification of biomedical images and the results showed better performance than CNNs. Similarly, the channel attention mechanism was applied by Liu and Yang [24] to concentrate on the position of the brain tissue in the image for brain tumor-classification task.

However, in this research, the convolutional block attention module (CBAM) by Ref. [25] was adapted to give priority to the vital features. The rest of this paper is organized as follows: the second section showcases the description of the dataset used in this research as well as the complete structure of the proposed classification algorithm. The third section presents the experimental results of the methodology. In the fourth section, the conclusion was drawn.

2. Materials and methods

Brain tumor classification using deep learning entails employing sophisticated neural network architectures to autonomously categorize medical images of brain scans into distinct tumor types. This approach capitalizes on the ability of deep-learning models to extract complex patterns and features from raw image data, enabling precise and efficient classification. To achieve a higher level of discrimination between different brain classes, leading to improved diagnostic outcomes, here, ResNet50-CBAM fusion aims to capture both intricate features within the brain images and their contextual relationships, ultimately enhancing the model's ability to accurately classify and identify various brain conditions. The procedures as discussed briefly below entail key stages of data gathering and preprocessing, model selection, training and testing of the deep learning model.

2.1 Data gathering and preprocessing

The dataset utilized in this research is a publicly available dataset gotten from Kaggle by Nickparvar [26]. The dataset entails 7,023 brain MR images of four classes: glioma, meningioma, no tumor and pituitary. Table 1 gives the summary of the dataset.

To have equal and compatible size as input into the model, the images were resized to 256x256 pixels. Additionally, to prevent overfitting and have the proper computation, normalization was done using min-max normalization technique. The quality of the medical images was then improved using the dynamic histogram equalization (DHE) algorithm.

2.2 Dynamic histogram equalization (DHE)

The contrast of an image is a crucial factor used to determine the image's quality [27]. Contrast enhancement is a technique utilized to improve the visual quality of an image, making it more suitable for either human visual analysis or subsequent machine analysis. In this work, DHE [28], an algorithm used to adjust too bright or too dark images, was used for contrast enhancement. Figure 1, depicts the classes of the dataset before and after the application of DHE.

After the images were preprocessed by resizing, normalization and the histogram equalization, the model was built using the training set and tested with the testing sets.

2.3 ResNet50-CBAM model development

In this research, the residual network (ResNet50) [29], which leveraged pre-trained weights from ImageNet [30] was used to extract features from the preprocessed image and to prevent

Class	Training	Testing	Total
Glioma	1,321	300	1,621
Meningioma	1,339	306	1,645
No tumor	1,595	405	2,000
Pituitary	1,457	300	1,757

Source(s): Table created by the authors

Table 1.
Summary of the dataset




Figure 1. Visualization of before and after the application of dynamic histogram equalization (DHE)

Source(s): Figure created by the authors

the modification of the weights in the convolutional and max-pooling layers, we froze them during training. The choice of ResNet as against other pre-trained networks is due to its superior performance and the vanishing gradient problem it addresses [31]. The extracted feature F from ResNet50 was fed into CBAM (dashed lines in Figure 2), which leverages both spatial and channel-wise attention mechanisms [32, 33]. The channel attention focuses on the importance of individual channels within the feature map, allowing the model to adaptively weigh the significance of different features. Spatial attention, on the other hand, concentrates on the relevance of spatial locations within the feature map, enabling the model to attend to specific regions of interest. However, both mechanisms work together to enhance the model's ability to capture and leverage meaningful information from the input data.




Figure 2. The ResNet50-CBAM model architecture

Source(s): Figure created by the authors

The feature extraction process begins with the output, denoted as F from the ResNet50 architecture. This feature map has dimensions where C represents the number of channels, while H and W represent the height and width of the feature map, respectively.

The CBAM module incorporates both spatial and channel-wise attention mechanisms to refine the extracted features. To reduce the spatial dimensionality, max pooling and average pooling layers are applied to the input feature map. The global average pooling layer computes the average value of each channel across the spatial dimensions, while the global max pooling layer selects the maximum value for each channel. This process aggregates spatial information and captures unique object attributes, respectively. The channel attention map (CAM) is computed using shared dense layers, reflecting the importance of each channel in the feature map. The CAM is then element-wise multiplied with the original feature map F , resulting in a channel-refined feature map denoted as R , where each element is weighted based on its channel importance.

$$R = CAM \circ F \quad (1)$$

This refined feature map enhances the model's ability to emphasize relevant features within the channels. The spatial attention module focuses on specific regions of the feature map by compressing the channel-refined feature map into two 2D feature maps through maximum and average pooling operations along the channel axis. The spatial attention map is obtained by combining these 2D feature maps and is subsequently multiplied with the channel-refined feature map R . The final output of the CBAM is generated by combining both spatial and channel-wise attention. This output undergoes global average pooling, followed by a fully connected layer with SoftMax activation, resulting in the final output of the CBAM module.

3. Results and discussion

In this research, 80% of the training dataset was used for the training while the remaining 20% was used for validation and the testing dataset was used for the ResNet50-CBAM model testing. Subsequently, a five-fold cross-validation approach was also used to develop and validate the model. The performance of this model was evaluated based on accuracy, precision, recall and AUC metrics. Table 2 gives the details of the hyperparameter of the network. Different optimizers were used for the model including Adam and Stochastic Gradient Descent (SGD) as shown in Table 2. Adam is chosen for Model A to harness its adaptive learning rate feature, beneficial for handling complex loss landscapes and non-stationary gradients, leading to faster convergence and enhanced generalization [34], while SGD is adopted for Model B due to its simplicity, resource efficiency and proven effectiveness [35]. The learning rate of 0.001 was chosen to strike a balance between convergence speed and stability during the training. Finally, a batch size of 32 for Model A pairs well with the efficiency and adaptiveness of the Adam optimizer, while a smaller batch size of 16 for Model B complements the simplicity and resource efficiency of SGD. These choices align with the strengths of the respective optimizers.

Parameter	Model A	Model B
Learning rate	0.001	0.001
Batch size	32	16
Optimizer	Adam	SGD
Epochs	25	25

Source(s): Table created by the authors

Table 2.
Hyperparameters of
the ResNet50-
CBAM model

Table 3 showcases the results obtained from the experiments based on the hyperparameters defined in Table 2, results of the train-test split and five-fold cross validation were given. Figure 3 shows the training and testing accuracy and loss for the models.

As in the accuracy and loss plots of the models, Adam (a) is generally known for faster initial convergence, it can also exhibit rapid fluctuations in the early stages of training [36]. On the other hand, SGD (b) may converge more gradually but with smoother progress. Additionally, the low standard deviation in performance metrics with the optimizers

Table 3. Performance evaluation of the ResNet50-CBAM

Data split	Train test split			Five-fold cross-validation			
	Model A (%)	Model B (%)	Average (%)	Mean (%)	Model A Standard deviation	Model B Mean (%)	Model B Standard deviation
Accuracy	99.43	98.50	98.97	99.35	0.009	98.68	0.014
Recall	99.01	96.11	97.56	98.54	0.022	96.49	0.021
Precision	98.7	97.74	98.22	98.90	0.014	97.68	0.017
F1-Score	99.0	96.91	97.96	98.70	0.018	97.04	0.014
AUC	99.25	97.63	98.44	99.06	0.013	97.75	0.015

Source(s): Table created by the authors




Figure 3. The training and testing accuracy and loss plot for the models

Source(s): Figure created by the authors

indicates that the model is stable and performs consistently, regardless of which optimization algorithm is used.

Figure 4 shows the receiver operating characteristic (ROC) curve plots for the models together with the AUC score of each class.

To affirm that the vital image features and their contextual relationships are learnt by these models, the feature maps are visualized as shown in Figures 5–7 (larger versions are available at <https://github.com/OladosuO/AI-for-Brain-Tumor-Classification>). The feature maps of the first, mid and last three layers are visualized.

As seen in the feature maps of the first three layers of the model, the early layers usually tend to capture low-level features like edges, textures and simple shapes. They respond to basic patterns in the input.

As evident in Figures 6 and 7, as the model network goes deeper, the feature maps become more abstract and represent complex patterns and parts of the brain MRIs. The deeper part of the network responds to higher-level features like textures or object-specific shapes. Particularly in Figure 6, the CBAM module has emphasized, highlighting regions with important spatial and channel-wise information. These regions and channels are expected to be more informative for making predictions while the less relevant areas and channels are de-emphasized.

Based on the impressive performance obtained, a comparative analysis of the approach with existing state-of-the-art methods in the literature that have used the same dataset used in this research was performed. The comparative results demonstrated that the ResNet50-CBAM outperformed the other techniques. Table 4 gives the details of the comparison. It is




Figure 4. The receiver operating characteristic (ROC) curves of the models

Source(s): Figure created by the authors




Figure 5. Feature maps of the first three layers

Source(s): Figure created by the authors

ACI




Figure 6.
Feature maps of the
mid three layers

Source(s): Figure created by the authors




Figure 7.
Feature maps of the
last three layers

Source(s): Figure created by the authors

important to note that the training and evaluation methods used in these existing works were used to evaluate the ResNet50-CBAM model as shown in [Table 4](#).

3.1 Ablation study

Furthermore, an ablation study was conducted on the model using the model a parameter setting and the 80%/20% train-test split evaluation approach. [Table 5](#) presents the results of the ablation study. In summary, the removal of each module resulted in a decline in the performance of predicting brain tumor. When employing all components together, the

proposed method demonstrates the most superior performance, underscoring the essential role of combining all components in predicting brain tumor.

Based on the results obtained, given that Model A outperformed Model B in both the test split and cross-validation, it suggests that the combination of parameters in Model A led to a more effective learning process. The use of the Adam optimizer in Model A could have played a crucial role in its superior performance. Adam adapts the learning rate individually for each parameter, which can be advantageous in optimizing complex models [36] while SGD uses a fixed learning rate for all parameters during each iteration of model training. Brain tumor classification tasks involve intricate and high-dimensional feature spaces where certain features may require more nuanced adjustments during training. The adaptability of the learning rate in the Adam optimizer addresses this challenge by adjusting the learning rates for each parameter individually and dynamically throughout the training process. It might be worthwhile to explore the impact of changing the batch size or using a different optimizer to see if the performance can be improved.

Notably, the ablation study showed that the model's attention mechanisms enable it to selectively emphasize relevant features while suppressing noise, contributing to its exceptional performance. However, the observation that ResNet + Channel attention outperformed ResNet + Spatial attention introduces an interesting dimension to the study. It suggests that, in the context of brain tumor classification, attending to features at the channel level might be more beneficial than focusing on spatial relationships. This finding emphasizes the importance of carefully selecting and tuning attention mechanisms based on specific characteristics. It is worthy to note that while ResNet had the least performance in the ablation study; it still had better performance than some of the existing works like [37] as shown in Table 4.

In this research, the focus was on multiclass brain tumor classification for MR images using ResNet50-CBAM model. The experimental results show that our approach is superior to the state-of-the-art CNN models in terms of performance. Additionally, since MRI images

Evaluation method	Reference	Architecture	Accuracy (%)	Recall (%)	Precision (%)	F1-score (%)
80/20% test split	[2]	CNN	94.55	96.5	96.0	96.0
	[37]	EfficientNetB1 + ResNet50	95.98	95.98	96.0	95.98
	<i>Ours</i>	<i>ResNet-CBAM</i>	<i>99.43</i>	<i>99.0</i>	<i>98.7</i>	<i>99.0</i>
Training and testing data 60/20/20	[38]	CNN	95.65	95.65	95.67	95.65
	<i>Ours</i>	<i>ResNet-CBAM</i>	<i>99.15</i>	<i>98.16</i>	<i>98.42</i>	<i>98.29</i>
	[39]	VGG19	97.00	96.0	97.0	97.0
5-fold CV	<i>Ours</i>	<i>ResNet-CBAM</i>	<i>98.53</i>	<i>96.76</i>	<i>97.38</i>	<i>97.06</i>
	[14]	CNN	98.40	–	96.75	96.75
	<i>Ours</i>	<i>ResNet-CBAM</i>	<i>99.35</i>	<i>98.55</i>	<i>98.90</i>	<i>98.70</i>

Source(s): Table created by the authors

Table 4. Details of the comparison with the existing works that have used the same dataset

Architecture	Accuracy (%)	Recall (%)	Precision (%)	F1-score (%)
ResNet	98.72	97.71	97.32	97.47
ResNet + Channel Attention	99.28	98.28	98.85	98.53
ResNet + Spatial attention	98.82	97.41	97.88	97.64
ResNet + CBAM	<i>99.43</i>	<i>99.0</i>	<i>98.7</i>	<i>99.0</i>

Source(s): Table created by the authors

Table 5. Ablation study of the proposed model

has distinct features and different imaging modalities; hence, it is challenging for the pretrained model which was mostly used in previous works to effectively learn the pertinent medical brain MRI features [40]. CBAM module which added attention mechanism has helped to overcome the challenge by focusing on relevant features as shown in Figures 5–7 which improved the performance of the model.

In the context of clinical application, our results suggest that implementing the ResNet50-CBAM model in real-world settings could lead to more accurate and timely diagnoses of brain tumors. This is particularly significant in cases where early detection is crucial for treatment planning and patient outcomes. Healthcare professionals could leverage the model's enhanced performance to streamline diagnostic processes and improve overall patient care. However, when applied in real-world clinical settings, challenges such as explainability and data privacy arise. Clinicians seek to comprehend the model's decision-making process, making subsequent clinical validation crucial for ensuring efficacy, reliability and ethical integrity. Addressing data privacy concerns, further evaluation across diverse demographics and adopting federated learning approaches are imperative for enhancing the model's generalizability.

As future research directions, exploring model-agnostic explanation techniques, other forms of attention mechanisms and data preprocessing techniques will contribute to the ongoing advancement of brain tumor classification models. Additionally, extending this work to 3D MRI using volumetric attention mechanisms opens avenues for more comprehensive and nuanced feature capture.

4. Conclusions

Deep learning has been playing a vital role in accurate classification of medical images. In this research, we have developed a deep learning-based approach for the classification of brain tumors in medical imaging. The proposed approach leveraged on convolutional block attention mechanism to accurately classify different types of MRI of the brain including glioma, meningioma, no tumor and pituitary classes. The experimental results of this research showed the superior performance of the convolutional block attention mechanism framework in brain tumor classification. With an accuracy of 99.43%, the model outperforms baseline methods, highlighting its effectiveness in accurately diagnosing and classifying brain tumors. The high accuracy of the proposed method can be attributed to effective data preprocessing, transfer learning and attention mechanism. As a result of the impressive performance obtained in this research, it should be integrated into the software platforms used by physicians for enhanced clinical decision-making and improved patient care. In future research, we plan to utilize additional brain tumor datasets and explore different deep learning techniques to further improve the diagnosis of brain tumors. The limitation of this model is the computational complexity; the addition of CBAM attention modules to the ResNet50 architecture introduces additional parameters and increases the model size and hence, requiring more memory for the model development. Additionally, CBAM modules perform operations such as global pooling, convolution and element-wise multiplication, all of which contribute to increased computational demand. Therefore, it would be interesting in future research to develop lightweight deep learning model with attention mechanisms for brain tumor classification. Conclusively, in a clinical setting the ResNet50-CBAM model with its ability to capture relevant features in brain MRI would provide more timely and accurate diagnoses, which can lead to more effective treatment planning and increases the chance of patients' survival. Additionally, the reduced likelihood of false positives and false negatives could alleviate patient anxiety.

References

1. Ari A, Hanbay D. Deep learning based brain tumor classification and detection system. *Turkish J Electr Eng Comput Sci.* 2018; 26(5): 2275-86. doi: [10.3906/elk-1801-8](https://doi.org/10.3906/elk-1801-8).
2. Özkaraca O, Bağrıaçık Oİ, Gürüler H, Khan F, Hussain J, Khan J, Laila UE. Multiple brain tumor classification with dense CNN architecture using brain MRI images. *Life.* 2023; 13(2). doi: [10.3390/life13020349](https://doi.org/10.3390/life13020349).
3. Hemanth G, Janardhan M, Sujihelen L. Design and implementing brain tumor detection using machine learning approach. *Proc Int Conf Trends Electron Informatics, ICOEI.* 2019; 2019-April(Icoei): 1289-94. 2019. doi: [10.1109/icoei.2019.8862553](https://doi.org/10.1109/icoei.2019.8862553).
4. Bale TA, Rosenblum MK. The 2021 WHO Classification of Tumors of the Central Nervous System: an update on pediatric low-grade gliomas and glioneuronal tumors. *Brain Pathol.* 2022; 32(4). doi: [10.1111/bpa.13060](https://doi.org/10.1111/bpa.13060).
5. Saba T, Sameh Mohamed A, El-Affendi M, Amin J, Sharif M. Brain tumor detection using fusion of hand crafted and deep learning features. *Cogn Syst Res.* 2020; 59: 221-30. doi: [10.1016/j.cogsys.2019.09.007](https://doi.org/10.1016/j.cogsys.2019.09.007).
6. Deepak S, Ameer PM. Brain tumor classification using deep CNN features via transfer learning. *Comput Biol Med.* 2019; 111(June): 103345. doi: [10.1016/j.combiomed.2019.103345](https://doi.org/10.1016/j.combiomed.2019.103345).
7. Jayade S, Ingole DT, Ingole MD. Review of brain tumor detection concept using MRI images. In: *Proceeding - 1st International Conference on Innovative Trends and Advances in Engineering and Technology. ICITAET;* 2019. doi: [10.1109/ICITAET47105.2019.9170144](https://doi.org/10.1109/ICITAET47105.2019.9170144).
8. ZainEldin H, Gamel SA, El-Kenawy ESM, Alharbi AH, Khafaga DS, Ibrahim A, Talaat FM. Brain tumor detection and classification using deep learning and sine-cosine fitness grey wolf optimization. *Bioengineering.* 2023; 10(1). doi: [10.3390/bioengineering10010018](https://doi.org/10.3390/bioengineering10010018).
9. Lecun Y, Bengio Y, Hinton G. Deep learning. *Nature.* 2015; 521(7553): 436-44. doi: [10.1038/nature14539](https://doi.org/10.1038/nature14539).
10. Shao L, Zhu F, Li X. Transfer learning for visual categorization: a survey. *IEEE Trans Neural Networks Learn Syst.* 2015; 26(5): 1019-34. doi: [10.1109/TNNLS.2014.2330900](https://doi.org/10.1109/TNNLS.2014.2330900).
11. Ahmed KB, Hall LO, Goldfog DB, Liu R, Gatenby RA. Fine-tuning convolutional deep features for MRI based brain tumor classification. *Proc.SPIE, Mar.* 2017; 101342: 613-619. doi: [10.1117/12.2253982](https://doi.org/10.1117/12.2253982).
12. Tariq R, Naqvi Z. Classification of medical images using deep learning. In: *International Conference on Computational and Intelligent Data Science (ICIDS-2022);* 2022. p. 1-8. Available from: <https://ssrn.com/abstract=4121811>
13. Al-Ani N, Al-Shamma O. Implementing a novel low complexity CNN model for brain tumor detection. In: *2022 8th Int. Conf. Contemp. Inf. Technol. Math. ICCITM 2022;* 2022. p. 358-63. doi: [10.1109/ICCITM56309.2022.10031630](https://doi.org/10.1109/ICCITM56309.2022.10031630).
14. Ali R, Al-Jumaili S, Duru AD, Ucan ON, Boyaci A, Duru DG. Classification of brain tumors using MRI images based on convolutional neural network and supervised machine learning algorithms. *ISMSIT 2022 - 6th Int. Symp. Multidiscip. Stud. Innov. Technol. Proc.:* 2022, MI, pp. 822-7. doi: [10.1109/ISMSIT56059.2022.9932690](https://doi.org/10.1109/ISMSIT56059.2022.9932690).
15. Sheng M, Tang W, Tang J, Zhang M, Gong S, Xing W. Feasibility of using improved convolutional neural network to classify BI-RADS 4 breast lesions: compare deep learning features of the lesion itself and the minimum bounding cube of lesion. *Wirel Commun Mob Comput;* 2021: 2021. doi: [10.1155/2021/4430886](https://doi.org/10.1155/2021/4430886).
16. Karthik M, Thangavel K, Sasirekha K. Novel deep CNN model based breast cancer classification. In: *2023 7th International Conference on Computing Methodologies and Communication (ICCMC), IEEE, Feb.;* 2023. p. 524-9. doi: [10.1109/ICCMC56507.2023.10084229](https://doi.org/10.1109/ICCMC56507.2023.10084229).
17. Nie D, Zhang H, Adeli E, Liu L, Shen D. 3D deep learning for multi-modal imaging-guided survival time prediction of brain tumor patients. In: *Lecture notes in computer science (including*

- subseries lecture notes in artificial intelligence and lecture notes in bioinformatics); 2016. doi: [10.1007/978-3-319-46723-8_25](https://doi.org/10.1007/978-3-319-46723-8_25).
18. Havaei M, Davy A, Warde-Farley D, Biard A, Courville A, Bengio Y, Pal C, Jodoin P, Larochelle H. Brain tumor segmentation with deep neural networks. *Med Image Anal.* 2017; 35. doi: [10.1016/j.media.2016.05.004](https://doi.org/10.1016/j.media.2016.05.004).
 19. Woźniak M, Siłka J, Wiecek M. Deep neural network correlation learning mechanism for CT brain tumor detection. *Neural Comput Appl.* 2023; 35(20). doi: [10.1007/s00521-021-05841-x](https://doi.org/10.1007/s00521-021-05841-x).
 20. Bingol H, Alatas B. Classification of brain tumor images using deep learning methods. *Turkish J Sci Technol.* 2021; 16(1): 137-143.
 21. Khan MSI, Rahman A, Debnath T, Karim MR, Nasir MK, Band SS, Mosavi A, Dehzangi A. Accurate brain tumor detection using deep convolutional neural network. *Comput Struct Biotechnol J.* 2022; 20: 4733-4745. doi: [10.1016/j.csbj.2022.08.039](https://doi.org/10.1016/j.csbj.2022.08.039).
 22. Shaikh M, Kollerathu VA, Krishnamurthi G. Recurrent attention mechanism networks for enhanced classification of biomedical images. In: *Proceedings - International Symposium on Biomedical Imaging*; 2019. doi: [10.1109/ISBI.2019.8759214](https://doi.org/10.1109/ISBI.2019.8759214).
 23. Mnih V, Heess N, Graves A, Kavukcuoglu K. Recurrent models of visual attention. In: *Advances in neural information processing systems*; 2014.
 24. Liu M, Yang J. Image classification of brain tumor based on channel attention mechanism. *J Phys Conf Ser.* 2021; 2035. doi: [10.1088/1742-6596/2035/1/012029](https://doi.org/10.1088/1742-6596/2035/1/012029).
 25. Woo S, Park J, Lee JY, Kweon IS. CBAM: convolutional block attention module. In: *Lecture notes in computer science (including subseries lecture notes in artificial intelligence and lecture notes in bioinformatics)*. Springer-Verlag; 2018. p. 3-19. doi: [10.1007/978-3-030-01234-2_1](https://doi.org/10.1007/978-3-030-01234-2_1).
 26. Nickparvar M. Brain tumor MRI dataset. Kaggle; 2021.
 27. Abdullah-Al-Wadud, M, Kabir MH, Dewan MAA, Chae O. A dynamic histogram equalization for image contrast enhancement. *IEEE Trans Consum Electron.* 2007; 53(2): 593-600. doi: [10.1109/TCE.2007.381734](https://doi.org/10.1109/TCE.2007.381734).
 28. Lee GG, Huang CW, Chen JH, Chen SY, Chen HL. AIFood: A Large Scale Food Images Dataset for Ingredient Recognition. 2019 IEEE Region 10 Conference (TENCON). 2019; 802-805. doi: [10.1109/TENCON.2019.8929715](https://doi.org/10.1109/TENCON.2019.8929715).
 29. He K, Zhang X, Ren S, Sun J. Deep residual learning for image recognition. In: *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*; 2016; 770-778. doi: [10.1109/CVPR.2016.90](https://doi.org/10.1109/CVPR.2016.90).
 30. Russakovsky O, Deng J, Su H, Krause J, Satheesh S, Ma S, Huang Z, Karpathy A, Khosla A, Bernstein M, Berg AC. ImageNet large scale visual recognition challenge. *Int J Comput Vis.* 2015; 115(3): 211-52. doi: [10.1007/s11263-015-0816-y](https://doi.org/10.1007/s11263-015-0816-y).
 31. Kumar RL, Kakarla J, Isunuri BV, Singh M. Multi-class brain tumor classification using residual network and global average pooling. *Multimed Tools Appl.* 2021; 80(9): 13429-13438. doi: [10.1007/s11042-020-10335-4](https://doi.org/10.1007/s11042-020-10335-4).
 32. Chen L, et al. SCA-CNN: spatial and channel-wise attention in convolutional networks for image captioning. In: *Proceedings - 30th IEEE Conference on Computer Vision and Pattern Recognition. CVPR 2017*; 2017. doi: [10.1109/CVPR.2017.667](https://doi.org/10.1109/CVPR.2017.667).
 33. Alirezazadeh P, Schirrmann M, Stolzenburg F. Improving deep learning-based plant disease classification with attention mechanism. *Gesunde Pflanz.* 2023; 75(1): 49-59. doi: [10.1007/s10343-022-00796-y](https://doi.org/10.1007/s10343-022-00796-y).
 34. Kingma DP, Ba JL. Adam: a method for stochastic optimization. In: *3rd International Conference on Learning Representations, ICLR 2015 - Conference Track Proceedings*; 2015.
 35. Bottou L, Curtis FE, Nocedal J. Optimization methods for large-scale machine learning. *SIAM Rev.* 2018; 60(2): 223-311. doi: [10.1137/16M1080173](https://doi.org/10.1137/16M1080173).

36. Zhang Z. Improved Adam optimizer for deep neural networks. In: 2018 IEEE/ACM 26th International Symposium on Quality of Service, IWQoS 2018; 2019. doi: [10.1109/IWQoS.2018.8624183](https://doi.org/10.1109/IWQoS.2018.8624183).
37. Remzan N, Tahiry K, Farchi A. Ensemble transfer learning for brain tumor classification. In: Proceedings - 2022 5th International Conference on Advanced Communication Technologies and Networking, CommNet 2022; 2022. doi: [10.1109/CommNet56067.2022.9993831](https://doi.org/10.1109/CommNet56067.2022.9993831).
38. Remzan N, Tahiry K, Farchi A. Automatic classification of preprocessed MRI brain tumors images using deep convolutional neural network. *Int J Tech Phys Probl Eng.* 2023; 15(1).
39. Dewan JH, Thepade SD, Deshmukh P, Deshmukh S, Katpale P, Gandole K. Comparative analysis of deep learning models for brain tumor detection using transfer learning. In: 2023 4th International Conference for Emerging Technology (INCET). IEEE; 2023. p. 1-7. doi: [10.1109/INCET57972.2023.10170512](https://doi.org/10.1109/INCET57972.2023.10170512).
40. Swati ZNK, Zhao Q, Kabir M, Ali F, Ali Z, Ahmed S, Lu J. Brain tumor classification for MR images using transfer learning and fine-tuning. *Comput Med Imaging Graph.* 2019; 75: 34-46. doi: [10.1016/j.compmedimag.2019.05.001](https://doi.org/10.1016/j.compmedimag.2019.05.001). 31150950.

Corresponding author

Oladosu Oyebisi Oladimeji can be contacted at: s00243011@atu.ie

For instructions on how to order reprints of this article, please visit our website:

www.emeraldgrouppublishing.com/licensing/reprints.htm

Or contact us for further details: permissions@emeraldinsight.com