

# Wholesale price forecasts of green grams using the neural network

Asian Journal of  
Economics and  
Banking

Bingzi Jin  
*Advanced Micro Devices (China) Co., Ltd., Shanghai, China, and*  
Xiaojie Xu  
*Independent Researcher, Raleigh, North Carolina, USA*

463

Received 15 January 2024  
Revised 26 January 2024  
16 February 2024  
Accepted 20 February 2024

## Abstract

**Purpose** – Agriculture commodity price forecasts have long been important for a variety of market players. The study we conducted aims to address this difficulty by examining the weekly wholesale price index of green grams in the Chinese market. The index covers a ten-year period, from January 1, 2010, to January 3, 2020, and has significant economic implications.

**Design/methodology/approach** – In order to address the nonlinear patterns present in the price time series, we investigate the nonlinear auto-regressive neural network as the forecast model. This modeling technique is able to combine a variety of basic nonlinear functions to approximate more complex nonlinear characteristics. Specifically, we examine prediction performance that corresponds to several configurations across data splitting ratios, hidden neuron and delay counts, and model estimation approaches.

**Findings** – Our model turns out to be rather simple and yields forecasts with good stability and accuracy. Relative root mean square errors throughout training, validation and testing are specifically 4.34, 4.71 and 3.98%, respectively. The results of benchmark research show that the neural network produces statistically considerably better performance when compared to other machine learning models and classic time-series econometric methods.

**Originality/value** – Utilizing our findings as independent technical price forecasts would be one use. Alternatively, policy research and fresh insights into price patterns might be achieved by combining them with other (basic) prediction outputs.

**Keywords** Green gram, Price forecast, Time series data, Neural network technique

**Paper type** Research paper

## 1. Introduction

The agricultural and resource industries' projections of commodity prices are crucial to a wide range of market participants, including processors, speculators, the media, hedgers, policy makers and economists (Li *et al.*, 2021; Xu, 2017c, 2018e; Wang *et al.*, 2020; Yin *et al.*, 2020; Xu and Zhang, 2023i; Drachal and Pawłowski, 2021). Producers usually need price projection information in order to determine sales pricing before manufacturing begins; in order to fulfill their contractual commitments, exporters and processors also require it; it is necessary for speculators to make money; hedgers require it in order to control risks and policymakers require it to develop, oversee and evaluate strategic plans and initiatives (Holt and Brandt, 1984; Xu and Zhang, 2022b; Rahman *et al.*, 2013; Esther and Magdaline, 2017; Vishwajith *et al.*, 2014; Padhan, 2012). The price forecasting problem with green beans (also called green grams or mung beans) in China shouldn't be an anomaly given its major market share and deep integration into financial systems (Wen and Wang, 2004; Wang and Ke, 2005).

**JEL Classification** — C22, C45, C53, Q11, Q13

© Bingzi Jin and Xiaojie Xu. Published in *Asian Journal of Economics and Banking*. Published by Emerald Publishing Limited. This article is published under the Creative Commons Attribution (CC BY 4.0) licence. Anyone may reproduce, distribute, translate and create derivative works of this article (for both commercial and non-commercial purposes), subject to full attribution to the original publication and authors. The full terms of this licence may be seen at <http://creativecommons.org/licences/by/4.0/legalcode>



Asian Journal of Economics and  
Banking  
Vol. 9 No. 3, 2025  
pp. 463-490  
Emerald Publishing Limited  
e-ISSN: 2633-7991  
p-ISSN: 2615-9821  
DOI 10.1108/AJEB-01-2024-0007

Given that commodity prices commonly display patterns of irregular volatility (Xu and Zhang, 2023p, 2024e; Negri *et al.*, 2021; Xu, 2017a, 2020; Bisht, 2019; Shiferaw, 2012; Xu *et al.*, 2021a), influence market participants' decisions significantly (Warren-Vega *et al.*, 2022; Xu and Thurman, 2015b; Moe *et al.*, 2008; Xu, 2014c; Wang *et al.*, 2022; Xu *et al.*, 2021b), and ultimately effect resource allocations and overall economic prosperity (Jin and Xu, 2024b; Shahid *et al.*, 2022; Xu, 2019a, c; Fan *et al.*, 2022; Mishra *et al.*, 2021), it may not be necessary to emphasize the relevance of price estimates for certain commodities.

For commodity price forecasts in the resource and agricultural sectors, a great deal of effort has gone into creating accurate and dependable model performance using time-series econometric techniques (Kling and Bessler, 1985; Jin and Xu, 2024c; Xu and Zhang, 2023e; Bessler, 1982; Xu and Thurman, 2015a; Brandt and Bessler, 1981; Xu and Zhang, 2024a; Bessler and Chamberlain, 1988; Xu and Zhang, 2023t; McIntosh and Bessler, 1988; Xu and Zhang, 2023h; Bessler and Brandt, 1981; Xu and Zhang, 2023m; Bessler, 1990; Bessler and Babula, 1987; Brandt and Bessler, 1982, 1984; Xu, 2015a; Brandt and Bessler, 1983; Yang *et al.*, 2001; Bessler *et al.*, 2003; Bessler and Brandt, 1992; Bessler and Hopkins, 1986; Chen and Bessler, 1990; Wang and Bessler, 2004; Chen and Bessler, 1987; Bessler and Kling, 1986; Babula *et al.*, 2004; Xu, 2014b; Yang *et al.*, 2003; Awokuse and Yang, 2003; Yang and Awokuse, 2003; Jin and Xu, 2024d; Yang and Leatham, 1998; Yang *et al.*, 2021; Jin and Xu, 2024a; Kumar, 2019; Dongo, 2007; Jin and Xu, 2024e; De Silva and Herath, 2016; Pani *et al.*, 2019; Chaudhari and Tingre, 2014; Hossain *et al.*, 2006). The autoregressive integrated moving average model (ARIMA), vector auto-regressive model (VAR) and vector error correction model (VECM) are well-liked and efficient basic approaches to various price forecasting challenges in these sectors. In recent times, there has been a great deal of interest among researchers to investigate the suitability of machine learning methods for commodity price forecasts. Consequently, studies encompassing an extensive array of agricultural commodities have been carried out in response to the increased accessibility of computer resources and tools (Yuan *et al.*, 2020; RL and Mishra, 2021; Bayona-Oré *et al.*, 2021; Storm *et al.*, 2020; Kouadio *et al.*, 2018; Abreham, 2019; Huy *et al.*, 2019; Degife and Sinamo, 2019; Naveena and Subedar, 2017; Lopes, 2018; Mayabi, 2019; Moreno and Salazar, 2018; Zelingher *et al.*, 2021; Shahhosseini *et al.*, 2021, 2020; dos Reis Filho *et al.*, 2020; Zelingher *et al.*, 2020; Ribeiro *et al.*, 2019; Surjandari *et al.*, 2015; Ayankoya *et al.*, 2016; Ali *et al.*, 2018; Fang *et al.*, 2020; Harris, 2017; Li *et al.*, 2022; Yoosefzadeh-Najafabadi *et al.*, 2021; Ribeiro and dos Santos Coelho, 2020; Zhao, 2021; Jiang *et al.*, 2019; Handoyo and Chen, 2020; Silalahi, 2013; Li *et al.*, 2020; Ribeiro and Oliveira, 2011; Zhang *et al.*, 2021; Melo *et al.*, 2007; de Melo *et al.*, 2004; Kohzadi *et al.*, 1996; Zou *et al.*, 2007; Rasheed *et al.*, 2021; Khamis and Abdullah, 2014; Dias and Rocha, 2019; Gómez *et al.*, 2021; Silva *et al.*, 2019; Deina *et al.*, 2022; Filippi *et al.*, 2019; Wen *et al.*, 2021; Wan and Zhou, 2021; Antwi *et al.*, 2022; Bakhtadze *et al.*, 2021; Xiong *et al.*, 2018; Zhang *et al.*, 2020; Li *et al.*, 2014). Forecasts of prices of soybean oil (Silalahi, 2013; Li *et al.*, 2020), soybeans (dos Reis Filho *et al.*, 2020; Li *et al.*, 2022; Yoosefzadeh-Najafabadi *et al.*, 2021; Ribeiro and dos Santos Coelho, 2020; Zhao, 2021; Jiang *et al.*, 2019; Handoyo and Chen, 2020), wheat (Fang *et al.*, 2020; Ribeiro and dos Santos Coelho, 2020; Kohzadi *et al.*, 1996; Zou *et al.*, 2007; Rasheed *et al.*, 2021; Khamis and Abdullah, 2014; Dias and Rocha, 2019; Gómez *et al.*, 2021; Bakhtadze *et al.*, 2021), sugar (Surjandari *et al.*, 2015; Ribeiro and Oliveira, 2011; Zhang *et al.*, 2021; Melo *et al.*, 2007; de Melo *et al.*, 2004; Silva *et al.*, 2019), palm oil (Kanchymalay *et al.*, 2017), corn (Xu and Zhang, 2021a; Mayabi, 2019; Xu and Zhang, 2023g; Moreno and Salazar, 2018; Xu and Zhang, 2023w; Zelingher *et al.*, 2021; Shahhosseini *et al.*, 2021, 2020; dos Reis Filho *et al.*, 2020; Zelingher *et al.*, 2020; Ribeiro *et al.*, 2019; Surjandari *et al.*, 2015; Ayankoya *et al.*, 2016; Wan and Zhou, 2021; Antwi *et al.*, 2022), cotton (Ali *et al.*, 2018; Fang *et al.*, 2020), coffee (Kouadio *et al.*, 2018; Abreham, 2019; Huy *et al.*, 2019; Degife and Sinamo, 2019; Naveena and Subedar, 2017; Lopes, 2018; Deina *et al.*, 2022), peanut oil (Singh and Mishra, 2015; Mishra and Singh, 2013; Zong and Zhu, 2012a, b; Yin and Zhu, 2012; Quan-Yin *et al.*,

2014; Zhu *et al.*, 2014), canola (Shahwan and Odening, 2007; Filippi *et al.*, 2019; Wen *et al.*, 2021), oats (Harris, 2017) and green beans (Xiong *et al.*, 2018; Li *et al.*, 2014) have been documented in the literature. Extreme learning (Kouadio *et al.*, 2018; Jiang *et al.*, 2019; Silva *et al.*, 2019; Deina *et al.*, 2022; Zhang *et al.*, 2020), neural networks (Singh and Mishra, 2015; Xu and Zhang, 2023v; Mishra and Singh, 2013; Xu and Zhang, 2023k; Zong and Zhu, 2012b; Yin and Zhu, 2012; Zong and Zhu, 2012a; Quan-Yin *et al.*, 2014; Zhu *et al.*, 2014; Xu and Zhang, 2021a; Yuan *et al.*, 2020; Abreham, 2019; HUY *et al.*, 2019; Naveena and Subedar, 2017; Mayabi, 2019; Moreno and Salazar, 2018; Ayankoya *et al.*, 2016; Fang *et al.*, 2020; Harris, 2017; Li *et al.*, 2022; Yoosefzadeh-Najafabadi *et al.*, 2021; Ribeiro and dos Santos Coelho, 2020; Silalahi, 2013; Li *et al.*, 2020; Ribeiro and Oliveira, 2011; Zhang *et al.*, 2021; Melo *et al.*, 2007; de Melo *et al.*, 2004; Kohzadi *et al.*, 1996; Zou *et al.*, 2007; Rasheed *et al.*, 2021; Khamis and Abdullah, 2014; Silva *et al.*, 2019; Deina *et al.*, 2022; Shahwan and Odening, 2007; Wan and Zhou, 2021; Antwi *et al.*, 2022; Bakhtadze *et al.*, 2021; Zhang *et al.*, 2020; Li *et al.*, 2014), support vector regressions (SVR) (Abreham, 2019; Lopes, 2018; dos Reis Filho *et al.*, 2020; Surjandari *et al.*, 2015; Fang *et al.*, 2020; Harris, 2017; Li *et al.*, 2022; Yoosefzadeh-Najafabadi *et al.*, 2021; Ribeiro and dos Santos Coelho, 2020; Zhao, 2021; Li *et al.*, 2020; Zhang *et al.*, 2021; Dias and Rocha, 2019; Gómez *et al.*, 2021; Kanchymalay *et al.*, 2017; Zhang *et al.*, 2020), deep learning (RL and Mishra, 2021), genetic programming Ali *et al.* (2018), K-nearest neighbors (Abreham, 2019; Lopes, 2018; Gómez *et al.*, 2021), decision trees (Abreham, 2019; Degife and Sinamo, 2019; Lopes, 2018; Zelingher *et al.*, 2020, 2021; Surjandari *et al.*, 2015; Harris, 2017; Dias and Rocha, 2019), random forests (Kouadio *et al.*, 2018; Lopes, 2018; Zelingher *et al.*, 2021; Shahhosseini *et al.*, 2021, 2020; Zelingher *et al.*, 2020; Li *et al.*, 2022; Yoosefzadeh-Najafabadi *et al.*, 2021; Ribeiro and dos Santos Coelho, 2020; Dias and Rocha, 2019; Gómez *et al.*, 2021; Filippi *et al.*, 2019; Wen *et al.*, 2021; Zhang *et al.*, 2020), boosting (Lopes, 2018; Zelingher *et al.*, 2021; Shahhosseini *et al.*, 2021, 2020; Zelingher *et al.*, 2020; Ribeiro and dos Santos Coelho, 2020; Gómez *et al.*, 2021), multivariate adaptive regression splines (Dias and Rocha, 2019) and ensembles (Shahhosseini *et al.*, 2021, 2020; Ribeiro *et al.*, 2019; Fang *et al.*, 2020; Ribeiro and dos Santos Coelho, 2020; Xiong *et al.*, 2018; Li *et al.*, 2014) symbolize common machine learning models investigated in earlier research. These results, together with those discussed in Bayona-Oré *et al.* (2021) and Majid (2018), appear to suggest that neural networks are possibly the most often employed machine learning model for agricultural commodity price prediction; nevertheless, this is by no means a comprehensive analysis. Neural networks show considerable promise for predicting noisy and chaotic time series data in a range of contexts (Xu and Zhang, 2023j, q; Karasu *et al.*, 2017a, b), including the financial and economic sectors (Xu and Zhang, 2023d, s; Kumar *et al.*, 2021; Xu, 2015b, 2018a, b, d; Yang *et al.*, 2008, 2010; Wang and Yang, 2010; Karasu *et al.*, 2020; Wegener *et al.*, 2016), according to different studies. Their ability to foresee and recognize nonlinear patterns (Xu and Zhang, 2021c; Altan *et al.*, 2021; Xu, 2018c) in a variety of time series (Xu and Zhang, 2021d, 2023a, 2024b; Abraham *et al.*, 2020; Zhan and Xiao, 2021) through self-learning (Xu and Zhang, 2023n, 2024d; Karasu *et al.*, 2020) may be helpful in this respect. In this case, we employ a neural network to predict the price of green beans, a crucial agricultural commodity on the Chinese market.

To perform our research, we investigate the nonlinear auto-regressive neural network as the forecast approach since it could accurately model a wide range of nonlinear features. We also make use of the weekly green bean wholesale price index, which shows nonlinear trends over a ten-year period from January 1, 2010 to January 3, 2020. We investigate the prediction accuracy associated with various combinations of model estimation techniques, hidden neuron and delay counts, and data splitting ratios. Our approach is quite simple and yields highly consistent and accurate projections. We compare the developed neural network to conventional time-series econometric models in a benchmark examination, including a no-change model, an autoregressive model and an autoregressive-generalized autoregressive

conditional heteroskedasticity model, and to other different types of machine learning models, including a regression tree model and a SVR model, which demonstrates that when compared to the five alternative models, the neural network generates forecast accuracy that is statistically considerably greater. This is the first examination of forecasts regarding green bean wholesale price in China, as far as we are aware of, taking into account the preceding studies described above. It is impossible to overestimate the importance of quick and accurate commodity price estimates for market participants and policy makers as they enable quick portfolio adjustments, risk management and market assessments. By employing weekly data for wholesale applications to analyze commodity price forecast challenges, the current study expedites decision making. Firstly, our results might be applied as separate technical price forecasts. To develop opinions on price trends and carry out policy research, they might also be utilized in conjunction with other (basic) forecast results.

## 2. Literature review

Econometrics experts have dedicated a considerable deal of time and effort to developing accurate and dependable commodity price forecasts for the resource and agriculture sectors. The ARIMA, for example, has shown to be highly popular in prior research and is still actively sought after for a wide variety of time series forecast assignments. The ARIMA was found to considerably outperform estimates based on expert opinion and structural models for the US hog and cattle markets (Brandt and Bessler, 1981, 1983; Bessler and Brandt, 1981). It was discovered after thorough research that there is very little potential for accuracy increases for hog price estimates when switching from ARIMA models to ones that use extra sow farrowing cost data (Brandt and Bessler, 1982, 1984; Kling and Bessler, 1985; Bessler, 1990). On the other hand, more data from the exchange rate series was demonstrated to raise model performance for wheat prices, improving the ARIMA model's forecast accuracy (Bessler and Babula, 1987). Additionally, some studies suggested that combining the ARIMA with multiple model types rather than depending only on one input source might increase prediction accuracy (Bessler and Chamberlain, 1988; McIntosh and Bessler, 1988). The VAR is yet another important econometric tool for price series forecasts (Bessler and Hopkins, 1986; Xu and Zhang, 2023b; Chen and Bessler, 1987; Bessler and Brandt, 1992; Awokuse and Yang, 2003; Rezitis, 2015), building upon the correlations between several economic variables (Long *et al.*, 2021; Ashikuzzaman, 2022; Sugita, 2022; Baba and Sevil, 2020). Testing both models for the prediction problem of US cotton prices revealed that the VAR tended to perform better than structural models during periods of usual price volatility (Chen and Bessler, 1990). Research demonstrated the value of the VAR in distinguishing the predictive power of a set of global wheat futures prices (Yang *et al.*, 2003) and a set of regional soy and soybean prices in the US (Babula *et al.*, 2004).

The long-term link(s) between economic variables are further included into the VECM by cointegration, in close association with the VAR (Ngong *et al.*, 2023; Duong, 2023; Chettri *et al.*, 2022; Yussuf, 2022); it might be quite helpful for long-term price forecasts. (Yang and Leatham, 1998; Yang and Awokuse, 2003; Xu, 2019a, c; Yang *et al.*, 2021). In terms of predicting wheat prices internationally, for example, it was shown that the VECM generally performs better than the VAR (Bessler *et al.*, 2003). It was also shown that using the VECM instead of certain other models had a general benefit for several different agricultural price series (Wang and Bessler, 2004).

The previously described econometric models have shown promise in research focusing on price predictions, particularly for green beans. For instance, Kumar (2019) and Chaudhari and Tingre (2014) discovered that the ARIMA could be used to predict the prices of green grams in Odisha and Maharashtra, respectively. According to Hossain *et al.* (2006), the ARIMA is appropriate for predicting mung prices in Bangladesh. Dongo (2007) used the

ARIMA and VAR to analyze price estimates for soybeans and green beans on the Chinese futures market. It was found that while the ARIMA produces reasonable accuracy, the VAR produces better results. [De Silva and Herath \(2016\)](#) used the ARIMA with generalized autoregressive conditional heteroscedasticity (GARCH) to study retail price projections of seventeen agricultural commodities in Sri Lanka, including green beans, carrots, and cabbages. They discovered that for the majority of the commodities they looked at, the autoregressive moving average (ARMA)(1,1)-GARCH (1,1) is enough. For green grams' pricing, [Pani et al. \(2019\)](#) found similar empirical results.


The application of machine learning techniques for commodity price forecasts has advanced, as the literature has shown, and the situation with green beans is no exception. For instance, [Xiong et al. \(2018\)](#) used a hybrid strategy that combines seasonal-trend decomposition and extreme learning machines to investigate price forecast difficulties of cabbages, green beans, tomatoes, cucumbers and peppers in China. The created ensemble forecasts outperformed the individual models they evaluated, such as the SVR, seasonal ARIMA, and time-delay neural network. Similarly, [Li et al. \(2014\)](#) used the Hodrick-Prescott filter and neural network to investigate price forecast difficulties of cabbages, green beans, tomatoes, peppers, and cucumbers in China. They found that the hybrid model outperforms both the neural network alone and the ARIMA. Several possible machine learning models, such as neural networks, SVRs and extreme learning machines, were investigated by [Zhang et al. \(2020\)](#) for the purpose of predicting the prices of various agricultural commodities in China, including pig grains and beans. When creating prediction models, they focused on feature selection and proposed that the best models may be contingent on the commodities in question and the time series characteristics of their pricing.

Though recent research has suggested hybrid and combination models for financial and economic predictions – whose underlying data are typically complex and involve nonlinear behavior – the focus is not always on price projections for agricultural commodities ([Prananta and Alexiou, 2023](#)). For instance, [Liu et al. \(2024\)](#) recommended combining the dynamic conditional correlation version of the generalized autoregressive conditional heteroscedasticity model with the neural network model for the purpose of predicting the Bitcoin trading series. [Mahmoodi et al. \(2023\)](#) suggested combining the SVR with the particle swarm optimization for candlestick technical analysis. Their approach was demonstrated to be more effective than the neural network in some particular circumstances. Another direction of research is to compare prediction performance of different machine learning techniques. For example, [Maneejuk et al. \(2023\)](#) compared the backpropagation version and extreme learning machine version of the neural network for forecasting Chinese stock prices through convertible bonds.

Since there has been little research done on the difficult forecasting task of predicting the price series of green grams in the Chinese wholesale market – a crucial agricultural commodity price indicator that has substantial economic significance for both policymakers and market participants – and because the literature indicates that neural networks have a lot of potential for time-series data forecasting, this study aims to close this gap by building a neural network model that will provide reliable and accurate prediction results, which will aid in price trend analysis and decision-making processes.

### 3. Data

We analyze data from the weekly price index of green beans on the Chinese market over a ten-year period, starting on January 1, 2010, and ending on January 3, 2020. [Figure 1](#) shows the price index and first differential series for green beans in the top and lower left panels. In the top and bottom center panels of [Figure 1](#), we have additionally provided forty-bin histograms and kernel estimates of the price and its 1st differences in order to show the data distributions.



Source(s): Figure by authors

**Figure 1.**  
Visualization of the  
Chinese market's  
weekly price index for  
green beans over a ten-  
year span, from  
January 1, 2010 to  
January 3, 2020

The price and its 1st differences are plotted as quantiles against the conventional normal distribution in the top and lower right panels of Figure 1. Table 1 displays the price data's summary statistics. That the price and its 1st differences are not normally distributed is not surprising, as is to be anticipated for time series in the financial and economic domains, as Figure 1 and Table 1 illustrate (Xu, 2017b, 2019b; Yin and Wang, 2021a, b; Xu and Zhang, 2022c, 2024c; Wenjing and Gang, 2021). It is important to remember that the base period price index, which is based on the average weekly price for June 1994, has a value of 100. Each weekly observation of the index is equivalent to the price of fifty kilos of green beans. Notably, we see that the data contain a number of intermittently missing observations, for which we approximate the data using cubic spline interpolation. In particular, fourteen price observations on 02/19/2010, 02/04/2011, 03/11/2011, 10/07/2011, 01/27/2012, 02/20/2015, 02/12/2016, 10/07/2016, 10/06/2017, 02/16/2018, 10/05/2018, 02/08/2019, 08/09/2019, and 10/04/2019 are missing, and their approximations are 128.30, 123.74, 122.94, 145.63, 147.09, 167.63, 160.97, 181.51, 148.20, 157.83, 168.08, 158.53, 166.54, 149.75, respectively. The estimated pricing observations have been taken into account by the plots in Figure 1 and the summary statistics in Table 1. The price index of green beans, with the missing data estimated, is used in the following analysis.

#### 4. Method

Our method of price prediction uses a non-linear autoregressive neural network, which may be depicted as follows:  $y_t = f(y_{t-1}, \dots, y_{t-d})$ . The variables  $y$ ,  $t$ ,  $d$ , and  $f$  represent, in that order, the value of the green bean price index to be predicted, time (in weeks), number of delays (in weeks) and model's functional form. Neural networks have been explicitly shown in the literature to offer a significant lot of potential for forecasting noisy and chaotic time series data in many scenarios (Karasu *et al.*, 2017b), including the fields of finance and economics (Kumar *et al.*, 2021; Yang *et al.*, 2008, 2010; Wang and Yang, 2010; Karasu *et al.*, 2020; Wegener *et al.*, 2016). Their ability to foresee independently (Karasu *et al.*, 2020) and find patterns that are not linear (Altan *et al.*, 2021) throughout various time series (Abraham *et al.*, 2020; Zhan and Xiao, 2021) should be helpful in this sense. This modeling method, in particular, may be used to anticipate complicated time series data by mixing a variety of fundamental non-linear functions to mimic advanced nonlinear properties (Yang *et al.*, 2008, 2010; Wang and Yang, 2010). Our attention is on the forecast for the upcoming week. We use the feedforward network design consisting of two layers. While the hidden layers make use of sigmoid transfer functions, the output layer uses a linear one. We assess both the Levenberg–Marquardt (LM) (Levenberg, 1944; Marquardt, 1963) and scaled conjugate gradient (SCG) (Møller, 1993) approaches for model training, since they have been shown to be useful and successful in a number of academic domains (Xu and Zhang, 2021a, b, 2022f, h, i; Doan and Liong, 2004; Kayri, 2016; Khan *et al.*, 2019; Selvamuthu *et al.*, 2019). One may find further

Series	Minimum	Mean	Median	Std	Maximum	Skewness	Kurtosis	Jarque-Bera ( $p$ – value)
Price	120.6300	160.3220	164.1000	15.4976	203.1600	–0.8039	3.8994	<0.001
First difference	–37.6500	0.0588	0.0000	8.1931	32.9500	–0.1184	7.7072	<0.001

**Source(s):** Table by authors

**Table 1.**  
Summary statistics of  
the Chinese market's  
weekly price index for  
green beans over a ten-  
year span, from  
January 1, 2010 to  
January 3, 2020

comparisons between these two approaches in some of the previous research (Xu and Zhang, 2022g, 2023c, u; Baghirli, 2015; Al Bataineh and Kaur, 2018).

#### 4.1 LM algorithm

By using the LM approach, the second-order training speed is approximated without having to compute the expensive Hessian matrix ( $H$ ) (Paluszek and Thomas, 2020; Xu and Zhang, 2023o). An representation of the selected approximation may be  $H = J^T J$ , where

$$J = \begin{bmatrix} \frac{\partial E}{\partial w_1} & \frac{\partial E}{\partial w_2} \end{bmatrix}, \text{ using, as an illustration, a scheme in which the weights are identified as } w_1 \text{ and } w_2, \text{ for a non-linear function } -E(\cdot) \text{ - applied to reveal the sum square error with}$$

$$H = \begin{bmatrix} \frac{\partial^2 E}{\partial w_1^2} & \frac{\partial^2 E}{\partial w_1 \partial w_2} \\ \frac{\partial^2 E}{\partial w_2 \partial w_1} & \frac{\partial^2 E}{\partial w_2^2} \end{bmatrix}. \text{ The expression } g = J^T e \text{ represents a gradient, while } e \text{ displays}$$

an error vector. The  $w_{k+1} = w_k - [J^T J + \mu I]^{-1} J^T e$  rule is used to update the weights and biases, where  $\mu$  stands for the combination coefficient while  $I$  stands for the identity matrix. Newton's technique will be similar to the procedure for  $\mu = 0$ ; However, when  $\mu$  is large, the process will switch to a gradient descent one with small step sizes.  $\mu$  would decrease as a result of decreased demand for a quicker gradient drop after successful steps. While keeping many of the benefits of steepest-descent algorithms and Gauss-Newton approaches, the LM algorithm also avoids many of their shortcomings. It could, in particular, successfully tackle the issue of slow convergence (Hagan and Menhaj, 1994; Xu and Zhang, 2022a).

#### 4.2 SCG algorithm

Backpropagation methods change the weights in the steepest fall, which does not necessarily represent the fastest convergence, even if the performance function would drop down quickly in that direction. By conducting searches along the conjugate route, conjugate gradient algorithms frequently produce faster convergence when compared to the steepest descent. Most algorithms use the learning rate to calculate how long the updated weight step size should be. Step size is one of the things that conjugate gradient algorithms iterate over. Thus, the search is carried out in the conjugate gradient direction to ascertain the step size for reducing the performance function. Additionally, one may utilize the SCG approach – which is completely automated and supervised – instead of the laborious line searches associated with conjugate gradient methods. This methodology is faster than LM backpropagation (Xu and Zhang, 2022d, 2023r). In particular, it was shown that on a basic multilayer perceptron structure with two hidden layers, the SCG technique performed better than the LM algorithm (as indicated by the average training iteration) (Batra, 2014). The second-order term is comuted using the SCG technique,  $s_k$ , in this way:  $s_k = \frac{E'(w_k + \sigma_k p_k) - E'(w_k)}{\sigma_k} + \lambda_k p_k$ , where the gradient is signified by  $E'(\cdot)$ , the weight vector in the real euclidean space is signified by  $w$ , the nonzero weight vector of the conjugate system in the real euclidean space is signified by  $p$ , the index is signified by  $k$ , and  $\lambda_k$  (also known as the Lagrange Multiplier) and  $\sigma_k$  are utilized to show two scaling factors. The step size,  $\alpha_k$ , is expressed as  $\alpha_k = \frac{-p_k^T E'_{qw}(y_k)}{p_k^T s_k + \lambda_k |p_k|^2}$ , where  $E_{qw}(\cdot)$  represents  $E(\cdot)$ 's quadratic approximation.

In addition to the two different approaches used, we investigate alternative model setups regarding the number of hidden neurons and delays, as well as data division ratios. We consider, in particular, 2, 3, 5, and 10 for the number of hidden neurons used; 2, 3, 4, 5 and 6 for

the number of delays applied; and 70%–15%–15%, 60%–20%–20% and 80%–10%–10% for the ratio employed to divide the price data into training-validation-testing stages. Every model scenario that was examined is included in Table 2. Setting #49 has been selected with regard to green bean prices. Its base is the LM method and a training-validation-testing data splitting ratio of 60%–20%–20%. Six delays are employed along with two hidden neurons. When the model training is finished, it is decided by the number of validation tests and the magnitude of the gradient. The gradient will become narrower when training reaches a point where performance reaches its lowest point. Upon reaching a gradient magnitude below  $10^{-5}$ , training will cease. There exists a correlation between the number of validation checks and the amount of iterations in which the validation performance does not decrease. Following the completion of the six validation checks, this course will come to an end. Furthermore, training will terminate with the achievement of the designated 1,000 training epochs, commonly known as training iterations. For the LM technique, 0.001 is the initial  $\mu$  (combination coefficient); 0.1 is the decline factor; 10 serves as the increase factor; and  $\mu$ 's maximum value is fixed at  $10^{10}$ . The weight change determinant linked to second derivative approximations for the SCG technique is  $5 \times 10^{-5}$ , and  $5 \times 10^{-7}$  is the parameter used to regulate the Hessian's indefiniteness.

### 5. Result

We assess each model setup in the Table 2 for green bean price indices. Relative root mean square error (RRMSE) is the performance statistic that we calculate for each configuration at the training, validation, and testing sessions. Comparisons of different prediction results between models or objectives are made possible by the RRMSE (Jamieson *et al.*, 1991;

		Model configurations
Algorithms	Levenberg–Marquardt (LM) algorithm	1+2v (v = 0,1, . . . ,59)
	Scaled conjugate gradient (SCG) algorithm	2+2v (v = 0,1, . . . ,59)
Number of delays	2	1 + 10s–2+10s (s = 0,1, . . . ,11)
	3	3 + 10s–4+10s (s = 0,1, . . . ,11)
	4	5 + 10s–6+10s (s = 0,1, . . . ,11)
	5	7 + 10s–8+10s (s = 0,1, . . . ,11)
	6	9 + 10s–10 + 10s (s = 0,1, . . . ,11)
	Number of hidden neurons	2
3		11 + 40m–20 + 40m (m = 0,1,2)
5		21 + 40m–30 + 40m (m = 0,1,2)
10		31 + 40m–40 + 40m (m = 0,1,2)
Training–validation–testing segmentation	70%–15%–15%	1–40
	60%–20%–20%	41–80
	80%–10%–10%	81–120


**Table 2.**  
Model configurations tested for the weekly price index of wholesale green beans

Source(s): Table by authors

Heinemann *et al.*, 2012; Li *et al.*, 2013; Despotovic *et al.*, 2016). A numerical representation of the RRMSE results is shown in Figure 2. Applying the LM algorithm and adopting a ratio of 60%–20%–20% for data segmentation across training, validation and testing – the configuration #49 (six delays and two hidden neurons) holds the most data for the testing part out of the 3 data segmentation ratios taken into consideration – we ultimately decide the configuration by making balance between accuracy and stabilities. The selected model configuration is shown by the red arrow in Figure 2, and we can observe that, in that specific arrangement, the triangle for the testing part, the square for the validation part and the diamond for the training part are all somewhat rather close to one another. Others, which result in higher RRMSE results for the remaining sub-samples but a lower RRMSE result for one particular subsample, reveal lesser stabilities as compared to the one selected. For example, during training, option #41’s RRMSE is somewhat lower than setting #49’s, but it increases throughout validation and testing. Put differently, choosing setting #49 results in improved prediction stabilities as compared to option #41. Our goal is to avoid under- or overfitting by selecting a model configuration for the green bean price index that performs relatively consistently throughout the training, validation and testing stages.


We adjust one parameter at a time to investigate performance sensitivity to alternative configurations after deciding on a configuration for the green bean price index. Figure 3 displays the relevant findings together with the RRMSEs for training, validation and testing based on each parameter. By contrasting setups #49 and #5, the sensitivity to model training strategies is assessed. A comparison is made between configurations #49 and #41, #43, #45 and #47 in terms of sensitivity to the number of delays. The relationship between configurations #49 and #59, #69 and #79 is studied in terms of sensitivity to the number of hidden neurons. Between configurations #49 and #9 and #89, the sensitivity to the ratio to segment the price data is investigated. Based on the comparing results, setting #49 is

**Figure 2.** RRMSEs across model configurations for the weekly price index of wholesale green beans



**Source(s):** Figure by authors


**Figure 3.** Sensitivities to model configurations for the weekly price index of wholesale green beans



**Source(s):** Figure by authors

suggested as the best choice for the green bean price index. It yields an overall RRMSE of 4.35% and separate RRMSEs of 4.34%, 4.71% and 3.98% for training, validation, and testing. Previous research has offered the following standards for evaluating the forecast accuracy of a model (Jamieson *et al.*, 1991; Heinemann *et al.*, 2012; Li *et al.*, 2013; Despotovic *et al.*, 2016): when one reaches  $RRMSE < 10\%$ , forecasting performance needs to be verified as excellent; when one reaches  $10\% < RRMSE < 20\%$ , forecasting performance needs to be verified as good; when one reaches  $20\% < RRMSE < 30\%$ , forecasting performance needs to be verified as fair; and when one reaches  $RRMSE > 30\%$ , forecasting performance needs to be verified as poor. Using these rating criteria, the model developed here has excellent forecast accuracy, with an RRMSE of 3.98% during the testing phase. As seen in Figure 3, the configuration that was selected results in rather consistent performance across the testing, validation and training part. Figure 3 illustrates how configuration #49, which employs the LM algorithm, and #50, which utilizes the SCG, compares. It is clear from this comparison that the LM approach frequently yields more accuracy than the SCG. This finding is consistent with the research (Batra, 2014; Xu and Zhang, 2022j), which indicates that even though the SCG technique is probably faster, the LM approach is probably going to be more accurate on the multi-layer perceptron structure with two hidden layers. In our particular case, the LM algorithm takes 3.040497 s to execute and the SCG algorithm takes 0.655436 s. The results generally hold up well to modifications in data splitting ratios, as seen by the lack of substantial differences in overall performance across configurations #49 and #9 and #89.

Based on the selected model parameter, we offer a thorough visual depiction of the expected results and prediction errors for the green bean price index in Figure 4 during the training, validation and testing phases. In summary, the selected configuration appears to



Source(s): Figure by authors

**Figure 4.**  
Visualization of  
forecast results for the  
weekly price index of  
wholesale green beans

produce dependable and precise outcomes, suggesting the neural network's possible application as a forecasting instrument for the weekly price index under examination. More specifically, we can see that projected prices from the top panel of Figure 4 closely mirror observed ones during the training, validation and testing phases. The bottom or center panel of Figure 4 allows us to see that there is no issue with consistently under- or overpredicting during the three phases. Figure 4's center or bottom panel shows that some of the forecast mistakes are relatively larger during certain short subperiods with dramatically greater price volatilities. This finding might not be too surprising, as the model still typically captures the price changes throughout these subperiods properly. Furthermore, error auto-correlation analysis was performed (details available upon request). With the exception of the lag of 10, for which there is a minor violation of the confidence bounds, the results demonstrate that, up to a lag of 20, all auto-correlations associated with various delays stay within the 95% confidence limits. This little violation would not have occurred if the 99% confidence limits had been applied. Error auto-correlation research results generally indicate that the selected configuration is appropriate.

The existence of nonlinearities for time-series data in the financial and economic domains at higher moments has been widely confirmed by literature (Yang *et al.*, 2008, 2010; Xu and Zhang, 2023; Xu and Zhang, 2022e; Wang and Yang, 2010; Karasu *et al.*, 2020). In this scenario, we execute the BDS test (Brock *et al.*, 1996; Fujihara and Mougoué, 1997; Dergiades *et al.*, 2013) on the weekly price index of green beans, using a range of embedding dimensions and distances to measure the proximity of data points. We discover that all test  $p$  – values are almost 0. The pricing data have nonlinear properties, according to these findings. This circumstance is advantageous for neural networks, since they may utilize historical data to forecast (Karasu *et al.*, 2020) and detect nonlinearities (Altan *et al.*, 2021) in commodity prices. More accurately than some other approaches that account for nonlinearities via a single non-linear function, neural networks may simulate a wide variety of functions utilizing a class of multi-layer networks that integrate numerous fundamental non-linear functions (Yang *et al.*, 2008, 2010; Wang and Yang, 2010). We show how to utilize a neural network to estimate the weekly price index of green beans, and we are able to achieve very good prediction stabilities and accuracy.

## 6. Benchmark analysis

Thus far, we have concentrated on neural networks in our work. The no-change model, autoregressive model (AR), regression tree model (RT), SVR model and AR-generalized autoregressive conditional heteroskedasticity model (AR-GARCH) are the five different benchmark models that are examined in this analysis. In addition to the RRMSE, the forecast mean squared errors (MSEs) of two models are compared using the modified Diebold-Mariano test, often known as the *MDM* test (Diebold and Mariano, 2002; Harvey *et al.*, 1997), to assess the prediction accuracy of these different models. The basis for the development of the *MDM* test is:  $d_t = \left(\text{error}_t^{M_1}\right)^2 - \left(\text{error}_t^{M_2}\right)^2$ , where  $\text{error}_t^{M_1}$  and  $\text{error}_t^{M_2}$  show two errors corresponding to time  $t$  that are generated according to models  $M_1$  and  $M_2$  respectively. In this case,  $M_2$  denotes the neural network model, and  $M_1$  is one of the five benchmark models that are being assessed. Specifically, the test statistic for the *MDM* test is expressed as  $MDM = \left[\frac{T+1-2h+T^{-1}h(h-1)}{T}\right]^{1/2} \left[T^{-1} \left(\gamma_0 + 2\sum_{k=1}^{h-1} \gamma_k\right)\right]^{-1/2} \bar{d}$ , where  $T$  represents the time period for which prediction performance comparisons are performed;  $h$  shows the forecast horizon (in this case,  $h = 1$ );  $\bar{d}$  represents the sample average of  $d_i$ ;  $\gamma_0 = T^{-1} \sum_{t=1}^T (d_t - \bar{d})^2$  reveals  $d_t$ 's variance; and  $\gamma_k = T^{-1} \sum_{t=k+1}^T (d_t - \bar{d})(d_{t-k} - \bar{d})$  stands


for  $d_t$ 's  $k$ th auto-covariance for  $k = 1, \dots, h - 1$  and  $h \geq 2$ . The equivalence of predicted prediction performance from two distinct models is the null hypothesis of the *MDM* test. The *MDM* test would come after the  $t$ -distribution with  $T - 1$  degrees of freedom under the null hypothesis.

The following details apply to the five benchmark models that were previously discussed. The forecast for the following period is derived from the current period's observations in the no-change model. Compared to the neural network model's number of delays, the AR and AR-GARCH models use the same number of lags. The GARCH component of the AR-GARCH model has the form GARCH(1,1). Predictors from the neural network model are also used by the SVR and RT models. The RT model employs the classification analysis and regression tree (CART) approach (Breiman, 2017), to be more specific, and analysis is conducted using the linear  $\epsilon$ -insensitive SVR model.

Figure 5 shows the outcomes of the benchmark analysis conducted during the out-of-sample testing phase using the RRMSE. It is evident that the neural network model has superior accuracy because it produces the lowest RRMSE when compared to the five benchmark models. The neural network model is compared to each of the five benchmark models in the *MDM* test, and the  $p$ -value is less than 0.01; this suggests that out of the five benchmark models analyzed, the neural network model generates prediction performance that is statistically considerably better.

## 7. Policy implication

Historically, both market participants and regulatory bodies have placed a great deal of weight on forecasts of agricultural commodity prices. Estimating agricultural commodities' values might be crucial to reducing uncertainty and developing well-informed policies, as many commodities – including the green grams under consideration – have strategic relevance for many nations and regions. In agricultural commodity markets, almost all market participants would need access to price forecast data in order to make well-informed judgments. Forecast information, for example, provides useful information about the price tactics commodity processors will use for future sales. Forecast findings can be used by trading partners to get the necessary information to determine the conditions of their contracts. Trading and investing professionals may be able to profit from the spot or futures



Source(s): Figure by authors

Figure 5.  
Benchmark analysis

market by using predictive data. Risk managers and policymakers contend that forecast data is essential for developing strategies for efficient risk management and policy formulation. To the best of the authors' knowledge, most forecasting methods employed by the government and many market participants when it comes to agricultural commodity price indices for wholesale purposes are based on econometric models, especially time-series econometric models. In the interim, professional judgments are still used. This has a practical basis since econometric models and expert views are often easy to develop, use and maintain; many forecast customers have been using them for decades, and many of these models have the capacity to provide predictions with a decent degree of accuracy. It's widely acknowledged that machine learning models have potential and that further research into them is worthwhile, especially in light of the rising affordability of computer resources and the plausible foundation for probable nonlinear patterns in price series of a diverse variety of agricultural commodities. However, some decision-makers may still view these models as unduly complex forecasting tools, which could make it difficult for some market participants and policymakers to consider these models. Actually, in recent years, the capabilities of artificial intelligence and machine learning have attracted the attention of many governments as well as astute market actors. This study follows the current trend of looking at neural networks' potential to resolve forecasting problems for the wholesale green gram price index. This article explains the process of creating such a model, with excellent prediction accuracy and stabilities as a consequence. These imply that machine learning models are worth investigating, probably for a greater variety of agricultural products and other economic domains.

## 8. Conclusion

Projections of commodity prices are crucial to a wide spectrum of market players in the resource and agriculture sectors. This matter shouldn't be an exception given the important roles that green beans play in the Chinese market. In the current study, we undertake a forecast exercise based on the Chinese market using the weekly wholesale price index of green beans over a ten-year period, from January 1, 2010 to January 3, 2020, which is complex and has nonlinear elements. Since the nonlinear auto-regressive neural network has a great deal of potential for modeling different nonlinear patterns, we investigate it as the forecast approach for this purpose. We analyze the forecast performance related to different parameters about model estimation procedures, hidden neuron and delay counts, and data splitting ratios, respectively. Our inquiry led to the development of our very basic model that delivers forecasts with outstanding stabilities and accuracy. The particular basis of the model is provided by six delays and two hidden neurons. The Levenberg–Marquardt (Levenberg, 1944; Marquardt, 1963) method and a training-validation-testing ratio of 60%–20%–20% are used. With this selected model, we obtain relative root mean square errors of 4.34%, 4.71%, and 3.98%, respectively, for the training, validation and testing stages. The neural network model produces statistically considerably better accuracy when compared to other machine learning approaches and numerous conventional time-series econometric models, according to our benchmark research. We provide empirical evidence that neural networks are a useful tool for China's weekly green bean price predictions. It might be argued that our results are enough to serve as independent technical price forecasts. However, they may be combined with other (basic) forecast results to create views on pricing trends and carry out policy research. We use a simple, understandable framework that should be straightforward to implement. A lot of market participants could find this important (Brandt and Bessler, 1983), and the framework might be expanded to handle forecasting tasks involving different commodities in other economic sectors including the metal, energy and mining industries. Future research on the potential applications of graph theory to (non)linear time-series

models might be intriguing (Kano and Shimizu, 2003; Shimizu *et al.*, 2006, 2011; Xu and Zhang, 2023f; Shimizu and Kano, 2008; Xu, 2014a; Bessler and Wang, 2012). Another worthwhile area of research might be the economic effects of estimating commodities prices using neural networks or other machine learning technology (Yang *et al.*, 2008, 2010; Wang and Yang, 2010).

## References

- Abraham, E.R., Mendes dos Reis, J.G., Vendrametto, O., Oliveira Costa Neto, P.L.d., Carlo Tolo, R., Souza, A.E.d. and Oliveira Morais, M.d. (2020), "Time series prediction with artificial neural networks: an analysis using brazilian soybean production", *Agriculture*, Vol. 10, p. 475, doi: [10.3390/agriculture10100475](https://doi.org/10.3390/agriculture10100475).
- Abreham, Y., (2019), "Coffee price prediction using machine-learning techniques", Ph.D. thesis. ASTU.
- Al Bataineh, A. and Kaur, D. (2018), "A comparative study of different curve fitting algorithms in artificial neural network using housing dataset", *NAECON 2018-IEEE National Aerospace and Electronics Conference*, IEEE, pp. 174-178, doi: [10.1109/NAECON.2018.8556738](https://doi.org/10.1109/NAECON.2018.8556738).
- Ali, M., Deo, R.C., Downs, N.J. and Maraseni, T. (2018), "Cotton yield prediction with Markov chain Monte Carlo-based simulation model integrated with genetic programming algorithm: a new hybrid copula-driven approach", *Agricultural and Forest Meteorology*, Vol. 263, pp. 428-448, doi: [10.1016/j.agrformet.2018.09.002](https://doi.org/10.1016/j.agrformet.2018.09.002).
- Altan, A., Karasu, S. and Zio, E. (2021), "A new hybrid model for wind speed forecasting combining long short-term memory neural network, decomposition methods and grey wolf optimizer", *Applied Soft Computing*, Vol. 100, 106996, doi: [10.1016/j.asoc.2020.106996](https://doi.org/10.1016/j.asoc.2020.106996).
- Antwi, E., Gyamfi, E.N., Kyei, K.A., Gill, R. and Adam, A.M. (2022), "Modeling and forecasting commodity futures prices: decomposition approach", *IEEE Access*, Vol. 10, pp. 27484-27503, doi: [10.1109/ACCESS.2022.3152694](https://doi.org/10.1109/ACCESS.2022.3152694).
- Ashikuzzaman, N. (2022), "Does growth of nonperforming loan ratio have a temporal impact on private credit growth in Bangladesh economy?", *Asian Journal of Economics and Banking*, Vol. 6 No. 3, pp. 404-412, doi: [10.1108/AJEB-03-2022-0030](https://doi.org/10.1108/AJEB-03-2022-0030).
- Awokuse, T.O. and Yang, J. (2003), "The informational role of commodity prices in formulating monetary policy: a reexamination", *Economics Letters*, Vol. 79 No. 2, pp. 219-224, doi: [10.1016/S0165-1765\(02\)00331-2](https://doi.org/10.1016/S0165-1765(02)00331-2).
- Ayankoya, K., Calitz, A.P. and Greyling, J.H. (2016), "Using neural networks for predicting futures contract prices of white maize in South Africa", *Proceedings of the Annual Conference of the South African Institute of Computer Scientists and Information Technologists*, pp. 1-10, doi: [10.1145/2987491.2987508](https://doi.org/10.1145/2987491.2987508).
- Baba, B. and Sevil, G. (2020), "The impact of foreign capital shifts on economic activities and asset prices: a threshold var approach", *Asian Journal of Economics and Banking*, Vol. 4 No. 3, pp. 87-104, doi: [10.1108/AJEB-06-2020-0013](https://doi.org/10.1108/AJEB-06-2020-0013).
- Babula, R.A., Bessler, D.A., Reeder, J. and Somwaru, A. (2004), "Modeling us soy-based markets with directed acyclic graphs and bernanke structural var methods: the impacts of high soy meal and soybean prices", *Journal of Food Distribution Research*, Vol. 35, pp. 29-52, doi: [10.22004/ag.econ.27559](https://doi.org/10.22004/ag.econ.27559).
- Baghirli, O. (2015), "Comparison of levenberg-marquardt, scaled conjugate gradient and bayesian regularization backpropagation algorithms for multistep ahead wind speed forecasting using multilayer perceptron feedforward neural network", available at: <https://www.diva-portal.org/smash/get/diva2:828170/FULLTEXT01.pdf>
- Bakhtadze, N., Maximov, E. and Maximova, N. (2021), "Local wheat price prediction models", *2021 IEEE 7th International Conference on Control Science and Systems Engineering (ICCSSE)*, IEEE, pp. 223-227, doi: [10.1109/ICCSSE52761.2021.9545154](https://doi.org/10.1109/ICCSSE52761.2021.9545154).

- Batra, D. (2014), "Comparison between levenberg-marquardt and scaled conjugate gradient training algorithms for image compression using mlp", *International Journal of Image Processing (IJIP)*, Vol. 8, pp. 412-422.
- Bayona-Oré, S., Cerna, R. and Tirado Hinojoza, E. (2021), "Machine learning for price prediction for agricultural products", *WSEAS Transactions on Business and Economics*, Vol. 18, pp. 969-977, doi: [10.37394/23207.2021.18.92](https://doi.org/10.37394/23207.2021.18.92).
- Bessler, D.A. (1982), "Adaptive expectations, the exponentially weighted forecast, and optimal statistical predictors: a revisit", *Agricultural Economics Research*, Vol. 34, pp. 16-23, doi: [10.22004/ag.econ.148819](https://doi.org/10.22004/ag.econ.148819).
- Bessler, D.A. (1990), "Forecasting multiple time series with little prior information", *American Journal of Agricultural Economics*, Vol. 72 No. 3, pp. 788-792, doi: [10.2307/1243059](https://doi.org/10.2307/1243059).
- Bessler, D.A. and Babula, R.A. (1987), "Forecasting wheat exports: do exchange rates matter?", *Journal of Business and Economic Statistics*, Vol. 5 No. 3, pp. 397-406, doi: [10.2307/1391615](https://doi.org/10.2307/1391615).
- Bessler, D.A. and Brandt, J.A. (1981), "Forecasting livestock prices with individual and composite methods", *Applied Economics*, Vol. 13 No. 4, pp. 513-522, doi: [10.1080/00036848100000016](https://doi.org/10.1080/00036848100000016).
- Bessler, D.A. and Brandt, J.A. (1992), "An analysis of forecasts of livestock prices", *Journal of Economic Behavior and Organization*, Vol. 18 No. 2, pp. 249-263, doi: [10.1016/0167-2681\(92\)90030-F](https://doi.org/10.1016/0167-2681(92)90030-F).
- Bessler, D.A. and Chamberlain, P.J. (1988), "Composite forecasting with dirichlet priors", *Decision Sciences*, Vol. 19 No. 4, pp. 771-781, doi: [10.1111/j.1540-5915.1988.tb00302.x](https://doi.org/10.1111/j.1540-5915.1988.tb00302.x).
- Bessler, D.A. and Hopkins, J.C. (1986), "Forecasting an agricultural system with random walk priors", *Agricultural Systems*, Vol. 21 No. 1, pp. 59-67, doi: [10.1016/0308-521X\(86\)90029-6](https://doi.org/10.1016/0308-521X(86)90029-6).
- Bessler, D.A. and Kling, J.L. (1986), "Forecasting vector autoregressions with bayesian priors", *American Journal of Agricultural Economics*, Vol. 68 No. 1, pp. 144-151, doi: [10.2307/1241659](https://doi.org/10.2307/1241659).
- Bessler, D.A. and Wang, Z. (2012), "D-separation, forecasting, and economic science: a conjecture", *Theory and Decision*, Vol. 73 No. 2, pp. 295-314, doi: [10.1007/s11238-012-9305-8](https://doi.org/10.1007/s11238-012-9305-8).
- Bessler, D.A., Yang, J. and Wongcharupan, M. (2003), "Price dynamics in the international wheat market: modeling with error correction and directed acyclic graphs", *Journal of Regional Science*, Vol. 43, pp. 1-33, doi: [10.1111/1467-9787.00287](https://doi.org/10.1111/1467-9787.00287).
- Bisht, A. (2019), "Estimating volatility in prices of pulses in India: an application of garch model", *Economic Affairs*, Vol. 64 No. 3, 295564, doi: [10.30954/0424-2513.3.2019.6](https://doi.org/10.30954/0424-2513.3.2019.6).
- Brandt, J.A. and Bessler, D.A. (1981), "Composite forecasting: an application with us hog prices", *American Journal of Agricultural Economics*, Vol. 63 No. 1, pp. 135-140, doi: [10.2307/1239819](https://doi.org/10.2307/1239819).
- Brandt, J.A. and Bessler, D.A. (1982), "Forecasting with a dynamic regression model: a heuristic approach", *North Central Journal of Agricultural Economics*, Vol. 4 No. 1, pp. 27-33, doi: [10.2307/1349096](https://doi.org/10.2307/1349096).
- Brandt, J.A. and Bessler, D.A. (1983), "Price forecasting and evaluation: an application in agriculture", *Journal of Forecasting*, Vol. 2 No. 3, pp. 237-248, doi: [10.1002/for.3980020306](https://doi.org/10.1002/for.3980020306).
- Brandt, J.A. and Bessler, D.A. (1984), "Forecasting with vector autoregressions versus a univariate arima process: an empirical example with us hog prices", *North Central Journal of Agricultural Economics*, Vol. 4 No. 2, pp. 29-36, doi: [10.2307/1349248](https://doi.org/10.2307/1349248).
- Breiman, L. (2017), *Classification and Regression Trees*, Routledge, New York.
- Brock, W.A., Scheinkman, J.A., Dechert, W.D. and LeBaron, B. (1996), "A test for independence based on the correlation dimension", *Econometric Reviews*, Vol. 15 No. 3, pp. 197-235, doi: [10.1080/07474939608800353](https://doi.org/10.1080/07474939608800353).

- Chaudhari, D. and Tingre, A. (2014), "Use of arima modeling for forecasting green gram prices for Maharashtra", *Journal of Food Legumes*, Vol. 27, pp. 136-139.
- Chen, D.T. and Bessler, D.A. (1987), "Forecasting the us cotton industry: structural and time series approaches", *Proceedings of the NCR-134 Conference on Applied Commodity Price Analysis. Forecasting, and Market Risk Management, Chicago Mercantile Exchange*, Chicago, doi: [10.22004/ag.econ.285463](https://doi.org/10.22004/ag.econ.285463).
- Chen, D.T. and Bessler, D.A. (1990), "Forecasting monthly cotton price: structural and time series approaches", *International Journal of Forecasting*, Vol. 6 No. 1, pp. 103-113, doi: [10.1016/0169-2070\(90\)90101-G](https://doi.org/10.1016/0169-2070(90)90101-G).
- Chettri, K.K., Bhattarai, J.K. and Gautam, R. (2022), "Foreign direct investment and stock market development in Nepal", *Asian Journal of Economics and Banking*, Vol. 7 No. 2, pp. 277-292, doi: [10.1108/AJEB-02-2022-0018](https://doi.org/10.1108/AJEB-02-2022-0018).
- Degife, W.A. and Sinamo, A. (2019), "Efficient predictive model for determining critical factors affecting commodity price: the case of coffee in ethiopian commodity exchange (ecx)", *International Journal of Information Engineering and Electronic Business*, Vol. 11 No. 6, pp. 32-36, doi: [10.5815/ijieeb.2019.06.05](https://doi.org/10.5815/ijieeb.2019.06.05).
- Deina, C., do Amaral Prates, M.H., Alves, C.H.R., Martins, M.S.R., Trojan, F., Stevan Jr, S.L. and Siqueira, H.V. (2022), "A methodology for coffee price forecasting based on extreme learning machines", *Information Processing in Agriculture*, Vol. 9 No. 4, pp. 556-565, doi: [10.1016/j.inpa.2021.07.003](https://doi.org/10.1016/j.inpa.2021.07.003).
- Dergiades, T., Martinopoulos, G. and Tsoulfidis, L. (2013), "Energy consumption and economic growth: parametric and non-parametric causality testing for the case of Greece", *Energy Economics*, Vol. 36, pp. 686-697, doi: [10.1016/j.eneco.2012.11.017](https://doi.org/10.1016/j.eneco.2012.11.017).
- Despotovic, M., Nedic, V., Despotovic, D. and Cvetanovic, S. (2016), "Evaluation of empirical models for predicting monthly mean horizontal diffuse solar radiation", *Renewable and Sustainable Energy Reviews*, Vol. 56, pp. 246-260, doi: [10.1016/j.rser.2015.11.058](https://doi.org/10.1016/j.rser.2015.11.058).
- Dias, J. and Rocha, H. (2019), "Forecasting wheat prices based on past behavior: comparison of different modelling approaches", *International Conference on Computational Science and Its Applications*, Springer, pp. 167-182, doi: [10.1007/978-3-030-24302-9\\_13](https://doi.org/10.1007/978-3-030-24302-9_13).
- Diebold, F.X. and Mariano, R.S. (2002), "Comparing predictive accuracy", *Journal of Business and Economic Statistics*, Vol. 20 No. 3, pp. 134-144, doi: [10.2307/1392185](https://doi.org/10.2307/1392185).
- Doan, C.D. and Liong, S.y. (2004), "Generalization for multilayer neural network bayesian regularization or early stopping", *Proceedings of Asia Pacific Association of Hydrology and Water Resources 2nd Conference*, pp. 5-8.
- Dongo, K.K. (2007), "Forecasting the Chinese futures markets prices of soy bean and green bean commodities", doi: [10.57709/1059679](https://doi.org/10.57709/1059679).
- Drachal, K. and Pawłowski, M. (2021), "A review of the applications of genetic algorithms to forecasting prices of commodities", *Economies*, Vol. 9 No. 1, p. 6, doi: [10.3390/economies9010006](https://doi.org/10.3390/economies9010006).
- Duong, T.H. (2023), "The gold price–inflation relation in the case of vietnam: empirical investigation in the presence of structural breaks", *Asian Journal of Economics and Banking*, Vol. 7 No. 2, pp. 217-233, doi: [10.1108/AJEB-05-2022-0054](https://doi.org/10.1108/AJEB-05-2022-0054).
- Esther, N.M. and Magdaline, N.W. (2017), "Arima modeling to forecast pulses production in Kenya", *Asian Journal of Economics, Business and Accounting*, Vol. 2 No. 3, pp. 1-8, doi: [10.9734/AJEB/2017/32414](https://doi.org/10.9734/AJEB/2017/32414).
- Fan, M., Kang, M., Wang, X., Hua, J., He, C. and Wang, F.Y. (2022), "Parallel crop planning based on price forecast", *International Journal of Intelligent Systems*, Vol. 37 No. 8, pp. 4772-4793, doi: [10.1002/int.22739](https://doi.org/10.1002/int.22739).

- Fang, Y., Guan, B., Wu, S. and Heravi, S. (2020), "Optimal forecast combination based on ensemble empirical mode decomposition for agricultural commodity futures prices", *Journal of Forecasting*, Vol. 39 No. 6, pp. 877-886, doi: [10.1002/for.2665](https://doi.org/10.1002/for.2665).
- Filippi, P., Jones, E.J., Wimalathunge, N.S., Somarathna, P.D., Pozza, L.E., Ugbaje, S.U., Jephcott, T.G., Paterson, S.E., Whelan, B.M. and Bishop, T.F. (2019), "An approach to forecast grain crop yield using multi-layered, multi-farm data sets and machine learning", *Precision Agriculture*, Vol. 20 No. 5, pp. 1015-1029, doi: [10.1007/s11119-018-09628-4](https://doi.org/10.1007/s11119-018-09628-4).
- Fujihara, R.A. and Mougoué, M. (1997), "An examination of linear and nonlinear causal relationships between price variability and volume in petroleum futures markets", *Journal of Futures Markets: Futures, Options, and Other Derivative Products*, Vol. 17 No. 4, pp. 385-416, doi: [10.1002/\(SICI\)1096-9934\(199706\)17:4<385::AID-FUT2;3.0.CO;2-D](https://doi.org/10.1002/(SICI)1096-9934(199706)17:4<385::AID-FUT2;3.0.CO;2-D).
- Gómez, D., Salvador, P., Sanz, J. and Casanova, J.L. (2021), "Modelling wheat yield with antecedent information, satellite and climate data using machine learning methods in Mexico", *Agricultural and Forest Meteorology*, Vol. 300, 108317, doi: [10.1016/j.agrformet.2020.108317](https://doi.org/10.1016/j.agrformet.2020.108317).
- Hagan, M.T. and Menhaj, M.B. (1994), "Training feedforward networks with the marquardt algorithm", *IEEE Transactions on Neural Networks*, Vol. 5 No. 6, pp. 989-993, doi: [10.1109/72.329697](https://doi.org/10.1109/72.329697).
- Handoyo, S. and Chen, Y.P. (2020), "The developing of fuzzy system for multiple time series forecasting with generated rule bases and optimized consequence part", *SSRG International Journal of Engineering Trends and Technology*, Vol. 68 No. 12, pp. 118-122, doi: [10.14445/22315381/IJETT-V68I12P220](https://doi.org/10.14445/22315381/IJETT-V68I12P220).
- Harris, J.J. (2017), "A machine learning approach to forecasting consumer food prices", available at: <http://hdl.handle.net/10222/73170>
- Harvey, D., Leybourne, S. and Newbold, P. (1997), "Testing the equality of prediction mean squared errors", *International Journal of Forecasting*, Vol. 13 No. 2, pp. 281-291, doi: [10.1016/S0169-2070\(96\)00719-4](https://doi.org/10.1016/S0169-2070(96)00719-4).
- Heinemann, A.B., Van Oort, P.A., Fernandes, D.S. and Maia, A.d.H.N. (2012), "Sensitivity of aPSIM/oryza model due to estimation errors in solar radiation", *Bragantia*, Vol. 71 No. 4, pp. 572-582, doi: [10.1590/S0006-87052012000400016](https://doi.org/10.1590/S0006-87052012000400016).
- Holt, M.T. and Brandt, J.A. (1984), "Price forecasting and hedging to Enhance prices and reduce risk", Technical Report, doi: [10.22004/ag.econ.278988](https://doi.org/10.22004/ag.econ.278988).
- Hossain, Z., Samad, Q.A. and Ali, Z. (2006), "Arima model and forecasting with three types of pulse prices in Bangladesh: a case study", *International Journal of Social Economics*, Vol. 33 No. 4, pp. 344-353, doi: [10.1108/03068290610651652](https://doi.org/10.1108/03068290610651652).
- Huy, H.T., Thac, H.N., Thu, H.N.T., Nhat, A.N. and Ngoc, V.H. (2019), "Econometric combined with neural network for coffee price forecasting", *Journal of Applied Economic Sciences*, Vol. 14, pp. 378-392.
- Jamieson, P., Porter, J. and Wilson, D. (1991), "A test of the computer simulation model arcwheat1 on wheat crops grown in New Zealand", *Field Crops Research*, Vol. 27 No. 4, pp. 337-350, doi: [10.1016/0378-4290\(91\)90040-3](https://doi.org/10.1016/0378-4290(91)90040-3).
- Jiang, F., He, J. and Zeng, Z. (2019), "Pigeon-inspired optimization and extreme learning machine via wavelet packet analysis for predicting bulk commodity futures prices", *Science China Information Sciences*, Vol. 62 No. 7, pp. 1-19, doi: [10.1007/s11432-018-9714-5](https://doi.org/10.1007/s11432-018-9714-5).
- Jin, B. and Xu, X. (2024a), "Contemporaneous causality among price indices of ten major steel products", *Ironmaking and Steelmaking*. doi: [10.1177/03019233241249361](https://doi.org/10.1177/03019233241249361).
- Jin, B. and Xu, X. (2024b), "Forecasting wholesale prices of yellow corn through the Gaussian process regression", *Neural Computing and Applications*, Vol. 36 No. 15, pp. 8693-8710, doi: [10.1007/s00521-024-09531-2](https://doi.org/10.1007/s00521-024-09531-2).
- Jin, B. and Xu, X. (2024c), "Machine learning predictions of regional steel price indices for east China", *Ironmaking and Steelmaking*. doi: [10.1177/03019233241254891](https://doi.org/10.1177/03019233241254891).

- Jin, B. and Xu, X. (2024d), "Pre-owned housing price index forecasts using Gaussian process regressions", *Journal of Modelling in Management*. doi: [10.1108/JM2-12-2023-0315](https://doi.org/10.1108/JM2-12-2023-0315).
- Jin, B. and Xu, X. (2024e), "Price forecasting through neural networks for crude oil, heating oil, and natural gas", *Measurement: Energy*, Vol. 1, 100001, doi: [10.1016/j.meaeene.2024.100001](https://doi.org/10.1016/j.meaeene.2024.100001).
- Kanchymalay, K., Salim, N., Sukprasert, A., Krishnan, R. and Hashim, U.R. (2017), "Multivariate time series forecasting of crude palm oil price using machine learning techniques", *IOP Conference Series: Materials Science and Engineering*, IOP Publishing, 012117, doi: [10.1088/1757-899X/226/1/012117](https://doi.org/10.1088/1757-899X/226/1/012117).
- Kano, Y. and Shimizu, S. (2003), "Causal inference using nonnormality", *Proceedings of the International Symposium on Science of Modeling, the 30th Anniversary of the Information Criterion*, pp. 261-270, available at: [http://www.ar.sanken.osaka-u.ac.jp/sshimizu/papers/aic30\\_web2.pdf](http://www.ar.sanken.osaka-u.ac.jp/sshimizu/papers/aic30_web2.pdf)
- Karasu, S., Altan, A., Saraç, Z. and Hacıoğlu, R. (2017a), "Estimation of fast varied wind speed based on narx neural network by using curve fitting", *International Journal of Energy Applications and Technologies*, Vol. 4, pp. 137-146, available at: <https://dergipark.org.tr/en/download/article-file/354536>
- Karasu, S., Altan, A., Saraç, Z. and Hacıoğlu, R. (2017b), "Prediction of wind speed with non-linear autoregressive (nar) neural networks", *2017 25th Signal Processing and Communications Applications Conference (SIU)*, IEEE, pp. 1-4, doi: [10.1109/SIU.2017.7960507](https://doi.org/10.1109/SIU.2017.7960507).
- Karasu, S., Altan, A., Bekiros, S. and Ahmad, W. (2020), "A new forecasting model with wrapper-based feature selection approach using multi-objective optimization technique for chaotic crude oil time series", *Energy*, Vol. 212, 118750, doi: [10.1016/j.energy.2020.118750](https://doi.org/10.1016/j.energy.2020.118750).
- Kayri, M. (2016), "Predictive abilities of bayesian regularization and levenberg-marquardt algorithms in artificial neural networks: a comparative empirical study on social data", *Mathematical and Computational Applications*, Vol. 21 No. 2, p. 20, doi: [10.3390/mca21020020](https://doi.org/10.3390/mca21020020).
- Khamis, A. and Abdullah, S. (2014), "Forecasting wheat price using backpropagation and narx neural network", *The International Journal of Engineering and Science*, Vol. 3, pp. 19-26.
- Khan, T.A., Alam, M., Shahid, Z. and Mazliham, M. (2019), "Comparative performance analysis of levenberg-marquardt, bayesian regularization and scaled conjugate gradient for the prediction of flash floods", *Journal of Information Communication Technologies and Robotic Applications*, Vol. 10 No. 9, pp. 52-58, doi: [10.14569/ijacsa.2019.0100946](https://doi.org/10.14569/ijacsa.2019.0100946), available at: <http://jictra.com.pk/index.php/jictra/article/view/188/112>
- Kling, J.L. and Bessler, D.A. (1985), "A comparison of multivariate forecasting procedures for economic time series", *International Journal of Forecasting*, Vol. 1, pp. 5-24, doi: [10.1016/S0169-2070\(85\)80067-4](https://doi.org/10.1016/S0169-2070(85)80067-4).
- Kohzadi, N., Boyd, M.S., Kermanshahi, B. and Kaastra, I. (1996), "A comparison of artificial neural network and time series models for forecasting commodity prices", *Neurocomputing*, Vol. 10 No. 2, pp. 169-181, doi: [10.1016/0925-2312\(95\)00020-8](https://doi.org/10.1016/0925-2312(95)00020-8).
- Kouadio, L., Deo, R.C., Byrareddy, V., Adamowski, J.F., Mushtaq, S. and Phuong Nguyen, V. (2018), "Artificial intelligence approach for the prediction of robusta coffee yield using soil fertility properties", *Computers and Electronics in Agriculture*, Vol. 155, pp. 324-338, doi: [10.1016/j.compag.2018.10.014](https://doi.org/10.1016/j.compag.2018.10.014).
- Kumar, M.A. (2019), "Price forecasting tool to support feminization in marketing green gram", *ZENITH International Journal of Multidisciplinary Research*, Vol. 9, pp. 87-94.
- Kumar, G., Singh, U.P. and Jain, S. (2021), "Hybrid evolutionary intelligent system and hybrid time series econometric model for stock price forecasting", *International Journal of Intelligent Systems*, Vol. 36 No. 9, pp. 4902-4935, doi: [10.1002/int.22495](https://doi.org/10.1002/int.22495).
- Levenberg, K. (1944), "A method for the solution of certain non-linear problems in least squares", *Quarterly of Applied Mathematics*, Vol. 2, pp. 164-168, doi: [10.1090/qam/10666](https://doi.org/10.1090/qam/10666).

- Li, M.F., Tang, X.P., Wu, W. and Liu, H.B. (2013), "General models for estimating daily global solar radiation for different solar radiation zones in mainland China", *Energy Conversion and Management*, Vol. 70, pp. 139-148, doi: [10.1016/j.enconman.2013.03.004](https://doi.org/10.1016/j.enconman.2013.03.004).
- Li, Y., Li, C. and Zheng, M. (2014), "A hybrid neural network and h-p filter model for short-term vegetable price forecasting", *Mathematical Problems in Engineering*, Vol. 2014, 135862, doi: [10.1155/2014/135862](https://doi.org/10.1155/2014/135862).
- Li, G., Chen, W., Li, D., Wang, D. and Xu, S. (2020), "Comparative study of short-term forecasting methods for soybean oil futures based on lstm, svr, es and wavelet transformation", *Journal of Physics: Conference Series*, Vol. 1682 No. 1, 012007, doi: [10.1088/1742-6596/1682/1/012007](https://doi.org/10.1088/1742-6596/1682/1/012007).
- Li, B., Ding, J., Yin, Z., Li, K., Zhao, X. and Zhang, L. (2021), "Optimized neural network combined model based on the induced ordered weighted averaging operator for vegetable price forecasting", *Expert Systems with Applications*, Vol. 168, 114232, doi: [10.1016/j.eswa.2020.114232](https://doi.org/10.1016/j.eswa.2020.114232).
- Li, J., Li, G., Liu, M., Zhu, X. and Wei, L. (2022), "A novel text-based framework for forecasting agricultural futures using massive online news headlines", *International Journal of Forecasting*, Vol. 38 No. 1, pp. 35-50, doi: [10.1016/j.ijforecast.2020.02.002](https://doi.org/10.1016/j.ijforecast.2020.02.002).
- Liu, Y., Nakhtasukanjn, N., Tamprasirt, A. and Rattanadamrongaksorn, T. (2024), "Do crude oil, gold and the us dollar contribute to bitcoin investment decisions? An ann-dcc-garch approach", *Asian Journal of Economics and Banking*, Vol. 8 No. 1, pp. 2-18, doi: [10.1108/AJEB-10-2023-0106](https://doi.org/10.1108/AJEB-10-2023-0106).
- Long, P.D., Hien, B.Q. and Ngoc, P.T.B. (2021), "Money supply, inflation and output: an empirically comparative analysis for vietnam and China", *Asian Journal of Economics and Banking*. doi: [10.1108/AJEB-03-2021-0040](https://doi.org/10.1108/AJEB-03-2021-0040).
- Lopes, L.P. (2018), "Prediction of the brazilian natural coffee price through statistical machine learning models", *SIGMAE*, Vol. 7, pp. 1-16.
- Mahmoodi, A., Hashemi, L., Jasemi, M., Laliberté, J., Millar, R.C. and Noshadi, H. (2023), "A novel approach for candlestick technical analysis using a combination of the support vector machine and particle swarm optimization", *Asian Journal of Economics and Banking*, Vol. 7 No. 1, pp. 2-24, doi: [10.1108/AJEB-11-2021-0131](https://doi.org/10.1108/AJEB-11-2021-0131).
- Majid, R. (2018), "Advances in statistical forecasting methods: an overview", *Economic Affairs*, Vol. 63 No. 4, 295479, doi: [10.30954/0424-2513.4.2018.5](https://doi.org/10.30954/0424-2513.4.2018.5).
- Maneejuk, P., Zou, B. and Yamaka, W. (2023), "Predicting Chinese stock prices using convertible bond: an evidence-based neural network approach", *Asian Journal of Economics and Banking*, Vol. 7 No. 3, pp. 294-309, doi: [10.1108/AJEB-08-2023-0080](https://doi.org/10.1108/AJEB-08-2023-0080).
- Marquardt, D.W. (1963), "An algorithm for least-squares estimation of nonlinear parameters", *Journal of the Society for Industrial and Applied Mathematics*, Vol. 11 No. 2, pp. 431-441, doi: [10.1137/0111030](https://doi.org/10.1137/0111030).
- Mayabi, T.W. (2019), "An artificial neural network model for predicting retail maize prices in Kenya". Ph.D. thesis. University of Nairobi.
- McIntosh, C.S. and Bessler, D.A. (1988), "Forecasting agricultural prices using a bayesian composite approach", *Journal of Agricultural and Applied Economics*, Vol. 20 No. 2, pp. 73-80, doi: [10.1017/S0081305200017611](https://doi.org/10.1017/S0081305200017611).
- de Melo, B., Júnior, C.N. and Milioni, A.Z. (2004), "Daily sugar price forecasting using the mixture of local expert models", *WIT Transactions on Information and Communication Technologies*, Vol. 33, p. 10, doi: [10.2495/DATA040221](https://doi.org/10.2495/DATA040221).
- Melo, B.d., Milioni, A.Z. and Nascimento Júnior, C.L. (2007), "Daily and monthly sugar price forecasting using the mixture of local expert models", *Pesquisa Operacional*, Vol. 27 No. 2, pp. 235-246, doi: [10.1590/S0101-74382007000200003](https://doi.org/10.1590/S0101-74382007000200003).
- Mishra, G. and Singh, A. (2013), "A study on forecasting prices of groundnut oil in Delhi by arima methodology and artificial neural networks", *Agris On-Line Papers in Economics and Informatics*, Vol. 5, pp. 25-34, doi: [10.22004/ag.econ.157527](https://doi.org/10.22004/ag.econ.157527).

- Mishra, P., Yonar, A., Yonar, H., Kumari, B., Abotaleb, M., Das, S.S. and Patil, S. (2021), "State of the art in total pulse production in major states of India using arima techniques", *Current Research in Food Science*, Vol. 4, pp. 800-806, doi: [10.1016/j.crfs.2021.10.009](https://doi.org/10.1016/j.crfs.2021.10.009).
- Moe, A.K., Yutaka, T., Fukuda, S. and Kai, S. (2008), "Impact of agricultural market reform on pulses market integration in Myanmar", *Journal-Faculty of Agriculture Kyushu University*, Vol. 53 No. 1, pp. 337-347, doi: [10.5109/10111](https://doi.org/10.5109/10111).
- Møller, M.F. (1993), "A scaled conjugate gradient algorithm for fast supervised learning", *Neural Networks*, Vol. 6 No. 4, pp. 525-533, doi: [10.1016/S0893-6080\(05\)80056-5](https://doi.org/10.1016/S0893-6080(05)80056-5).
- Moreno, R.S. and Salazar, O.Z. (2018), "An artificial neural network model to analyze maize price behavior in Mexico", *Applied Mathematics*, Vol. 9 No. 05, pp. 473-487, doi: [10.4236/am.2018.95034](https://doi.org/10.4236/am.2018.95034).
- Naveena, K. and Subedar, S. (2017), "Hybrid time series modelling for forecasting the price of washed coffee (arabica plantation coffee) in India", *International Journal of Agriculture Sciences*, Vol. 9, pp. 0975-3710.
- Negri, P., Ramos, P. and Breitung, M. (2021), "Regional commodities price volatility assessment using self-driven recurrent networks", *Iberoamerican Congress on Pattern Recognition*, Springer, pp. 361-370, doi: [10.1007/978-3-030-93420-0\\_34](https://doi.org/10.1007/978-3-030-93420-0_34).
- Ngong, C.A., Onyejiaku, C., Fonchamnyo, D.C. and Onwumere, J.U.J. (2023), "Has bank credit really impacted agricultural productivity in the central african economic and monetary community?", *Asian Journal of Economics and Banking*, Vol. 7 No. 3, pp. 435-453, doi: [10.1108/AJEB-12-2021-0133](https://doi.org/10.1108/AJEB-12-2021-0133).
- Padhan, P.C. (2012), "Application of arima model for forecasting agricultural productivity in India", *Journal of Agriculture and Social Sciences*, Vol. 8, pp. 50-56, 11-017/AWB/2012/8-2-50-56.
- Paluszczek, M. and Thomas, S. (2020), "Practical MATLAB deep learning: a project-based approach", Apress, available at: <https://link.springer.com/content/pdf/10.1007/978-1-4842-5124-9.pdf>
- Pani, R., Biswal, S.K. and Mishra, U.S. (2019), "Green gram weekly price forecasting using time series model", *Revista ESPACIOS*, Vol. 40, p. 15.
- Prananta, B. and Alexiou, C. (2023), "Exchange rates, bond yields and the stock market: nonlinear evidence of Indonesia during the covid-19 period", *Asian Journal of Economics and Banking*, Vol. 8 No. 1, pp. 83-99, doi: [10.1108/AJEB-12-2022-0157](https://doi.org/10.1108/AJEB-12-2022-0157).
- Quan-Yin, Z., Yong-Hu, Y., Yun-Yang, Y. and Tian-Feng, G. (2014), "A novel efficient adaptive sliding window model for week-ahead price forecasting", *Telkomnika Indonesian Journal of Electrical Engineering*, Vol. 12 No. 3, pp. 2219-2226, doi: [10.11591/telkomnika.v12i3.4490](https://doi.org/10.11591/telkomnika.v12i3.4490).
- Rahman, N.M.F., Aziz, M.A., Rahman, M.M. and Mohammad, N. (2013), "Modeling on grass pea and mung bean pulse production in Bangladesh using arima model", *IOSR Journal of Agriculture and Veterinary Science*, Vol. 6 No. 1, pp. 20-31, doi: [10.9790/2380-0612031](https://doi.org/10.9790/2380-0612031).
- Rasheed, A., Younis, M.S., Ahmad, F., Qadir, J. and Kashif, M. (2021), "District wise price forecasting of wheat in Pakistan using deep learning", *arXiv Preprint arXiv:2103.04781*.
- dos Reis Filho, I.J., Correa, G.B., Freire, G.M. and Rezende, S.O. (2020), "Forecasting future corn and soybean prices: an analysis of the use of textual information to enrich time-series", *Anais do VIII Symposium on Knowledge Discovery, Mining and Learning, SBC*, pp. 113-120, doi: [10.5753/kdmile.2020.11966](https://doi.org/10.5753/kdmile.2020.11966).
- Rezitis, A.N. (2015), "The relationship between agricultural commodity prices, crude oil prices and us dollar exchange rates: a panel var approach and causality analysis", *International Review of Applied Economics*, Vol. 29 No. 3, pp. 403-434, doi: [10.1080/02692171.2014.1001325](https://doi.org/10.1080/02692171.2014.1001325).
- Ribeiro, C.O. and Oliveira, S.M. (2011), "A hybrid commodity price-forecasting model applied to the sugar-alcohol sector", *Australian Journal of Agricultural and Resource Economics*, Vol. 55 No. 2, pp. 180-198, doi: [10.1111/j.1467-8489.2011.00534.x](https://doi.org/10.1111/j.1467-8489.2011.00534.x).
- Ribeiro, M.H.D.M. and dos Santos Coelho, L. (2020), "Ensemble approach based on bagging, boosting and stacking for short-term prediction in agribusiness time series", *Applied Soft Computing*, Vol. 86, 105837, doi: [10.1016/j.asoc.2019.105837](https://doi.org/10.1016/j.asoc.2019.105837).

- Ribeiro, M.H.D.M., Ribeiro, V.H.A., Reynoso-Meza, G. and dos Santos Coelho, L. (2019), "Multi-objective ensemble model for short-term price forecasting in corn price time series", *2019 International Joint Conference on Neural Networks (IJCNN)*, IEEE, pp. 1-8, doi: [10.1109/IJCNN.2019.8851880](https://doi.org/10.1109/IJCNN.2019.8851880).
- Ri, M. and Mishra, A.K. (2021), "Forecasting spot prices of agricultural commodities in India: application of deep-learning models", *Intelligent Systems in Accounting, Finance and Management*, Vol. 28 No. 1, pp. 72-83, doi: [10.1002/isaf.1487](https://doi.org/10.1002/isaf.1487).
- Selvamuthu, D., Kumar, V. and Mishra, A. (2019), "Indian stock market prediction using artificial neural networks on tick data", *Financial Innovation*, Vol. 5 No. 1, p. 16, doi: [10.1186/s40854-019-0131-7](https://doi.org/10.1186/s40854-019-0131-7).
- Shahhosseini, M., Hu, G. and Archontoulis, S. (2020), "Forecasting corn yield with machine learning ensembles", *Frontiers in Plant Science*, Vol. 11, p. 1120, doi: [10.3389/fpls.2020.01120](https://doi.org/10.3389/fpls.2020.01120).
- Shahhosseini, M., Hu, G., Huber, I. and Archontoulis, S.V. (2021), "Coupling machine learning and crop modeling improves crop yield prediction in the us corn belt", *Scientific Reports*, Vol. 11, pp. 1-15, doi: [10.1038/s41598-020-80820-1](https://doi.org/10.1038/s41598-020-80820-1).
- Shahid, M., Munir, K., Muneer, S., Jarrah, M. and Farooq, U. (2022), "Implementation of ml algorithm for mung bean classification using smart phone", *2022 International Conference on Business Analytics for Technology and Security (ICBATS)*, IEEE, pp. 1-7, doi: [10.1109/ICBATS54253.2022.9759090](https://doi.org/10.1109/ICBATS54253.2022.9759090).
- Shahwan, T. and Odening, M. (2007), "Forecasting agricultural commodity prices using hybrid neural networks", in *Computational Intelligence in Economics and Finance*, Springer, pp. 63-74, doi: [10.1007/978-3-540-72821-4\\_3](https://doi.org/10.1007/978-3-540-72821-4_3).
- Shiferaw, Y. (2012), "Modeling price volatility for some selected agricultural products in Ethiopia: arima-garch applications", *SSRN Electronic Journal*, SSRN 2125712, doi: [10.2139/ssrn.2125712](https://doi.org/10.2139/ssrn.2125712).
- Shimizu, S. and Kano, Y. (2008), "Use of non-normality in structural equation modeling: application to direction of causation", *Journal of Statistical Planning and Inference*, Vol. 138 No. 11, pp. 3483-3491, doi: [10.1016/j.jspi.2006.01.017](https://doi.org/10.1016/j.jspi.2006.01.017).
- Shimizu, S., Hoyer, P.O., Hyvärinen, A., Kerminen, A. and Jordan, M. (2006), "A linear non-Gaussian acyclic model for causal discovery", *Journal of Machine Learning Research*, Vol. 7, pp. 2003-2030, available at: <https://www.jmlr.org/papers/volume7/shimizu06a/shimizu06a.pdf?ref=https://codemonkey.link>
- Shimizu, S., Inazumi, T., Sogawa, Y., Hyvärinen, A., Kawahara, Y., Washio, T., Hoyer, P.O. and Bollen, K. (2011), "Directlingam: a direct method for learning a linear non-Gaussian structural equation model", *The Journal of Machine Learning Research*, Vol. 12, pp. 1225-1248, available at: <https://www.jmlr.org/papers/volume12/shimizu11a/shimizu11a.pdf>
- Silalahi, D.D. (2013), "Application of neural network model with genetic algorithm to predict the international price of crude palm oil (cpo) and soybean oil (sbo)", *12th National Convention on Statistics (NCS)*, Mandaluyong City, Philippine, pp. 1-2, October.
- De Silva, S. and Herath, H. (2016), "Assessing the market price volatility of vegetable in Sri Lanka", *Proceedings of 15th Agricultural Research Symposium*, pp. 41-45.
- Silva, N., Siqueira, I., Okida, S., Stevan, S.L. and Siqueira, H. (2019), "Neural networks for predicting prices of sugarcane derivatives", *Sugar Tech*, Vol. 21 No. 3, pp. 514-523, doi: [10.1007/s12355-018-0648-5](https://doi.org/10.1007/s12355-018-0648-5).
- Singh, A. and Mishra, G. (2015), "Application of box-jenkins method and artificial neural network procedure for time series forecasting of prices", *Statistics in Transition New Series*, Vol. 16 No. 1, pp. 83-96, doi: [10.59170/stattrans-2015-005](https://doi.org/10.59170/stattrans-2015-005).
- Storm, H., Baylis, K. and Heckelei, T. (2020), "Machine learning in agricultural and applied economics", *European Review of Agricultural Economics*, Vol. 47 No. 3, pp. 849-892, doi: [10.1093/erae/jbz033](https://doi.org/10.1093/erae/jbz033).

- Sugita, K. (2022), "Forecasting with bayesian vector autoregressive models: comparison of direct and iterated multistep methods", *Asian Journal of Economics and Banking*, Vol. 6 No. 2, pp. 142-154, doi: [10.1108/AJEB-04-2022-0044](https://doi.org/10.1108/AJEB-04-2022-0044).
- Surjandari, I., Naffisah, M.S. and Prawiradinata, M.I. (2015), "Text mining of twitter data for public sentiment analysis of staple foods price changes", *Journal of Industrial and Intelligent Information*, Vol. 3, pp. 253-257, doi: [10.12720/jiii.3.3.253-257](https://doi.org/10.12720/jiii.3.3.253-257).
- Vishwajith, K., Dhekale, B., Sahu, P., Mishra, P. and Noman, M. (2014), "Time series modeling and forecasting of pulses production in India", *Journal of Crop and Weed*, Vol. 10, pp. 147-154.
- Wan, H. and Zhou, Y. (2021), "Neural network model comparison and analysis of prediction methods using arima and lstm models", *2021 IEEE International Conference on Advances in Electrical Engineering and Computer Applications (AEECA)*, IEEE, pp. 640-643, doi: [10.1109/AEECA52519.2021.9574427](https://doi.org/10.1109/AEECA52519.2021.9574427).
- Wang, Z. and Bessler, D.A. (2004), "Forecasting performance of multivariate time series models with full and reduced rank: an empirical examination", *International Journal of Forecasting*, Vol. 20 No. 4, pp. 683-695, doi: [10.1016/j.ijforecast.2004.01.002](https://doi.org/10.1016/j.ijforecast.2004.01.002).
- Wang, H.H. and Ke, B. (2005), "Efficiency tests of agricultural commodity futures markets in China", *Australian Journal of Agricultural and Resource Economics*, Vol. 49 No. 2, pp. 125-141, doi: [10.1111/j.1467-8489.2005.00283.x](https://doi.org/10.1111/j.1467-8489.2005.00283.x).
- Wang, T. and Yang, J. (2010), "Nonlinearity and intraday efficiency tests on energy futures markets", *Energy Economics*, Vol. 32 No. 2, pp. 496-503, doi: [10.1016/j.eneco.2009.08.001](https://doi.org/10.1016/j.eneco.2009.08.001).
- Wang, L., Feng, J., Sui, X., Chu, X. and Mu, W. (2020), "Agricultural product price forecasting methods: research advances and trend", *British Food Journal*, Vol. 122 No. 7, pp. 2121-2138, doi: [10.1108/BJFJ-09-2019-0683](https://doi.org/10.1108/BJFJ-09-2019-0683).
- Wang, X., Gao, S., Guo, Y., Zhou, S., Duan, Y. and Wu, D. (2022), "A combined prediction model for hog futures prices based on woa-lightgbm-ceemdan", *Complexity*, Vol. 2022, pp. 1-15, doi: [10.1155/2022/3216036](https://doi.org/10.1155/2022/3216036).
- Warren-Vega, W.M., Aguilar-Hernández, D.E., Zárate-Guzmán, A.I., Campos-Rodríguez, A. and Romero-Cano, L.A. (2022), "Development of a predictive model for agave prices employing environmental, economic, and social factors: towards a planned supply chain for agave-tequila industry", *Foods*, Vol. 11 No. 8, p. 1138, doi: [10.3390/foods11081138](https://doi.org/10.3390/foods11081138).
- Wegener, C., von Spreckelsen, C., Basse, T. and von Mettenheim, H.J. (2016), "Forecasting government bond yields with neural networks considering cointegration", *Journal of Forecasting*, Vol. 35 No. 1, pp. 86-92, doi: [10.1002/for.2385](https://doi.org/10.1002/for.2385).
- Wen, D. and Wang, H.H. (2004), "Price behavior in China's wheat futures market", *China Economic Review*, Vol. 15 No. 2, pp. 215-229, doi: [10.1016/j.chieco.2004.03.002](https://doi.org/10.1016/j.chieco.2004.03.002).
- Wen, G., Ma, B.L., Vanasse, A., Caldwell, C.D., Earl, H.J. and Smith, D.L. (2021), "Machine learning-based canola yield prediction for site-specific nitrogen recommendations", *Nutrient Cycling in Agroecosystems*, Vol. 121 Nos 2-3, pp. 241-256, doi: [10.1007/s10705-021-10170-5](https://doi.org/10.1007/s10705-021-10170-5).
- Wenjing, Z. and Gang, Z. (2021), "Temporal and spatial attention network model based evolution model for bulk commodity price fluctuation risk", *2021 IEEE International Conference on Big Data (Big Data)*, IEEE, pp. 3284-3289, doi: [10.1109/BigData52589.2021.9671636](https://doi.org/10.1109/BigData52589.2021.9671636).
- Xiong, T., Li, C. and Bao, Y. (2018), "Seasonal forecasting of agricultural commodity price using a hybrid stl and elm method: evidence from the vegetable market in China", *Neurocomputing*, Vol. 275, pp. 2831-2844, doi: [10.1016/j.neucom.2017.11.053](https://doi.org/10.1016/j.neucom.2017.11.053).
- Xu, X. (2014a), "Causality and price discovery in us corn markets: an application of error correction modeling and directed acyclic graphs", doi: [10.22004/ag.econ.169806](https://doi.org/10.22004/ag.econ.169806).
- Xu, X. (2014b), "Cointegration and price discovery in us corn markets", *Agricultural and Resource Economics Seminar Series*, North Carolina State University, doi: [10.13140/RG.2.2.30153.49768](https://doi.org/10.13140/RG.2.2.30153.49768).
- Xu, X. (2014c), "Price discovery in us corn cash and futures markets: the role of cash market selection", doi: [10.22004/ag.econ.169809](https://doi.org/10.22004/ag.econ.169809).

- Xu, X. (2015a), "Causality, price discovery, and price forecasts: evidence from us corn cash and futures markets".
- Xu, X. (2015b), "Cointegration among regional corn cash prices", *Economics Bulletin*, Vol. 35, pp. 2581-2594, available at: <http://www.accessecon.com/Pubs/EB/2015/Volume35/EB-15-V35-I4-P259.pdf>
- Xu, X. (2017a), "Contemporaneous causal orderings of us corn cash prices through directed acyclic graphs", *Empirical Economics*, Vol. 52 No. 2, pp. 731-758, doi: [10.1007/s00181-016-1094-4](https://doi.org/10.1007/s00181-016-1094-4).
- Xu, X. (2017b), "The rolling causal structure between the Chinese stock index and futures", *Financial Markets and Portfolio Management*, Vol. 31 No. 4, pp. 491-509, doi: [10.1007/s11408-017-0299-7](https://doi.org/10.1007/s11408-017-0299-7).
- Xu, X. (2017c), "Short-run price forecast performance of individual and composite models for 496 corn cash markets", *Journal of Applied Statistics*, Vol. 44 No. 14, pp. 2593-2620, doi: [10.1080/02664763.2016.1259399](https://doi.org/10.1080/02664763.2016.1259399).
- Xu, X. (2018a), "Causal structure among us corn futures and regional cash prices in the time and frequency domain", *Journal of Applied Statistics*, Vol. 45 No. 13, pp. 2455-2480, doi: [10.1080/02664763.2017.1423044](https://doi.org/10.1080/02664763.2017.1423044).
- Xu, X. (2018b), "Cointegration and price discovery in us corn cash and futures markets", *Empirical Economics*, Vol. 55 No. 4, pp. 1889-1923, doi: [10.1007/s00181-017-1322-6](https://doi.org/10.1007/s00181-017-1322-6).
- Xu, X. (2018c), "Intraday price information flows between the csi300 and futures market: an application of wavelet analysis", *Empirical Economics*, Vol. 54 No. 3, pp. 1267-1295, doi: [10.1007/s00181-017-1245-2](https://doi.org/10.1007/s00181-017-1245-2).
- Xu, X. (2018d), "Linear and nonlinear causality between corn cash and futures prices", *Journal of Agricultural and Food Industrial Organization*, Vol. 16 No. 2, 20160006, doi: [10.1515/jafio-2016-0006](https://doi.org/10.1515/jafio-2016-0006).
- Xu, X. (2018e), "Using local information to improve short-run corn price forecasts", *Journal of Agricultural and Food Industrial Organization*, Vol. 16 No. 1, doi: [10.1515/jafio-2017-0018](https://doi.org/10.1515/jafio-2017-0018).
- Xu, X. (2019a), "Contemporaneous and granger causality among us corn cash and futures prices", *European Review of Agricultural Economics*, Vol. 46 No. 4, pp. 663-695, doi: [10.1093/erae/jby036](https://doi.org/10.1093/erae/jby036).
- Xu, X. (2019b), "Contemporaneous causal orderings of csi300 and futures prices through directed acyclic graphs", *Economics Bulletin*, Vol. 39, pp. 2052-2077, available at: <http://www.accessecon.com/Pubs/EB/2019/Volume39/EB-19-V39-I3-P192.pdf>
- Xu, X. (2019c), "Price dynamics in corn cash and futures markets: cointegration, causality, and forecasting through a rolling window approach", *Financial Markets and Portfolio Management*, Vol. 33 No. 2, pp. 155-181, doi: [10.1007/s11408-019-00330-7](https://doi.org/10.1007/s11408-019-00330-7).
- Xu, X. (2020), "Corn cash price forecasting", *American Journal of Agricultural Economics*, Vol. 102 No. 4, pp. 1297-1320, doi: [10.1002/ajae.12041](https://doi.org/10.1002/ajae.12041).
- Xu, X., Thurman, W. (2015a), "Forecasting local grain prices: an evaluation of composite models in 500 corn cash markets", doi: [10.22004/ag.econ.205332](https://doi.org/10.22004/ag.econ.205332).
- Xu, X., Thurman, W.N. (2015b), "Using local information to improve short-run corn cash price forecasts", doi: [10.22004/ag.econ.285845](https://doi.org/10.22004/ag.econ.285845).
- Xu, X. and Zhang, Y. (2021a), "Corn cash price forecasting with neural networks", *Computers and Electronics in Agriculture*, Vol. 184, 106120, doi: [10.1016/j.compag.2021.106120](https://doi.org/10.1016/j.compag.2021.106120).
- Xu, X. and Zhang, Y. (2021b), "House price forecasting with neural networks", *Intelligent Systems with Applications*, Vol. 12, 200052, doi: [10.1016/j.iswa.2021.200052](https://doi.org/10.1016/j.iswa.2021.200052).
- Xu, X. and Zhang, Y. (2021c), "Individual time series and composite forecasting of the Chinese stock index", *Machine Learning with Applications*, Vol. 5, 100035, doi: [10.1016/j.mlwa.2021.100035](https://doi.org/10.1016/j.mlwa.2021.100035).
- Xu, X. and Zhang, Y. (2021d), "Network analysis of corn cash price comovements", *Machine Learning with Applications*, Vol. 6, 100140, doi: [10.1016/j.mlwa.2021.100140](https://doi.org/10.1016/j.mlwa.2021.100140).

- Xu, X. and Zhang, Y. (2022a), "Canola and soybean oil price forecasts via neural networks", *Advances in Computational Intelligence*, Vol. 2 No. 5, p. 32, doi: [10.1007/s43674-022-00045-9](https://doi.org/10.1007/s43674-022-00045-9).
- Xu, X. and Zhang, Y. (2022b), "Commodity price forecasting via neural networks for coffee, corn, cotton, oats, soybeans, soybean oil, sugar, and wheat", *Intelligent Systems in Accounting, Finance and Management*, Vol. 29 No. 3, pp. 169-181, doi: [10.1002/isaf.1519](https://doi.org/10.1002/isaf.1519).
- Xu, X. and Zhang, Y. (2022c), "Contemporaneous causality among one hundred Chinese cities", *Empirical Economics*, Vol. 63 No. 4, pp. 2315-2329, doi: [10.1007/s00181-021-02190-5](https://doi.org/10.1007/s00181-021-02190-5).
- Xu, X. and Zhang, Y. (2022d), "Forecasting the total market value of a shares traded in the shenzhen stock exchange via the neural network", *Economics Bulletin*, Vol. 42, pp. 1266-1279, available at: <http://www.accessecon.com/Pubs/EB/2022/Volume42/EB-22-V42-I3-P107.pdf>
- Xu, X. and Zhang, Y. (2022e), "Network analysis of price comovements among corn futures and cash prices", *Journal of Agricultural and Food Industrial Organization*, Vol. 0 No. 0, doi: [10.1515/jafio-2022-0009](https://doi.org/10.1515/jafio-2022-0009).
- Xu, X. and Zhang, Y. (2022f), "Rent index forecasting through neural networks", *Journal of Economic Studies*, Vol. 49 No. 8, pp. 1321-1339, doi: [10.1108/JES-06-2021-0316](https://doi.org/10.1108/JES-06-2021-0316).
- Xu, X. and Zhang, Y. (2022g), "Residential housing price index forecasting via neural networks", *Neural Computing and Applications*, Vol. 34 No. 17, pp. 14763-14776, doi: [10.1007/s00521-022-07309-y](https://doi.org/10.1007/s00521-022-07309-y).
- Xu, X. and Zhang, Y. (2022h), "Second-hand house price index forecasting with neural networks", *Journal of Property Research*, Vol. 39 No. 3, pp. 215-236, doi: [10.1080/09599916.2021.1996446](https://doi.org/10.1080/09599916.2021.1996446).
- Xu, X. and Zhang, Y. (2022i), "Soybean and soybean oil price forecasting through the nonlinear autoregressive neural network (narnn) and narnn with exogenous inputs (narnn-x)", *Intelligent Systems with Applications*, Vol. 13, 200061, doi: [10.1016/j.iswa.2022.200061](https://doi.org/10.1016/j.iswa.2022.200061).
- Xu, X. and Zhang, Y. (2022j), "Thermal coal price forecasting via the neural network", *Intelligent Systems with Applications*, Vol. 14, 200084, doi: [10.1016/j.iswa.2022.200084](https://doi.org/10.1016/j.iswa.2022.200084).
- Xu, X. and Zhang, Y. (2023a), "China mainland new energy index price forecasting with the neural network", *Energy Nexus*, Vol. 10, 100210, doi: [10.1016/j.nexus.2023.100210](https://doi.org/10.1016/j.nexus.2023.100210).
- Xu, X. and Zhang, Y. (2023b), "Cointegration between housing prices: evidence from one hundred Chinese cities", *Journal of Property Research*, Vol. 40 No. 1, pp. 53-75, doi: [10.1080/09599916.2022.2114926](https://doi.org/10.1080/09599916.2022.2114926).
- Xu, X. and Zhang, Y. (2023c), "Coking coal futures price index forecasting with the neural network", *Mineral Economics*, Vol. 36 No. 2, pp. 349-359, doi: [10.1007/s13563-022-00311-9](https://doi.org/10.1007/s13563-022-00311-9).
- Xu, X. and Zhang, Y. (2023d), "Composite property price index forecasting with neural networks", *Property Management*. doi: [10.1108/PM-11-2022-0086](https://doi.org/10.1108/PM-11-2022-0086).
- Xu, X. and Zhang, Y. (2023e), "Contemporaneous causality among office property prices of major Chinese cities with vector error correction modeling and directed acyclic graphs", *Journal of Modelling in Management*. doi: [10.1108/JM2-08-2023-0171](https://doi.org/10.1108/JM2-08-2023-0171).
- Xu, X. and Zhang, Y. (2023f), "Contemporaneous causality among residential housing prices of ten major Chinese cities", *International Journal of Housing Markets and Analysis*, Vol. 16 No. 4, pp. 792-811, doi: [10.1108/IJHMA-03-2022-0039](https://doi.org/10.1108/IJHMA-03-2022-0039).
- Xu, X. and Zhang, Y. (2023g), "Corn cash-futures basis forecasting via neural networks", *Advances in Computational Intelligence*, Vol. 3 No. 2, p. 8, doi: [10.1007/s43674-023-00054-2](https://doi.org/10.1007/s43674-023-00054-2).
- Xu, X. and Zhang, Y. (2023h), "Dynamic relationships among composite property prices of major Chinese cities: contemporaneous causality through vector error corrections and directed acyclic graphs", *International Journal of Real Estate Studies*, Vol. 17 No. 1, pp. 148-157, doi: [10.1111/interest.v17n1.294](https://doi.org/10.1111/interest.v17n1.294).
- Xu, X. and Zhang, Y. (2023i), "Edible oil wholesale price forecasts via the neural network", *Energy Nexus*, Vol. 12, 100250, doi: [10.1016/j.nexus.2023.100250](https://doi.org/10.1016/j.nexus.2023.100250).

- Xu, X. and Zhang, Y. (2023j), "A Gaussian process regression machine learning model for forecasting retail property prices with bayesian optimizations and cross-validation", *Decision Analytics Journal*, Vol. 8, 100267, doi: [10.1016/j.dajour.2023.100267](https://doi.org/10.1016/j.dajour.2023.100267).
- Xu, X. and Zhang, Y. (2023k), "A high-frequency trading volume prediction model using neural networks", *Decision Analytics Journal*, Vol. 7, 100235, doi: [10.1016/j.dajour.2023.100235](https://doi.org/10.1016/j.dajour.2023.100235).
- Xu, X. and Zhang, Y. (2023l), "House price information flows among some major Chinese cities: linear and nonlinear causality in time and frequency domains", *International Journal of Housing Markets and Analysis*, Vol. 16 No. 6, pp. 1168-1192, doi: [10.1108/IJHMA-07-2022-0098](https://doi.org/10.1108/IJHMA-07-2022-0098).
- Xu, X. and Zhang, Y. (2023m), "An integrated vector error correction and directed acyclic graph method for investigating contemporaneous causalities", *Decision Analytics Journal*, Vol. 7, 100229, doi: [10.1016/j.dajour.2023.100229](https://doi.org/10.1016/j.dajour.2023.100229).
- Xu, X. and Zhang, Y. (2023n), "Network analysis of housing price comovements of a hundred Chinese cities", *National Institute Economic Review*, Vol. 264, pp. 110-128, doi: [10.1017/nie.2021.34](https://doi.org/10.1017/nie.2021.34).
- Xu, X. and Zhang, Y. (2023o), "Neural network predictions of the high-frequency csi300 first distant futures trading volume", *Financial Markets and Portfolio Management*, Vol. 37 No. 2, pp. 191-207, doi: [10.1007/s11408-022-00421-y](https://doi.org/10.1007/s11408-022-00421-y).
- Xu, X. and Zhang, Y. (2023p), "Price forecasts of ten steel products using Gaussian process regressions", *Engineering Applications of Artificial Intelligence*, Vol. 126, 106870, doi: [10.1016/j.engappai.2023.106870](https://doi.org/10.1016/j.engappai.2023.106870).
- Xu, X. and Zhang, Y. (2023q), "Regional steel price index forecasts with neural networks: evidence from east, south, north, central south, northeast, southwest, and northwest China", *The Journal of Supercomputing*, Vol. 79 No. 12, pp. 13601-13619, doi: [10.1007/s11227-023-05207-1](https://doi.org/10.1007/s11227-023-05207-1).
- Xu, X. and Zhang, Y. (2023r), "Retail property price index forecasting through neural networks", *Journal of Real Estate Portfolio Management*, Vol. 29, pp. 1-28, doi: [10.1080/10835547.2022.2110668](https://doi.org/10.1080/10835547.2022.2110668).
- Xu, X. and Zhang, Y. (2023s), "Scrap steel price forecasting with neural networks for east, north, south, central, northeast, and southwest China and at the national level", *Ironmaking and Steelmaking*, Vol. 50 No. 11, pp. 1683-1697, doi: [10.1080/03019233.2023.2218243](https://doi.org/10.1080/03019233.2023.2218243).
- Xu, X. and Zhang, Y. (2023t), "Spatial-temporal analysis of residential housing, office property, and retail property price index correlations: evidence from ten Chinese cities", *International Journal of Real Estate Studies*, Vol. 17 No. 2, pp. 1-13, doi: [10.11113/interest.v17n2.274](https://doi.org/10.11113/interest.v17n2.274).
- Xu, X. and Zhang, Y. (2023u), "Steel price index forecasting through neural networks: the composite index, long products, flat products, and rolled products", *Mineral Economics*, Vol. 36 No. 4, pp. 563-582, doi: [10.1007/s13563-022-00357-9](https://doi.org/10.1007/s13563-022-00357-9).
- Xu, X. and Zhang, Y. (2023v), "Wholesale food price index forecasts with the neural network", *International Journal of Computational Intelligence and Applications*, Vol. 22 No. 04, 2350024, doi: [10.1142/S1469026823500244](https://doi.org/10.1142/S1469026823500244).
- Xu, X. and Zhang, Y. (2023w), "Yellow corn wholesale price forecasts via the neural network", *Economia*, Vol. 24 No. 1, pp. 44-67, doi: [10.1108/ECON-05-2022-0026](https://doi.org/10.1108/ECON-05-2022-0026).
- Xu, X. and Zhang, Y. (2024a), "Contemporaneous causality among regional steel price indices of east, south, north, central south, northeast, southwest, and northwest China", *Mineral Economics*, Vol. 37, pp. 1-14, doi: [10.1007/s13563-023-00380-4](https://doi.org/10.1007/s13563-023-00380-4).
- Xu, X. and Zhang, Y. (2024b), "High-frequency csi300 futures trading volume predicting through the neural network", *Asian Journal of Economics and Banking*, Vol. 8 No. 1, pp. 26-53, doi: [10.1108/AJEB-05-2022-0051](https://doi.org/10.1108/AJEB-05-2022-0051).
- Xu, X. and Zhang, Y. (2024c), "Network analysis of comovements among newly-built residential house price indices of seventy Chinese cities", *International Journal of Housing Markets and Analysis*, Vol. 17 No. 3, pp. 726-749, doi: [10.1108/IJHMA-09-2022-0134](https://doi.org/10.1108/IJHMA-09-2022-0134).
- Xu, X. and Zhang, Y. (2024d), "Office property price index forecasting using neural networks", *Journal of Financial Management of Property and Construction*, Vol. 29 No. 1, pp. 52-82, doi: [10.1108/JFMPC-08-2022-0041](https://doi.org/10.1108/JFMPC-08-2022-0041).

- Xu, X. and Zhang, Y. (2024e), "Platinum and palladium price forecasting through neural networks", *Communications in Statistics-Simulation and Computation*, pp. 1-15, doi: [10.1080/03610918.2024.2330700](https://doi.org/10.1080/03610918.2024.2330700).
- Xu, Y., Xia, Z., Wang, C., Gong, W., Liu, X. and Su, X. (2021a), "An empirical analysis of the price volatility characteristics of China's soybean futures market based on arima-gjr-garch model", *Journal of Mathematics*, Vol. 2021, pp. 1-9, doi: [10.1155/2021/7765325](https://doi.org/10.1155/2021/7765325).
- Xu, Z., Deng, H. and Wu, Q. (2021b), "Prediction of soybean price trend via a synthesis method with multistage model", *International Journal of Agricultural and Environmental Information Systems (IJAEIS)*, Vol. 12 No. 4, pp. 1-13, doi: [10.4018/IJAEIS.20211001.oa1](https://doi.org/10.4018/IJAEIS.20211001.oa1).
- Yang, J. and Awokuse, T.O. (2003), "Asset storability and hedging effectiveness in commodity futures markets", *Applied Economics Letters*, Vol. 10 No. 8, pp. 487-491, doi: [10.1080/1350485032000095366](https://doi.org/10.1080/1350485032000095366).
- Yang, J. and Leatham, D.J. (1998), "Market efficiency of us grain markets: application of cointegration tests", *Agribusiness: An International Journal*, Vol. 14 No. 2, pp. 107-112, doi: [10.1002/\(SIC\)1520-6297\(199803/04\)14:2\\_107::AID-AGR3;3.0.CO;2-6](https://doi.org/10.1002/(SIC)1520-6297(199803/04)14:2_107::AID-AGR3;3.0.CO;2-6).
- Yang, J., Haigh, M.S. and Leatham, D.J. (2001), "Agricultural liberalization policy and commodity price volatility: a garch application", *Applied Economics Letters*, Vol. 8 No. 9, pp. 593-598, doi: [10.1080/13504850010018734](https://doi.org/10.1080/13504850010018734).
- Yang, J., Zhang, J. and Leatham, D.J. (2003), "Price and volatility transmission in international wheat futures markets", *Annals of Economics and Finance*, Vol. 4, pp. 37-50, available at: <https://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.295.2182rep=rep1type=pdf>
- Yang, J., Su, X. and Kolari, J.W. (2008), "Do euro exchange rates follow a martingale? Some out-of-sample evidence", *Journal of Banking and Finance*, Vol. 32 No. 5, pp. 729-740, doi: [10.1016/j.jbankfin.2007.05.009](https://doi.org/10.1016/j.jbankfin.2007.05.009).
- Yang, J., Cabrera, J. and Wang, T. (2010), "Nonlinearity, data-snooping, and stock index etf return predictability", *European Journal of Operational Research*, Vol. 200 No. 2, pp. 498-507, doi: [10.1016/j.ejor.2009.01.009](https://doi.org/10.1016/j.ejor.2009.01.009).
- Yang, J., Li, Z. and Wang, T. (2021), "Price discovery in Chinese agricultural futures markets: a comprehensive look", *Journal of Futures Markets*, Vol. 41 No. 4, pp. 536-555, doi: [10.1002/fut.22179](https://doi.org/10.1002/fut.22179).
- Yin, T. and Wang, Y. (2021a), "Market efficiency and nonlinear analysis of soybean futures", *Sustainability*, Vol. 13 No. 2, p. 518, doi: [10.3390/su13020518](https://doi.org/10.3390/su13020518).
- Yin, T. and Wang, Y. (2021b), "Nonlinear analysis and prediction of soybean futures", *Agricultural Economics*, Vol. 67 No. 5, pp. 200-207, doi: [10.17221/480/2020-AGRICECON](https://doi.org/10.17221/480/2020-AGRICECON).
- Yin, Y. and Zhu, Q. (2012), "Effect of magnitude differences in the raw data on price forecasting using rbf neural network", *2012 11th International Symposium on Distributed Computing and Applications to Business, Engineering & Science*, IEEE, pp. 237-240, doi: [10.1109/DCABES.2012.19](https://doi.org/10.1109/DCABES.2012.19).
- Yin, H., Jin, D., Gu, Y.H., Park, C.J., Han, S.K. and Yoo, S.J. (2020), "Stl-attlstm: vegetable price forecasting using stl and attention mechanism-based lstm", *Agriculture*, Vol. 10 No. 12, p. 612, doi: [10.3390/agriculture10120612](https://doi.org/10.3390/agriculture10120612).
- Yoosefzadeh-Najafabadi, M., Earl, H.J., Tulpan, D., Sulik, J. and Eskandari, M. (2021), "Application of machine learning algorithms in plant breeding: predicting yield from hyperspectral reflectance in soybean", *Frontiers in Plant Science*, Vol. 11, p. 2169, doi: [10.3389/fpls.2020.624273](https://doi.org/10.3389/fpls.2020.624273).
- Yuan, C.Z., San, W.W. and Leong, T.W. (2020), "Determining optimal lag time selection function with novel machine learning strategies for better agricultural commodity prices forecasting in Malaysia", *Proceedings of the 2020 2nd International Conference on Information Technology and Computer Communications*, pp. 37-42, doi: [10.1145/3417473.3417480](https://doi.org/10.1145/3417473.3417480).
- Yussuf, Y.C. (2022), "Cointegration test for the long-run economic relationships of east africa community: evidence from a meta-analysis", *Asian Journal of Economics and Banking*, Vol. 6 No. 3, pp. 314-336, doi: [10.1108/AJEB-03-2021-0032](https://doi.org/10.1108/AJEB-03-2021-0032).

- Zelingher, R., Makowski, D. and Brunelle, T. (2020), "Forecasting impacts of agricultural production on global maize price", available at: <https://hal.science/hal-02945775>
- Zelingher, R., Makowski, D. and Brunelle, T. (2021), "Assessing the sensitivity of global maize price to regional productions using statistical and machine learning methods", *Frontiers in Sustainable Food Systems*, Vol. 5, p. 171, doi: [10.3389/fsufs.2021.655206](https://doi.org/10.3389/fsufs.2021.655206).
- Zhan, T. and Xiao, F. (2021), "A fast evidential approach for stock forecasting", *International Journal of Intelligent Systems*, Vol. 36 No. 12, pp. 7544-7562, doi: [10.1002/int.22598](https://doi.org/10.1002/int.22598).
- Zhang, D., Chen, S., Liwen, L. and Xia, Q. (2020), "Forecasting agricultural commodity prices using model selection framework with time series features and forecast horizons", *IEEE Access*, Vol. 8, pp. 28197-28209, doi: [10.1109/ACCESS.2020.2971591](https://doi.org/10.1109/ACCESS.2020.2971591).
- Zhang, J., Meng, Y., Wei, J., Chen, J. and Qin, J. (2021), "A novel hybrid deep learning model for sugar price forecasting based on time series decomposition", *Mathematical Problems in Engineering*, Vol. 2021, pp. 6507688-6507689, doi: [10.1155/2021/6507688](https://doi.org/10.1155/2021/6507688).
- Zhao, H. (2021), "Futures price prediction of agricultural products based on machine learning", *Neural Computing and Applications*, Vol. 33 No. 3, pp. 837-850, doi: [10.1007/s00521-020-05250-6](https://doi.org/10.1007/s00521-020-05250-6).
- Zhu, Q.y., Yin, Y.h., Zhu, H.j. and Zhou, H. (2014), "Effect of magnitude differences in the original data on price forecasting", *Journal of Algorithms and Computational Technology*, Vol. 8 No. 4, pp. 389-420, doi: [10.1260/1748-3018.8.4.389](https://doi.org/10.1260/1748-3018.8.4.389).
- Zong, J. and Zhu, Q. (2012a), "Apply grey prediction in the agriculture production price", *2012 Fourth International Conference on Multimedia Information Networking and Security*, IEEE, pp. 396-399, doi: [10.1109/MINES.2012.78](https://doi.org/10.1109/MINES.2012.78).
- Zong, J. and Zhu, Q. (2012b), "Price forecasting for agricultural products based on bp and rbf neural network", *2012 IEEE International Conference on Computer Science and Automation Engineering*, IEEE, pp. 607-610, doi: [10.1109/ICSESS.2012.6269540](https://doi.org/10.1109/ICSESS.2012.6269540).
- Zou, H., Xia, G., Yang, F. and Wang, H. (2007), "An investigation and comparison of artificial neural network and time series models for Chinese food grain price forecasting", *Neurocomputing*, Vol. 70 Nos 16-18, pp. 2913-2923, doi: [10.1016/j.neucom.2007.01.009](https://doi.org/10.1016/j.neucom.2007.01.009).

#### Corresponding author

Xiaojie Xu can be contacted at: [xxu6@alumni.ncsu.edu](mailto:xxu6@alumni.ncsu.edu)

---

For instructions on how to order reprints of this article, please visit our website:

[www.emeraldgroupublishing.com/licensing/reprints.htm](http://www.emeraldgroupublishing.com/licensing/reprints.htm)

Or contact us for further details: [permissions@emeraldinsight.com](mailto:permissions@emeraldinsight.com)