

Greening warehouses through energy efficiency and environmental impact reduction: a conceptual framework based on a systematic literature review

Sara Perotti and Claudia Colicchia

*Department of Management, Economics and Industrial Engineering,
Politecnico di Milano, Milan, Italy*

Greening
warehouses: a
conceptual
framework

199

Received 5 November 2021
Revised 25 June 2022
16 February 2023
18 July 2023
Accepted 6 August 2023

Abstract

Purpose – The purpose of this paper is to propose a framework of green strategies as a combination of energy-efficiency measures and solutions towards environmental impact reduction for improving environmental sustainability at logistics sites. Such measures are examined by discussing the related impacts, motivations and barriers that could influence the measures' adoption. Starting from the framework, directions for future research in this field are outlined.

Design/methodology/approach – The proposed framework was developed starting from a systematic literature review (SLR) approach on 60 papers published from 2008 to 2022 in international peer-reviewed journals or conference proceedings.

Findings – The framework identifies six main areas of intervention ("green strategies") towards green warehousing, namely Building, Utilities, Lighting, Material Handling and Automation, Materials and Operational Practices. For each strategy, specific energy-efficiency measures and solutions towards environmental impact reduction are further pinpointed. In most cases, "green-gold" measures emerge as the most appealing, entailing environmental and economic benefits at the same time. Finally, for each measure the relationship with the measures' primary impacts is discussed.

Originality/value – From an academic viewpoint, the framework fills a major gap in the scientific literature since, for the first time, this study elaborates the concept of green warehousing as a result of energy-efficiency measures and solutions towards environmental impact reduction. A classification of the main areas of intervention ("green strategies") is proposed by adopting a holistic approach. From a managerial perspective, the paper addresses a compelling need of practitioners – e.g. logistics service providers (LSPs), manufacturers and retailers – for practices and solutions towards greener warehousing processes to increase energy efficiency and decrease the environmental impact of the practitioners' logistics facilities. In this sense, the proposed framework can provide valuable support for logistics managers that are about to approach the challenge of turning the managers' warehouses into greener nodes of the managers' supply chains.

Keywords Green warehousing, Systematic literature review, Environmental sustainability, Motivations, Barriers

Paper type Conceptual paper

1. Introduction

Traditionally, logistics activities have been mostly focused on balancing efficiency, expressed in terms of cost reduction and effectiveness, measured through service level

© Sara Perotti and Claudia Colicchia. Published by Emerald Publishing Limited. This article is published under the Creative Commons Attribution (CC BY 4.0) licence. Anyone may reproduce, distribute, translate and create derivative works of this article (for both commercial and non-commercial purposes), subject to full attribution to the original publication and authors. The full terms of this licence may be seen at <http://creativecommons.org/licenses/by/4.0/legalcode>

This research is part of a broader Italian funded PNRR Research project "Centro Nazionale per la Mobilità Sostenibile" (CN MOST) – Spoke 10 "Sustainable Logistics". The authors would like to thank all partners and companies that have actively contributing to make this research possible.



The International Journal of
Logistics Management
Vol. 34 No. 7, 2023
pp. 199-234
Emerald Publishing Limited
0957-4093
DOI 10.1108/IJLM-02-2022-0086

optimisation and improvement. Within the entire supply chain, warehouses have been acknowledged as key components (Rai *et al.*, 2011), accounting for about 20% of logistics costs (Dhooma and Baker, 2012) and having a direct impact on the service level companies can provide to customers (Liu *et al.*, 2010). However, in the last decade also the environmental sustainability of logistics facilities and warehousing operations has been called into question, bringing further complexity and increased challenges to the logistics industry.

Multiple factors are behind this trend. On the one hand, more demanding regulatory pressures and growing recommendations are coming from national governments, as well as international organisations. This is strictly related to the growing concerns over the limitation of resources, global warming and greenhouse gas (GHG) emissions. If we look at logistics and transport activities, according to the World Economic Forum (2016), they account for 13% of the overall GHG emissions worldwide, out of which 11% is related to logistics sites. Besides, increasing pressures from a variety of stakeholders, such as investors, consumers, media and the entire society, are making sustainability one of the key drivers in logistics decision-making processes (Dobers *et al.*, 2019; Perotti *et al.*, 2022). This is also the case of logistics sites, whose sustainability is strictly related to the efficiency of resources and materials employed. Whilst the ISO (International Organization for Standardization) standard 14,083 released in March 2023 now provides managers with a globally aligned framework for quantifying GHG emissions of transport and hub operations, companies so far have had to rely on various standards aiming at certifying their environmental performance and had to struggle with a rising range of measures to be embraced at their logistics facilities to improve their energy efficiency (i.e. consumption reduction and related costs) and decrease related emissions.

As such, both logistics managers and technology providers have started looking for innovative energy-efficiency measures and solutions towards environmental impact reduction to be applied to their warehousing facilities to enhance not only the economic but also their environmental performance (Wehner *et al.*, 2020). Growing investments have recently characterised the logistics real estate industry, with particular reference to green building projects and installation of utilities – such as photovoltaic panels on the rooftop – that could reduce energy consumption whilst mitigating the environmental performance of the building (Perotti *et al.*, 2023). Moreover, digital technologies and energy-efficient systems have been progressively widespread, such as LED lighting and light sensors, lithium-ion batteries for material handling equipment and fast chargers (Rai *et al.*, 2011; Rajput and Singh, 2020). Greener operational practices, as well as packaging consumption monitoring and waste reduction, have also increased and several related solutions have become common (Das *et al.*, 2023).

From an academic perspective, the literature dealing with sustainability at logistics sites has recently boosted (Ries *et al.*, 2017; Agyabeng-Mensah *et al.*, 2020). Indeed, the focus of logistics scientific literature over the last decade has primarily been on analysing and mitigating the impact of transport activities and related green strategies, leaving environmental sustainability in warehousing largely overlooked (Tappia *et al.*, 2015). However, a shift in this trend seems to be emerging and sustainable warehousing is now starting to receive growing attention from both researchers and practitioners. Still, the academic literature on this topic appears to be still underdeveloped. Although papers that qualitatively describe green warehousing solutions have started to appear, no clear view has been presented so far on how to behave to achieve higher energy-efficiency and a lower environmental impact at logistics sites, nor the impacts related to the individual measures available. Also, motivations and barriers of such solutions haven't deserved enough attention so far. However, as highlighted by Sukjit and Vanichchinchai (2020), "adoption of green warehousing requires motivations. However, motivations for green warehouse still receive little attention" (p. 539).

This paper aims to fill this gap. Based on a systematic literature review (SLR) approach (Tranfield *et al.*, 2003), it offers a framework of energy-efficiency measures and solutions towards environmental impact reduction that can be implemented to improve environmental

sustainability at logistics sites. The environmental and economic impacts of such measures are specifically investigated, as well as the main motivations and barriers that could influence their adoption. The study is also intended to pinpoint the major research gaps, thus paving the way for future directions of investigation in this field. According to the objectives of this paper, three research questions (RQs) have been introduced:

- RQ1.* What are the energy-efficiency measures and the solutions towards environmental impact reduction that can be implemented at logistics sites?
- RQ2.* What are the economic and environmental impacts of such measures and solutions?
- RQ3.* What are the main motivations and barriers that influence the companies' adoption of energy-efficiency measures and solutions towards environmental impact reduction at their warehouses?

In order to address these questions and to present the discussion in a structured way, the Systematic Literature Review methodology has been applied, since it has been identified as an effective way to discuss gaps in the existing scientific literature (Tranfield *et al.*, 2003) and to synthesize the results of previous literature in a systematic, reproducible and transparent way to support theory-building (Seuring *et al.*, 2020; Snyder, 2019). The contribution offered by this study can be viewed as theory-building. As discussed by Seuring *et al.* (2020) and Kovács and Spens (2005), this approach to literature review follows a deductive-abductive approach and it will be applied in this study to allow a comprehensive analysis of green warehousing and the development of a framework of green strategies and energy-efficiency measures for improving the environmental sustainability at logistics sites, which is currently lacking in the existing warehousing literature. According to Choi and Wacker (2011), theory-building is a crucial aspect of research that facilitates the advancement of a field over time. Additionally, theory-building approaches have been found to enhance our understanding of a specific subject, aiding in redefining concepts that were previously not clearly or extensively explained in the literature (Wacker, 2008). Our research not only improves the theoretical understanding of green warehousing but also offers insights for professionals to improve the environmental sustainability of logistics sites. Thus, our study significantly contributes to the development of middle-range theory in the field of green warehousing. Middle-range theory serves as a vital link between academic research and practical applications to explain and comprehend phenomena within specific contexts (Swanson *et al.*, 2020). In an emerging field such as green warehousing, a rising number of contributions related to energy-efficiency measures and solutions towards environmental impact reduction have appeared (Agyabeng-Mensah *et al.*, 2020), but they are scattered. Therefore, it is particularly important to provide a comprehensive literature review to explore concepts and the relationships amongst them, to identify the key elements that facilitate a transition towards enhanced environmental sustainability at logistics sites from both a theoretical and practical perspective.

The remainder of the paper is structured as follows. The literature background is presented in Section 2. Section 3 illustrates the methodology adopted, whilst Section 4 provides descriptive information about the papers examined during the SLR phase. A critical discussion of the proposed framework is then offered and the main research gaps are highlighted. Finally, the main conclusions are pointed out and future research directions are outlined.

2. Literature background

Green warehousing has been defined as “a managerial concept integrating and implementing environmentally friendly operations with the objective of minimizing energy consumption, energy cost and GHG emissions of warehouses” (Bartolini *et al.*, 2019, p. 243). Specifically, GHG

emissions and energy efficiency – which in turn involves consumption and related cost reduction – are seen as key elements when approaching the challenge of improving the environmental performance at a logistics facility (Dobers *et al.*, 2022). Other broader definitions of sustainable warehousing have also been proposed, thus incorporating also the social perspective accordingly with the triple-bottom line (TBL) approach (Elkington, 2013). As an example, sustainable warehousing has been defined as an approach to maximising the efficiency and effectiveness of warehouse operations in such a way that the firm's economic objectives can be reached, without a negative impact on the surrounding environment and society (Malinowska *et al.*, 2018; Ali and Phan, 2022). Similarly, according to Tan *et al.* (2009) and Ishizaka *et al.* (2022), sustainable warehousing is about integrating, balancing and managing the economic, environmental and social inputs and outputs of the warehouse operations.

Focusing on the environmental side of sustainability, contributions have recently begun to emerge on the topic of green warehousing, on either the assessment of warehouse-related energy consumption and emissions (Ries *et al.*, 2017) or on the motivations and barriers influencing the adoption of green warehousing practices (Wahab *et al.*, 2018). The academic community has also started to perceive the need for structuring extant knowledge and setting clear directions for future works. Accordingly, a first literature review addressing this topic has been found (Bartolini *et al.*, 2019).

The authors provide a review and bibliometric analysis of the state of knowledge regarding green warehouse management, the environmental impact of warehouse buildings, sustainability indicators, environmental certification guidelines and energy-saving issues in warehousing. Although that review could be viewed as a valuable seminal work, no comprehensive framework was offered for categorising the strategies and energy-efficiency measures for reducing the environmental impact of warehouses, nor the related impacts, benefits and barriers. They offered a broad discussion on three macro-themes, namely green warehouse management, environmental impact of warehouse building and energy saving in warehousing. However, no detailed overview was offered on the plethora of practices and green strategies that can be implemented to improve environmental sustainability at logistics sites. Specifically, we highlighted a lack of a comprehensive classification of the energy-efficiency measures that can be practically leveraged by logistics managers to support their decision-making process when it comes to greening their logistics facilities. This opens promising streams for further conceptualisation, as the industry is currently looking for guidance on how to transition towards net-zero warehouses and related operations, what roadmap to embrace and which energy-efficient measures to define (Perotti *et al.*, 2023). It should also be noted that, the interesting review by Bartolini *et al.* (2019) does not include some relevant literature published from 2020 onwards and this prevents the study from capturing the recent evolution of the topic. Finally, it should also be acknowledged that some researchers have also begun to address specific aspects of green warehousing. As an example, Füchtenhans *et al.* (2021) proposed a systematic literature review to analyse the state-of-knowledge of technologies and applications for smart lighting systems. Different technical systems were discussed (e.g. ranging from LED lighting to light sensors) together with their application areas, including but not restricted to warehousing. Nevertheless, that review focused on a specific subset of energy-efficiency measures referred to the lighting domain, without offering a holistic representation of warehousing environments. As a result, opportunities for new research efforts in this direction are still open and the need for an updated conceptual contribution based on a thorough academic literature review clearly emerges. As mentioned, the contribution offered by this study can be viewed as theory-building. Following the inductive approach discussed by Seuring *et al.* (2020), we contribute to theory-building by synthesizing and organising existing contributions to

generate new insights and understanding about green warehousing. This is particularly important in emerging fields or areas of study where there is a lack of established theory, as it happens in the case of green warehousing. As explained in the methodology section, the inductive approach followed for this literature review starts with a broad overview of the literature to identify patterns and emerging themes. By synthesizing and organising existing contributions based on these patterns and themes, our literature review proposes a comprehensive framework of green strategies and energy-efficiency measures for green logistics, along with key elements (i.e. motivations, barriers, performance assessment and monitoring and impact) that can support the understanding of this topic and contribute to the advancement of knowledge and practice for improving the environmental sustainability at logistics sites.

3. Methodology

The framework was developed starting from the results of a Systematic Literature Review (SLR). Literature reviews aim at synthesizing research results, capturing trends in the scientific literature and detecting promising research directions for future investigation. Amongst the different methodologies, the SLR has been recognised as appropriate to achieve the objective of this study, because it is the most effective method to logically explore the state-of-the-art and advance the existing scientific knowledge around a topic (Tranfield *et al.*, 2003). SLR can be defined as a process of “a systematic, explicit, and reproducible design for identifying, evaluating, and interpreting the existing body of completed and recorded work produced by researchers, scholars and practitioners” (Fink, 2019, p. 6). It is, therefore, a valuable methodology for developing propositions and discussing future research implications (Carter and Rogers, 2008). Furthermore, this methodology has been increasingly recommended to identify, collect and classify related studies in a more structured, nuanced and reproducible way (Rhoades, 2011). All these elements acquire even more importance with reference to warehouse environmental sustainability, as it is a fairly new branch of research and the need for summarising the available studies and promoting replicable knowledge is fundamental to facilitate further investigation in this arena. As highlighted by Lagorio *et al.* (2016), the SLR method has already been widely used to consolidate emerging topics in other areas in the field of sustainability and supply chain management.

To reduce bias during research and ensure replicability, this study followed the guidelines set out by Denyer and Tranfield (2009). The SLR has been carried out following a five-step methodology, as illustrated in Figure 1, by adapting the steps proposed by Denyer and Tranfield (2009). These phases are described in detail in the following sub-sections.

3.1 Scope of the analysis

In this paper, “green warehousing” is studied. The increasing attention from media, governments and customers to green and sustainable paradigms pushes companies to invest in energy-efficient solutions to improve their green performance and customer satisfaction whilst reducing their operating costs. Warehouses have often been neglected in the past, but nowadays, managers have become more aware of the importance of this critical area. Hence green-related projects have been intensified. In line with the research questions presented in the Introduction, it is essential to understand the strategies and energy-efficiency measures that can be used by company managers to enhance the environmental performance of their warehouses and related characteristics, benefits and hurdles. Since the budget dedicated to the green warehousing project is often limited, it is important to design the most suitable combination of strategies and energy-efficiency measures to achieve the highest performance whilst balancing the constraints.




Figure 1.
SLR method

Source(s): Adapted from Denyer and Tranfield, (2009)

3.2 Locating papers

At this stage, the purpose was to search through relevant papers to create a comprehensive list of core contributions pertinent to the review questions (Denyer and Tranfield, 2009). The Scopus database was chosen to identify research papers, as it has some of the largest and most reliable business research repositories (Crossan and Apaydin, 2010) and it is often used in SLRs (Seuring *et al.*, 2020). A set of keywords have been defined and used in the search engine.

The set of keywords, summarised in Table 1, was generated relying on readings of past literature and the authors' experience in the field of logistics. In order to identify articles related to energy-efficiency measures and solutions towards environmental impact reduction adopted in green warehousing, the keywords have been grouped into three clusters, combining warehousing, environmental sustainability and decision-making perspectives. This stage led to 1,390 results. Whilst the search string of keywords may appear too broad and result in irrelevant findings, we deliberately chose to maintain a broad scope. In the literature on green warehousing, articles often refer to various related fields (such as energy), but valuable insights can still be gleaned. To reduce the risk of missing relevant articles, we decided to employ a broad search string of keywords and then carry out a thorough process of paper selection and evaluation, as explained in the following subsection.

Keywords	Screening phase		Eligibility phase	
	Language	Publication type	Inclusion criteria	Exclusion criteria
TITLE-ABS-KEY (("warehouse*" OR "logistic* site" OR "logistic* facility" OR "logistic* hub" OR "logistic* building") AND ("environment*" OR "sustainab*" OR "energy efficien*" OR "GHG" OR "CO2" OR "decarbon*" OR "green") AND ("light*" OR "HVAC" OR "forklift" OR "waste" OR "rainwater" OR "sensor" OR "roof" OR "glass" OR "wall" OR "pallet" OR "material handling" OR "automat*" OR "wind" OR "solar" OR "building") AND ("solution" OR "practice" OR "adopt*" OR "implement*" OR "barrier" OR "motivation" OR "driver" OR "obstacle"))	English	Journal papers and conference proceedings	Energy efficiency and environmental sustainability in warehouses Sustainability includes energy efficiency or environmental sustainability Non-commercial buildings include warehouses Dated but milestone documents	Energy efficiency and environmental sustainability in general or at supply chain level or logistics level or applied in other types of buildings Sustainability in general Commercial and non- commercial buildings in general Dated and obsolete documents

Source(s): Authors' own work

Table 1.
Keywords and criteria
used for paper selection

3.3 Paper selection and evaluation

This phase aimed to ensure a thorough selection of the papers as the basis of the subsequent critical analysis. Three stages have been considered, namely screening, eligibility based on inclusion and exclusion criteria and final inclusion based on a careful reading of each document.

In the screening phase, two criteria were considered. First, papers had to be written in English, as it is the main adopted and formally approved international language for publications in the supply chain management and logistics fields (Colicchia *et al.*, 2019). Second, to ensure high quality works had to be published in peer-reviewed international journals or conference proceedings indexed in Scopus. For these reasons, contributions from grey literature such as technical reports and secondary sources were excluded. After the screening phase, 1,060 potential papers remained in the list. During the eligibility phase, a set of inclusion and exclusion criteria, related to the content of the papers has been identified (Table 1) to select only relevant publications:

- (1) The included papers had to be focused on energy-efficiency measures and solutions towards environmental impact reduction adopted in warehouses. The papers investigating these topics from a different perspective (for example, adopting a supply chain perspective), or that are related to other types of buildings, have been excluded.
- (2) From a sustainability perspective, the papers had to address the theme of environmental sustainability and energy efficiency.

- (3) Older papers were included only if considered as milestones and in case the measures discussed were not obsolete.

Such criteria have been checked through a careful examination of the abstracts and, in case of ambiguity, the decision has been taken after an examination of the full text. To avoid any kind of subjectivity or bias, this step was executed by two researchers independently. The result was a total database of 54 academic papers published either in peer-reviewed journals or conference proceedings. Finally, as suggested by [Marchet *et al.* \(2014\)](#) and remarked by [Hohenstein *et al.* \(2015\)](#), we also went back to other papers by cross-referencing in order to include potential papers that were not picked in the above-mentioned databases. This results in a final sample of 60 papers.

4. Descriptive analysis

Each selected publication has been classified according to:

- (1) General characteristics: author(s), year of publication, source title and first author's affiliation.
- (2) Methodology adopted: as per [Seuring and Müller \(2008\)](#), five research methodology have been distinguished, namely "Conceptual framework", "Analytical model", "Case study", "Literature review" and "Survey".
- (3) Themes addressed: in performing the paper evaluation and analysis, we aimed at rationalising and systematising the existing contributions on the topic under investigation. The papers were classified through thematic analysis ([Vaismoradi *et al.* \(2013\)](#)), according to a deductive-abductive approach ([Seuring and Müller, 2008](#)). The first step was to carefully read the papers. Consistently with the review questions, and according to a deductive approach, we particularly focused on the thematic categories defined in the previous pages, i.e. energy-efficiency measures and solutions towards environmental impact reduction for green warehousing, their economic and environmental impacts, the main motivations and barriers that influence their adoption. The specific elements for each of these categories were identified according to an abductive approach. For this qualitative data analysis, we followed the steps proposed by [Gioia *et al.* \(2013\)](#). Initially, we conducted the primary data coding, emphasising the key elements presented in the papers. During this phase, our aim was to faithfully adhere to the terminology used in the selected papers. As the evaluation process progressed, we looked for commonalities and patterns amongst the terms employed in the papers. These findings served as the foundation for organising the terms into categories and constructing a "data structure," which forms the final framework for our study. Both authors actively participated in this process, engaging in discussions to address any discrepancies or differences in opinions. We iteratively analysed and interpreted the papers until reaching a consensus. In instances where there was disagreement in data coding, we revisited the data, engaged in mutual discussions and developed shared understandings to arrive at consensual interpretations. This research process employed abductive reasoning because we were not completely unaware of previous work whilst analysing papers; instead we had preconceived notions and theoretical knowledge about the field under investigation. In line with this approach, we intentionally chose to be ignorant of previous theories in the field of interest, rather than simply lacking awareness, to find the right balance between our existing knowledge and areas where we lacked knowledge ([Gioia *et al.*, 2013](#)). This balance was crucial in facilitating discovery without unnecessarily reinventing established concepts ([Kovács and Spens, 2005](#)).

Table 2 summarises the content and features of each paper. According to Melacini *et al.* (2018) the papers are listed in chronological order to show the evolution of the topic over time.

The examined papers were published between 2008 and 2022 in 41 different international journals and 11 conference proceedings. The main focus is on industrial management or energy area. It is interesting to remark that very few journals are supply chain management- or logistics-based. Instead, many contributions have been found in energy-related journals, as well as conference proceedings, thus indicating that green warehousing is still an emerging topic that sector-specific journals have not adequately addressed.

Looking the distribution of the examined paper over time, a mounting interest in the topic of green warehousing has been detected, with 27 papers published from 2019 onwards (i.e. 45% of the examined sample). This further corroborates the need for systematising and conceptualising the available knowledge to guide future studies in the field.

As far as the first author's affiliations, 34 papers refer to European countries – e.g. Italy (12), Germany (4), UK (4), Turkey (4) – that overall constitute more than half of the sample (57%). Asia accounts for 18 contributions – being China (4) and Malaysia (3) with the highest number of contributions – and USA for 4. Regarding the method (Figure 2), the selected papers are based on empirical studies – either case studies/interviews (21) or surveys (7) – but also analytical models (20), conceptual contributions (5) and literature review (5) are quite common. Looking at the evolution of the topic over time, as per Melacini *et al.* (2018), strategies and energy-efficiency measures to improve warehouse environmental sustainability (RQ1) and related economic and environmental impacts (RQ2) have been found since 2008 and mostly from 2011 onwards. If earlier papers tend to be conceptual in nature or provide some initial case studies on green warehousing measures and related impact computation, recent contributions, i.e. from 2020 onwards, seem to have evolved to include a greater emphasis on practical solutions for reducing energy consumption (e.g. smart energy charging, material handling energy consumption optimisation). Motivations and barriers influencing companies' adoption (RQ3) seem to be a more recent area of investigation and contributions addressing these issues have been found mostly after 2015. It is interesting to note that early papers were conceptual in nature, whereas after 2019, all the examined papers are either case study/interview- or survey-based, with one analytical model being found. This highlights the rising interest in empirical research on the topic.

5. Results and framework development

A critical analysis of the selected papers is hereinafter presented by structuring the findings according to the three RQs previously defined.

RQ1. What are the strategies and energy-efficiency measures to improve warehouse environmental sustainability?

Table 3 reports 23 warehouse energy-efficiency measures that have been identified and classified into six green strategies: Green Building, Utilities, Lighting, Material Handling and Automation, Materials and Operational Practices. The majority of studies focused on Green Building, Utilities and Lighting, with particular attention to energy-efficiency measures such as photovoltaic panels, thermal insulation, use of natural lighting and white walls, packaging reuse and recycling. It should be noted that other promising technologies that have started receiving growing attention from the industry, such as high-frequency battery charging and sensors for consumption reduction – within Material Handling strategies – or solar tubes – within Lighting – have not been found in the examined sample.

5.1 Green building

Rai *et al.* (2011) highlighted that warehouse building is one factor that mostly contributes to the consumption of energy and natural resources. A number of key energy-efficiency

Table 2.
Papers included in
the SLR

No.	Author	Year	First Author's affiliation	Title	Source	Methodology	Research question addressed		
							RQ1	RQ2	RQ3
1	Ciliberti <i>et al</i>	2008	Italy	Logistics social responsibility: Standard adoption and practices in Italian companies	<i>International Journal of Production Economics</i>	Literature review	x		
2	Tan <i>et al</i>	2009	New Zealand	Sustainable warehouse management	<i>Proceedings of the International Workshop on Enterprise and Organizational Modelling and Simulation (EOMAS)</i> <i>Chemical Engineering Transactions</i>	Conceptual framework		x	
3	Sellitto <i>et al</i>	2011	Brazil	Environmental performance assessment in transportation and warehousing operations by means of categorical indicators and multicriteria preference	<i>Energy</i>	Survey		x	
4	Rai <i>et al</i>	2011	Netherlands	Assessment of CO2 emissions reduction in a distribution warehouse	<i>Energy</i>	Case study/ interviews	x	x	
5	Cook <i>et al</i>	2011	Australia	Towards low-energy retail warehouse building	<i>Architectural Science Review</i>	Case study/ interviews	x	x	
6	Karia <i>et al</i>	2013	Malaysia	Green innovations in the logistics industry: Sustainability and competitive advantage	<i>Proceedings of the 20th International Business Information Management Association Conference (IBIMA)</i> <i>Summer Conference (ASME)</i> <i>Renewable and Sustainable Energy Reviews</i>	Conceptual framework	x		
7	Sailor and Vuppuluri	2013	USA	Energy performance of sustainable roofing systems	<i>Proceedings of the Heat Transfer Summer Conference (ASME)</i>	Case study/ interviews	x	x	
8	Mostafaipoor <i>et al</i>	2014	Iran	Economic evaluation for cooling and ventilation of medicine storage warehouses utilizing wind catchers	<i>Renewable and Sustainable Energy Reviews</i>	Case study/ interviews	x	x	
9	Lether <i>et al</i>	2014	Slovenia	Energy efficiency model for the mini-load automated storage and retrieval systems	<i>International Journal of Advanced Manufacturing Technology</i>	Analytical model	x		x

(continued)

No.	Author	Year	First Author's affiliation	Title	Source	Methodology	Research question addressed		
							RQ1	RQ2	RQ3
10	Martin <i>et al</i>	2014	Austria	Hydrogen-powered fuel cell forklifts—Demonstration of green warehouse logistics	<i>Proceedings of the World Electric Vehicle Symposium and Exhibition</i>	Case study/ interviews	x	x	x
11	Tappia <i>et al</i>	2015	Italy	Incorporating the environmental dimension in the assessment of automated warehouses	<i>Production Planning and Control</i>	Analytical model	x	x	x
12	Oswiecinska <i>et al</i>	2015	UK	Towards energy-efficient operation of Heating, Ventilation, and Air Conditioning systems via advanced supervisory control design	<i>Journal of Physics: Conference Series</i>	Analytical model	x	x	x
13	Fichtinger <i>et al</i>	2015	Austria	Assessing the environmental impact of integrated inventory and warehouse management	<i>International Journal of Production Economics</i>	Analytical model	x	x	x
14	Meneghetti and Monti	2015	Italy	Greening the food supply chain: An optimisation model for sustainable design of refrigerated automated warehouses	<i>International Journal of Production Research</i>	Analytical model	x	x	x
15	Meneghetti <i>et al</i>	2015	Italy	Decision support optimisation models for design of sustainable automated warehouses	<i>International Journal of Shipping and Transport Logistics</i>	Analytical model	x	x	x
16	Boenzi <i>et al</i>	2016	Italy	Greening activities in warehouses: A model for identifying sustainable strategies in material handling	<i>Annals of DAAAM and Proceedings of the International DAAAM Symposium</i>	Analytical model	x	x	x
17	Facchini <i>et al</i>	2016	Italy	Minimizing the carbon footprint of material handling equipment: Comparison of electric and LPG forklifts	<i>Journal of Industrial Engineering and Management</i>	Analytical model	x	x	x

(continued)

Table 2.

Table 2.

No.	Author	Year	First Author's affiliation	Title	Source	Methodology	Research question addressed		
							RQ1	RQ2	RQ3
18	Rüdiger <i>et al</i>	2016	Germany	Managing Greenhouse Gas Emissions from Warehousing and Transhipment with Environmental Performance Indicators	<i>Transportation Research Procedia</i>	Analytical model		x	
19	Ene <i>et al</i>	2016	Turkey	A genetic algorithm for minimizing energy consumption in warehouses	<i>Energy</i>	Analytical model		x	x
20	Salhieh and Abushaikha	2016	Jordan	Assessing the driving forces for greening business practices: Empirical evidence from the United Arab Emirates' logistics service industry	<i>South African Journal of Business Management</i>	Survey		x	x
21	Alshaebe <i>et al</i>	2017	USA	Evaluation of different forklift battery systems using statistical analysis and discrete event simulation	<i>Proceedings of the 67th Annual Conference and Expo of the Institute of Industrial Engineers</i>	Case study/ interviews		x	x
22	Roozbeh N. <i>et al</i>	2017	Iran	Dual command cycle dynamic sequencing method to consider GHG efficiency in unit-load multiple-rack automated storage and retrieval systems	<i>Computers and Industrial Engineering</i>	Analytical model		x	
23	Pratt <i>et al</i>	2017	USA	Warehouse transformation	<i>ASHRAE Journal</i>	Case study/ interviews		x	
24	Ries <i>et al</i>	2017	UK	Environmental impact of warehousing: a scenario analysis for the United States	<i>International Journal of Production Research</i>	Conceptual framework			x
25	Saikovski <i>et al</i>	2017	Estonia	Problems in the operating and calculation of payback of photovoltaic systems in buildings	<i>Proceedings of the 58th Annual International Scientific Conference on Power and Electrical Engineering</i>	Case study/ interviews		x	x

(continued)

No.	Author	Year	First Author's affiliation	Title	Source	Methodology	Research question addressed RQ1 RQ2 RQ3
26	Kaur <i>et al</i>	2018	India	A systematic literature review on barriers in green supply chain management	<i>International Journal of Logistics Systems and Management</i>	Literature review	x
27	Meneghetti <i>et al</i>	2018	Italy	Fostering renewables into the cold chain: How photovoltaics affect the design and performance of refrigerated automated warehouses	<i>Energies</i>	Case study/ interviews	x x
28	Foster <i>et al</i>	2018	UK	Financial viability of liquid air energy storage applied to cold storage warehouses	<i>Refrigeration Science and Technology</i>	Case study/ interviews	x x
29	Seifhashem <i>et al</i>	2018	UK	The potential for cool roofs to improve the energy efficiency of single-story warehouse-type retail buildings in Australia: A simulation case study	<i>Energy and Buildings</i>	Case study/ interviews	x x
30	Pertahci <i>et al</i>	2018	Turkey	A comparative study of fluorescent and LED lighting in industrial facilities	<i>IOP Conference Series: Earth and Environmental Science</i>	Case study/ interviews	x x
31	Burinskienė <i>et al</i>	2018	Lithuania	A simulation study for the sustainability and reduction of waste in warehouse logistics	<i>International Journal of Simulation Modelling</i>	Analytical model	x x
32	Wahab <i>et al</i>	2018	Malaysia	Antecedents of green warehousing: A theoretical framework and future direction	<i>International Journal of Supply Chain Management</i>	Conceptual framework	x
33	You <i>et al</i>	2018	China	System design and energy management for a fuel cell/battery hybrid forklift	<i>Energies</i>	Case study/ interviews	x x

(continued)

Table 2.

No.	Author	Year	First Author's affiliation	Title	Source	Methodology	Research question addressed		
							RQ1	RQ2	RQ3
34	Pamungkas <i>et al</i>	2019	Indonesia	Impacts of Solar PV, Battery Storage and HVAC Set Point Adjustments on Energy Savings and Peak Demand Reduction Potentials in Buildings Green warehousing: Systematic literature review and bibliometric analysis	<i>Proceedings of the Conference on the Industrial and Commercial Use of Energy (ICUE)</i>	Case study/ interviews	x	x	x
35	Bartolini <i>et al</i>	2019	Italy	Barriers to low-carbon warehousing and the link to carbon abatement: A case from emerging Asia	<i>Journal of Cleaner Production</i>	Literature review	x		
36	Goh <i>et al</i>	2019	Singapore	Life-Cycle Cost, Cooling Degree Day, and Carbon Dioxide Emission Assessments of Insulation of Refrigerated Warehouses Industry in Turkey	<i>International Journal of Physical Distribution and Logistics Management</i>	Case study			x
37	Ozturk <i>et al</i>	2019	Turkey	A Study on the Factors Influencing Green Warehouse Practice	<i>Journal of Environmental Engineering</i>	Case study/ interviews	x	x	x
38	Xin <i>et al</i>	2019	Malaysia	A control strategy for smart energy charging of warehouse material handling equipment	<i>Proceedings of the International Conference on Building Energy Conservation, Thermal Safety and Environmental Pollution Control (ICBTE)</i> <i>Procedia Manufacturing</i>	Survey			x
39	Carli <i>et al</i>	2020a	Italy	Integration of green supply chain management practices in the construction supply chain of CPEC	<i>Management of Environmental Quality: An International Journal</i>	Analytical model	x	x	
40	Ali <i>et al</i>	2020	Pakistan			Survey	x		

(continued)

No.	Author	Year	First Author's affiliation	Title	Source	Methodology	Research question addressed RQ1 RQ2 RQ3
41	Li <i>et al</i>	2020	China	Quantitative analysis of passive seasonal cold storage with a two-phase closed thermosyphon	<i>Applied Energy</i>	Case study/ interviews	x x
42	Sarabia Escriva <i>et al</i>	2020	Spain	Comparison of annual cooling energy demand between conventional and inflatable dock door shelters for refrigerated and frozen food warehouses	<i>Thermal Science and Engineering Progress</i>	Case study/ interviews	x x
43	Minashkina and Happonen	2020	Finland	Decarbonizing warehousing activities through digitalization and automatization with WMS integration for sustainability supporting operations	<i>Proceedings of the 7th International Conference on Environment Pollution and Prevention (ICEPP)</i>	Case study/ interviews	x x x
44	Sukjit and Vanichchinchai	2020	Thailand	An Assessment of Motivations on Green Warehousing in Thailand	<i>Proceedings of the 7th International Conference on Industrial Engineering and Applications (ICIEA)</i>	Survey	x
45	Carli <i>et al</i>	2020b	Italy	Sustainable scheduling of material handling activities in labour-intensive warehouses: A decision and control model	<i>Sustainability</i>	Analytical model	x
46	Lapisa <i>et al</i>	2020	Indonesia	Effect of skylight-roof ratio on warehouse building energy balance and thermal-visual comfort in the hot-humid climate area	<i>Asian Journal of Civil Engineering</i>	Analytical model	x x

(continued)

Table 2.

No.	Author	Year	First Author's affiliation	Title	Source	Methodology	Research question addressed		
							RQ1	RQ2	RQ3
47	Agyabeng-Mensah <i>et al</i>	2020	China	Green warehousing, logistics optimization, social values and ethics and economic performance: the role of supply chain sustainability	<i>International Journal of Logistics Management</i>	Survey	x		
48	Molletti <i>et al</i>	2021	Canada	Smart energy harvesting performance of photovoltaic roof assemblies in the Canadian climate	<i>Intelligent Buildings International</i>	Case study/interviews	x		
49	Gruchmann <i>et al</i>	2021	Germany	Tensions in sustainable warehousing: including the blue-collar perspective on automation and ergonomic workplace design	<i>Journal of Business Economics</i>	Survey			x
50	Füchtenhans <i>et al</i>	2021a	Germany	Using smart lighting systems to reduce energy costs in warehouses: A simulation study	<i>International Journal of Logistics Research and Applications</i>	Literature review	x	x	
51	Nantee and Sureeyatanapas	2021	Thailand	The impact of Logistics 4.0 on corporate sustainability: a performance assessment of automated warehouse operations	<i>Benchmarking: An International Journal</i>	Case study/interviews			x
52	Füchtenhans <i>et al</i>	2021b	Germany	Smart lighting systems: state-of-the-art and potential applications in warehouse order picking	<i>International Journal of Production Research</i>	Literature review	x	x	
53	Modica <i>et al</i>	2021	Italy	Green Warehousing: Exploration of Organisational Variables Fostering the Adoption of Energy-Efficient Material Handling Equipment	<i>Sustainability</i>	Analytical model	x	x	x

(continued)

No.	Author	Year	First Author's affiliation	Title	Source	Methodology	Research question addressed		
							RQ1	RQ2	RQ3
54	Ishizaka <i>et al</i>	2022	France	Sustainable warehouse evaluation with AHPs or traffic light visualisation and post-optimal analysis method	<i>Journal of the Operational Research Society</i>	Conceptual framework	x	x	
55	Stankovic <i>et al</i>	2022	Croatia	Saving energy by optimizing warehouse dock door allocation	<i>Energies</i>	Analytical model	x		
56	Yang <i>et al</i>	2023	China	Bi-objective operation optimization in multi-shuttle automated storage and retrieval systems to reduce travel time and energy consumption	<i>Engineering optimization</i>	Analytical model	x		
57	Lee <i>et al</i>	2022	USA	An electric forklift routing problem with battery charging and energy penalty constraints	<i>Journal of Intelligent Manufacturing</i>	Analytical model	x		
58	Osorio <i>et al</i>	2022	Spain	Industrial Buildings with Zero Energy Consumption: Cathedral Warehouse for Sherry Wines	<i>Sustainability</i>	Case study/interviews	x		
59	Faveto <i>et al</i>	2022	Italy	Efficient management of industrial electric vehicles by means of static and dynamic wireless power transfer systems	<i>The International Journal of Advanced Manufacturing Technology</i>	Analytical model	x		
60	Kheoi <i>et al</i>	2022	Turkey	Energy minimizing order picker forklift routing problem	<i>European Journal of Operational Research</i>	Analytical model	x		

Source(s): Authors' own work

Table 2.




Figure 2. Distribution of the examined papers over time with respect to the research methodology adopted

Note(s): Note that in case of multiple-methods papers were classified according to the primary methodology used

Source(s): Authors own work

measures have been identified in the examined literature to improve the environmental performance of a logistics building. First, the design and construction of a facility with materials and shapes allow for wise use of energy and minimise heat dispersion through walls and roof thanks to proper thermal insulation (Rai *et al.*, 2011; Mostafaeipour *et al.*, 2014). Great importance is given to the type of roof used – with solutions such as cool roofs and green roofs – as it is the surface most subject to heat sources (Sailor and Vuppuluri, 2013). Besides, the use of loading docks with insulated doors (Sarabia Escriva *et al.*, 2020) can minimise dispersions and energy losses, especially in logistics facilities handling chilled or frozen goods.

Second, the exploitation of natural daylight and lighting controls reduces the use of artificial lights and related electrical energy required (Cook and Sproul, 2011). Third, the joint use of selective glazing minimises heat transfer, maximises daylight and decreases the amount of energy needed for cooling (Cook and Sproul, 2011), thanks to the higher thermal resistance of glazing materials and their ability to mitigate solar heat gains whilst allowing diffuse daylight to penetrate.

Finally, a combination of passive design strategies can be helpful during the design and construction phases to achieve controlled environmental conditions with zero energy consumption. To obtain such conditions, the design of the constructive elements should be functional to control factors such as air stratification, ventilation and thermal inertia of the floor and walls (Navia-Osorio *et al.*, 2022). Depending on the specific building requirements, a fundamental element for successfully achieving high environmental performance seems to be the integration and harmonisation of such solutions within a comprehensive plan to impact the building’s overall energy demand from different perspectives. Hence, creativity in the logistics building design is a key step in achieving sustainable buildings with less energy consumption (Mostafaeipour *et al.*, 2014).

5.2 Utilities

Reducing warehousing demand for electrical energy and fuels involves the adoption of utilities that can help make the company’s business more economically and environmentally

Green strategy	Energy-efficiency (EE) measures and solutions towards environmental impact (EI) reduction	Main references
Green building	Thermal insulation (EE, EI)	Rai <i>et al.</i> (2011), Cook and Sproul (2011), Pratt (2017), Ozturk <i>et al.</i> (2019), Agyabeng-Mensah <i>et al.</i> (2020)
	Loading docks with insulated doors (EE, EI)	Sarabia Escriva <i>et al.</i> (2020)
	Cool roof (EE, EI)	Sailor and Vuppuluri (2013), Seifhashem <i>et al.</i> (2018)
	Green roof (EI)	Sailor and Vuppuluri (2013)
	Selective glazing (EE, EI)	Cook and Sproul (2011)
Utilities	Passive design and construction strategies (EE, EI)	Navia-Osorio <i>et al.</i> (2022)
	Wind catcher (EE)	Mostafaiepour <i>et al.</i> (2014)
	Photovoltaic panels for self-production (EE, EI)	Karia <i>et al.</i> (2013), Sailor and Vuppuluri (2013), Salhie and Abushaikha (2016), Saikovski (2017), Meneghetti <i>et al.</i> (2018), Pamungkas <i>et al.</i> (2019), Molleti <i>et al.</i> (2021), Ciliberti <i>et al.</i> (2008), Karia and Asaari (2013), Oswiecinska <i>et al.</i> (2015), Pratt (2017)
Lighting	Intelligent HVAC systems (EE, EI)	Ciliberti <i>et al.</i> (2008), Karia and Asaari (2013), Perdahci <i>et al.</i> (2018), Bartolini <i>et al.</i> (2019), Fuchtenhans <i>et al.</i> (2021)
	LED lighting (EE)	Cook and Sproul (2011), Pratt (2017), Fuchtenhans <i>et al.</i> (2021)
	Natural lighting and white walls (EE)	Rai <i>et al.</i> (2011), Cook and Sproul (2011), Karia and Asaari (2013), Pratt (2017), Lapisa <i>et al.</i> (2020)
Material Handling and Automation	Sensors for reducing lighting consumption (EE)	Cook and Sproul (2011), Salhie and Abushaikha (2016), Pratt (2017), Fuchtenhans <i>et al.</i> (2021)
	Lithium-ion battery forklifts (EE, EI)	Alshaei <i>et al.</i> (2017), Pamungkas <i>et al.</i> (2019)
	Hydrogen-Powered Fuel Cell Forklifts (EE, EI)	Martin <i>et al.</i> (2013)
	Fuel cell/battery hybrid forklift (EE, EI)	You <i>et al.</i> (2018)
	Electric forklifts with wireless energy charging (EI)	Faveto <i>et al.</i> (2022)
Materials	Energy-efficient AS/RS (EE, EI)	Meneghetti and Monti (2015), Tappia <i>et al.</i> (2015), Meneghetti <i>et al.</i> (2015), Roozbeh Nia <i>et al.</i> (2017), Nantee and Sureeyatanapas (2021)
	Packaging reduction (EI)	Karia and Asaari (2013), Ali <i>et al.</i> (2020), Agyabeng-Mensah <i>et al.</i> (2020)
	Packaging reuse and recycle (EI)	Ciliberti <i>et al.</i> (2008), Karia and Asaari (2013), Ali <i>et al.</i> (2020), Minashkina and Happonen (2020), Agyabeng-Mensah <i>et al.</i> (2020)
Operational practices	Travel distance optimization (EI)	Boenzi <i>et al.</i> (2016), Fichtinger <i>et al.</i> (2015), Ene <i>et al.</i> (2016), Burinskiene <i>et al.</i> (2018), Lee <i>et al.</i> (2022), Yang <i>et al.</i> (2023)
	Optimal scheduling of material handling activities and battery charging (EI)	Carli <i>et al.</i> (2020a, b), Lee <i>et al.</i> (2022), Yang <i>et al.</i> (2023), Stankovic <i>et al.</i> (2022)

Note(s): Please note that each measure/solution is classified according to its main impact, i.e. as related to energy-efficiency improvement (EE) or environmental impact reduction (EI)

Source(s): Authors' own work

Table 3. Framework of energy-efficient measures and solutions towards environmental impact reduction for logistics facilities as emerged from the SLR

sustainable. In the examined literature, four systems have explicitly been called into question, namely photovoltaic panels for self-production (Meneghetti *et al.*, 2018; Pamungkas *et al.*, 2019), intelligent heating, ventilation and air conditioning (HVAC) systems (Pratt, 2017), liquid air energy storage (Foster *et al.*, 2018) and thermosiphon-based seasonal cold storage (Li *et al.*, 2020). As heating, ventilation and air-cooling operations are amongst the most energy-consuming in a warehouse (Bartolini *et al.*, 2019), most of the aforementioned energy-efficiency measures can be used to mitigate this impact. It should be noted that today these solutions have become mature and able to overcome the barriers that prevented their adoption in the past (Molleti and Armstrong, 2021). Besides, their efficiency is rapidly increasing and can provide even more opportunities for greening warehouses. For instance, today the surplus of liquid air or liquid hydrogen contained in liquid air energy storage systems could be used to charge automobiles or *ad hoc* engine propulsion (Foster *et al.*, 2018). Another example is provided by smart HVAC systems, which are no more merely reactive, but predictive and adaptive. Hence, they can reduce operating costs, CO₂e emissions and energy consumption in every moment and with a higher proficiency if compared to the conventional ones (Oswiecinska *et al.*, 2015).

5.3 Lighting

As lighting is considered one of the main drivers for energy consumption in warehouses (Ries *et al.*, 2017), managers often consider taking initiatives in this area first (Bartolini *et al.*, 2019), also because such initiatives are usually amongst the cheapest and most effortless when compared to other methods to increase energy efficiency (Perdahci *et al.*, 2018). Many contributions have been found in the examined literature, and this subject appears to be quite consolidated. The attention has been mainly paid to LED lighting and sensors for reducing lighting consumption (Füchtenhans *et al.*, 2021), together with the use of natural lighting and white walls (Lapisa *et al.*, 2020). Such solutions not only significantly concur to a steady reduction in terms of energy consumption at the site, but also lead to a decrease in lighting-related emissions.

5.4 Material handling and automation

Looking at forklifts, considerations on both fuels used and batteries have emerged in this arena. Specifically, three main solutions have been discussed: Lithium-Ion Battery (LIB) forklifts, hydrogen-powered fuel cell forklifts and fuel cell/battery hybrid forklifts. Although lead acid batteries (LAB) are still the most common in material handling applications, research indicates that lithium-ion technology could bring significant benefits, also in terms of energy efficiency (Alshaebi *et al.*, 2017) and related emissions generated. Besides, hydrogen fuel cells have been acknowledged as a promising choice due to their cleanliness, safety, sustainability and high efficiency (Martin *et al.*, 2013). Finally, fuel cell/battery hybrid forklifts are relatively new, and the aim is to achieve superior performances by combining the best characteristics of hydrogen fuel cells and pure fuel cell. However, being still in its infancy and requiring a dedicated energy management strategy to be configured *ad hoc* on the forklift, further research is still encouraged in this field (You *et al.*, 2018).

Another key element being discussed is related to electric vehicles and the trade-off between battery autonomy and charging time. For instance, a possibility that has recently been explored is the adoption of a contactless electrical energy transmission system based on the magnetic coupling between coils installed under the ground level and a coil mounted under the vehicle floor (Faveto *et al.*, 2022). As far as Automated Storage and Retrieval Systems (AS/RS) are concerned, the relationship between warehouse automation and its environmental implications has started to be examined. Multiple interesting elements have been investigated, such as the investigation of the trade-off between the environmental and

economic dimensions when selecting warehousing technologies (Tappia *et al.*, 2015) or the energy usage related to crane movements considering different rack shapes (Meneghetti and Monti, 2015). The energy-efficiency performance of different automated systems has been considered, such as mini-load AS/RS (Lerher *et al.*, 2014) or Autonomous Vehicle Storage and Retrieval System (AVS/RS) with totes as the handling unit (Tappia *et al.*, 2015). At any rate, it should be noted that operating conditions, working requirements and warehousing environment are crucial elements to be carefully taken into account for successfully selecting the most appropriate solution for material handling, since a specific technology can be impossible to be adopted in some conditions, whilst favourable in others (You *et al.*, 2018).

5.5 Materials

Packaging reduction and packaging reuse and recycling have been detected as the main practices concerning materials management (Karia and Asaari, 2013). According to Agyabeng-Mensah *et al.* (2020), green packaging involves the use of green materials, cooperation with sellers to ensure standardisation, reduction of both material usage and unpacking time, adoption of returnable packaging methods and promotion of recycling and reuse programs. All these alternatives are viable and equally important since useless packaging increases waste disposal, unnecessary production, transport costs and increases pollution (Karia and Asaari, 2013). Viable solutions could involve reshaping the existing packaging by eliminating unnecessary elements or avoiding materials that negatively influence the environment, or present criticalities during their disposal.

5.6 Operational practices

Operational practices – i.e. supporting material handling, storage, picking processes and other value-added services performed within the warehouse – can be viewed as a valuable way to minimising energy consumption and related emissions. Since it is estimated that 55% of the total energy for warehousing activities comes from order-picking activities (Boenzi *et al.*, 2016), many practices found are in this sense. The two main categories of measures identified are travel distance optimisation (Burinskiene *et al.*, 2018) and optimal scheduling of material handling activities and battery charging (Carli *et al.*, 2020a).

As for the first (i.e. travel distance optimisation), Ene *et al.* (2016) developed a genetic algorithm designed to provide effective order batching and routing in warehouses considering the minimisation of energy consumption. Burinskiene *et al.* (2018) proposed a similar method, but using the Dijkstra algorithm, whilst Boenzi *et al.* (2016) integrated into a single non-linear integer programming model simulation both the engine type of the forklift and the possible paths.

Regarding the second (i.e. optimal scheduling of material handling activities and battery charging), various models have been found. Two of them (Carli *et al.*, 2020a, b). Identified an optimal schedule of material handling activities of a fleet of electric forklifts to minimise the total electricity cost for charging their batteries, whilst ensuring that jobs are executed in accordance with priority queuing and that the completion time of battery recharging is minimised.

Another paper related to the optimisation of the forklifts schedule was the one proposed by Stankovic *et al.* (2022). The authors studied a truck-to-gate assignment problem during warehousing docking door operations, where the objective was to minimise energy consumption. The problem was managed as a resource allocation problem and solved using a linear programming model. A different approach, based on both the optimisation of the travel distance and the battery charging time was adopted by Lee *et al.* (2022), who formulated a dynamic control algorithm for the electric forklift routing problem with battery charging. In this research, both the operational performance of the electric forklift (i.e. total travel distance

and idle time for battery replacement) and the energy performance (i.e. energy cost) were considered. Finally, [Yang et al. \(2023\)](#) developed a multi-objective optimisation model aimed at simultaneously minimising the travel time and the energy consumption of a multi-shuttle AS/RS by finding an efficient storage/retrieval location assignment and scheduling solution to perform the requests.

RQ2. What is their economic and environmental impact?

[Table 4](#) summarises the main economic and environmental impacts related to the strategies and energy-efficiency measures for improving warehouse environmental sustainability that emerged from the SLR. Whilst the decrease in GHG emissions seems to emerge as the main environmental benefit, economic implications have also been highlighted. These latter have been split into four different types, related to: reduction of energy consumption ([Sarabia Escriva et al., 2020](#); [Li et al., 2020](#); [Lapisa et al., 2020](#)), reduction of heating load ([Rai et al., 2011](#); [Foster et al., 2018](#)), reduction of electrical peak demand ([Molleti and Armstrong, 2021](#)) and increase in profitability ([Mostafaiepour et al., 2014](#)). The quantification of such impacts needs to be assessed with reference to a specific context, as they strictly depend not only on the

Perspective	Type of impact	(A)	(B)	(C)	(D)	(E)	(F)	Main references
Economic	Reduction of energy consumption	x	x	x	x		x	Rai et al. (2011) , Cook and Sproul (2011) , Sailor and Vuppuluri (2013) , Mostafaiepour et al. (2014) , Oswiecinska et al. (2015) , Boenzi et al. (2016) , Alshaeabi et al. (2017) , Seifhashemi et al. (2018) , Burinskiene et al. (2018) , Foster et al. (2018) , Perdhaci et al. (2018) , Pamungkas et al. (2019) , Agyabeng-Mensah et al. (2020) , Sarabia Escriva et al. (2020) , Li et al. (2020) , Lapisa et al. (2020) , Füchtenhans et al. (2021) , Nantee and Sureeyatanapas (2021)
	Reduction of heating load	x	x					Rai et al. (2011) , Cook and Sproul (2011) , Mostafaiepour et al. (2014) , Foster et al. (2018) , Sarabia Escriva et al. (2020)
	Reduction of electrical peak demand	x	x	x			x	Pratt (2017) , Foster et al. (2018) , Perdhaci et al. (2018) , Molleti et al. (2021) , Carli et al. (2020a, b)
	Increase in profitability	x						Mostafaiepour et al. (2014) , Agyabeng-Mensah et al. (2020) , Nantee and Sureeyatanapas (2021)
Environmental	Decrease in GHG emissions	x	x		x	x	x	Cook and Sproul (2011) , Martin et al. (2013) , Seifhashemi et al. (2018) , Foster et al. (2018) , Burinskiene et al. (2018) , Minashkina and Happonen (2020) , Li et al. (2020) , Carli et al. (2020a, b) , Nantee and Sureeyatanapas (2021)

Table 4. Economic and environmental impacts related to the green strategies under analysis

Note(s): Note that (A) Green Building, (B) Utilities, (C) Lighting, (D) Material Handling and Automation, (E) Materials and (F) Operational Practices

Source(s): Authors' own work

features of the individual solution implemented but also on the warehouse characteristics (Rai *et al.*, 2011). For instance, the impact deriving from the implementation of photovoltaic panels can differ considerably according to numerous factors such as site location (e.g. daylight and weather conditions) (Saikovski, 2017; Meneghetti *et al.*, 2018; Pamungkas *et al.*, 2019).

Looking at Green Building, it was the only green strategy where all the above-mentioned impacts were highlighted. In particular, thermal insulation in warehouses reduces energy consumption (Agyabeng-Mensah *et al.*, 2020) and increases profitability. This happens because insulation improves the building's thermal transmittance and decreases the heating load considerably (Rai *et al.*, 2011). A reduction in operational load is directly linked to lower energy consumption and a lower carbon footprint (Cook and Sproul, 2011). Similarly, loading docks with insulated doors are the cheapest and most effective way to solve the issue of air leakage during loading/unloading activities, thus they reduce the heating load of the warehouse, mitigate consumption and CO₂ emissions (Sarabia Escriva *et al.*, 2020). Cool roof, green roof and wind catchers have been demonstrated to be useful in reducing the cool energy demand, as well as the carbon emissions (Sailor and Vuppuluri, 2013; Mostafaeipour *et al.*, 2014; Seifhashem *et al.*, 2018). Selective glazing can interfere with the incoming daylight with different power, allowing its ingress in a room, but mitigating its heating (Cook and Sproul, 2011).

As far as Utilities are concerned, they have been demonstrated as particularly useful in addressing warehouse energy consumption and heating. For instance, this is the case of intelligent HVAC systems that can reduce operating costs, CO₂e emissions and energy consumption (Oswieczinska *et al.*, 2015). Looking at liquid air energy storage, it helps reduce carbon footprint by decreasing and shifting energy peak loads.

Impacts related to Lighting strategies are chiefly focused on electric energy consumption reduction by means of both exploiting natural daylight (Pratt, 2017; Lapisa *et al.*, 2020) and optimising artificial lighting (Cook and Sproul, 2011; Perdahci *et al.*, 2018). Regarding the first aspect (natural daylight), several authors agreed that a key element is the correct sizing of the roof light ratio, as excess will bring thermal and temperature discomfort for workers (Rai *et al.*, 2011). As far as the second aspect (artificial lighting) is concerned, the efficiency of LED lamps has been widely acknowledged (Perdahci *et al.*, 2018), together with sensors for reducing lighting consumption (Cook and Sproul, 2011; Pratt, 2017). Indeed, sensors may allow to automatically turn on/off or dim the level of light according to the presence of workers in a room or a section of the warehouse.

Impacts related to Material Handling and Automation mostly refer to forklifts in terms of batteries or fuels, or else AS/RS. In the case of forklifts, papers usually compare different technologies with the base case of conventional LAB. A significant reduction in energy consumption and/or lower GHG emissions has been commonly highlighted (Martin *et al.*, 2013; Alshaebi *et al.*, 2017). Amongst the technologies under study, LIB forklifts have been attested as particularly promising due to multiple reasons. Indeed, LIB has the characteristic of being charged whilst being in the truck, so no battery replacement processes are needed, differently compared to LAB (Alshaebi *et al.*, 2017). Second, the useable energy from LIB is higher, hence higher productivity is reached. Finally, the heat generated by LIB is only half compared to the one generated by a LAB. The reason comes from the internal resistance of lithium-ion, which is lower than the LAB one (Alshaebi *et al.*, 2017). Also, hydrogen-powered fuel cell forklifts have been highlighted as promising. It has been proved that GHG emissions are comparable to one of the battery-electric vehicles but with another potential further reduction of 10% depending on the expected lifetime of the battery (Martin *et al.*, 2013).

Looking at Materials, no specific contributions have been found discussing economic or environmental benefits. However, it is undeniable that reducing or reusing packaging leads to increased warehouse sustainability (Agyabeng-Mensah *et al.*, 2020). The simple reduction of paper is fundamental for a better environment (Minashkina and Haponen, 2020).

Finally, amongst Operational Strategies, innovative algorithms are emerging leading to economic and environmental performance improvement. For example, according to [Boenzi et al. \(2016\)](#), conventional travel distance optimisation practices can be further improved by means of a joint evaluation of the features and power source of the forklifts being adopted, together with other energetic aspects related to material handling activities (e.g. daily profile and peaks or other organisational patterns). Besides economic savings, even NO_x and CO₂ produced can be calculated and minimised ([Burinskiene et al., 2018](#)). Another interesting algorithm is the one developed by [Carli et al. \(2020b\)](#), intending to optimise the scheduling for electric forklifts by minimising the total electricity cost for charging batteries, whilst ensuring that jobs are executed following priority queuing and that the completion time of the battery recharging is minimised. The economic advantage is obtained using the minimisation of the electricity cost and can be further amplified by adopting on-line control systems for smart energy consumption.

RQ3. What are the main motivations and barriers that influence the companies' adoption of green strategies and energy-efficiency measures in their warehouses?

Only a few examined contributions explicitly investigated the decision-making process behind the adoption of green strategies and energy-efficiency measures for improving warehouse environmental sustainability. For instance, some interesting surveys were found targeting logistics managers to understand motivations and barriers in their specific companies. However, these studies were geographically limited – such as the one by [Salhieh and Abushaikh \(2016\)](#) that investigated the United Arab Emirates' logistics service industry, or the one by [Goh \(2019\)](#), focused on Asia, or else the one by [Sukjit and Vanichchinchai \(2020\)](#) in Thailand – or limited to few specific companies (e.g. [Xin et al., 2019](#); [Wahab et al., 2018](#)).

Looking at motivating factors that can push a company to undertake green warehousing processes, six main elements have been identified, namely pressure from government and regulations, pressures from customers and suppliers, industry competition, top management commitment and employee involvement.

In particular, as far as *government pressure and regulations* are concerned, new stricter regulations may oblige companies to adapt to new greener scenarios ([Salhieh and Abushaikh, 2016](#); [Kaur and Awasthi, 2018](#); [Wahab et al., 2018](#); [Goh, 2019](#); [Minashkina and Happonen, 2020](#); [Sukjit and Vanichchinchai, 2020](#)).

Second, customers' awareness (*customers' pressure*) and expectations about sustainability are increasing at a rapid pace; hence companies are forced to adapt ([Salhieh and Abushaikh, 2016](#); [Kaur and Awasthi, 2018](#); [Wahab et al., 2018](#); [Goh, 2019](#); [Minashkina and Happonen, 2020](#); [Sukjit and Vanichchinchai, 2020](#)). Besides, suppliers with a high bargaining power may force their customers to adapt to new sustainable processes that they have implemented in their company, asking them to replicate their model (*suppliers' pressure*). If the supplier is key and cannot be lost, companies usually accept the new condition ([Wahab et al., 2018](#)). *Industry competition* is another motivating factor, as key when healthy competition is present in a sector, firms can pursue to gain competitive advantage through sustainability ([Wahab et al., 2018](#); [Kaur and Awasthi, 2018](#); [Sukjit and Vanichchinchai, 2020](#)).

Finally, *top management commitment* emerges as fundamental: positive attitudes, clear visions, authoritative leaderships, precise strategic intents and profound commitment are mandatory for top managerial personnel to implement green warehousing practices ([Wahab et al., 2018](#); [Sukjit and Vanichchinchai, 2020](#)). However, a strong commitment amongst managers is not sufficient to effectively implement energy-efficient changes within warehouses and *employee involvement* is also a key component. Indeed, if not adequately

involved, workers can represent the phenomenon of resistance (Wahab *et al.*, 2018; Goh, 2019; Sukjit and Vanichchinchai, 2020; Gruchmann *et al.*, 2021).

Focusing on the main barriers to the adoption, 9 different elements have emerged. They include cost, complexity, communication, knowledge and capabilities, government pressure and regulations, pressures from suppliers and customers, technological hurdles and lack of a strategic approach to sustainability or scarce internal commitment. A detailed discussion is hereinafter provided for each factor identified:

- (1) *Costs*: although several authors agree that embracing greener warehouse operations helps protect the environment ethically and comply with the reduction of operational costs in the long run (Salhie and Abushaikha, 2016; Minashkina and Happonen, 2020), there is still a mental bias that brings logistics operators thinking that environmental sustainability is just a source of additional costs rather than a strategic opportunity for differentiating their businesses (Goh, 2019). According to the survey by Kaur and Awasthi (2018), besides investment costs, managers are scared by the potential costs of environmentally friendly packaging, hazardous waste disposal and the expenses of switching to new systems.
- (2) *Complexity*: the literature suggests that the introduction of sustainability initiatives may add levels of complexity in organisations (Goh, 2019; Gruchmann *et al.*, 2021). Implementation can be challenging and sustainable practices need time and effort to be diffused within a company and amongst all supply chain players that have to adapt to sustainable standards or performance criteria.
- (3) *Communication*: insufficient or missing communication is a typical barrier (Kaur and Awasthi, 2018; Goh, 2019; Gruchmann *et al.*, 2021). In this sense, meetings and consultations amongst employees seem to be critical drivers for receiving feedback and preventing whatever form of resistance (Seuring and Müller, 2008).
- (4) *Knowledge and capabilities*: when insufficient knowledge about sustainability or related fields is widespread amongst company managers, no green project can be proposed (Kaur and Awasthi, 2018; Goh, 2019; Gruchmann *et al.*, 2021). The way out entails a robust programme of education, experience, or training, to eliminate any possible form of negative prejudice (Goh, 2019).
- (5) *Government pressure and regulations*: although this can also be a motivation to increase energy efficiency and environmental sustainability projects in warehousing, several authors agree that “governments through regulation can both encourage and discourage the adoption of green practices” (Salhie and Abushaikha, 2016, p. 60). Indeed, the problem arises when there is no harmonised regulation on how to deal with non-compliance with rules (Goh, 2019). Moreover, if regulations are uncertain, companies are unwilling to take risks by adopting more sustainable practices (Goh, 2019).
- (6) *Suppliers’ pressures*: the need for facing suppliers’ reluctance to collaborate in warehouse sustainability programmes may discourage companies from implementing their ideas (Minashkina and Happonen, 2020; Kaur and Awasthi, 2018). The problem is particularly relevant when the sustainable project requires sharing confidential information or technology related to sustainable practices that are a source of competitive advantage (Goh, 2019; Kaur and Awasthi, 2018).
- (7) *Customers’ pressures*: as in the case of government pressures, also customers’ pressure on the adoption of green logistics practices is significant as a motivation (Salhie and Abushaikha, 2016). However, a lack of awareness or no clear

expectations might inhibit the adoption of energy-efficient solutions (Kaur and Awasthi, 2018; Minashkina and Happonen, 2020 Goh, 2019; Sukjit and Vanichchinchai, 2020).

- (8) *Technology*: companies can lack access to innovative technologies to improve their processes even if they are already available. This can make companies unable to start their green projects (Kaur and Awasthi, 2018; Goh, 2019).
- (9) *Lack of a strategic approach to sustainability or scarce internal commitment*: sometimes companies find difficulties in transforming positive environmental attitudes into actions simply because they have no concrete plan of action to rely on (Kaur and Awasthi, 2018).

5.7 Framework development

Based on the outcome of the SLR, a framework is proposed (Figure 3) linking six main areas of intervention towards green warehousing (“green strategies”) with the related impacts, motivations and barriers that could influence their adoption. The above-mentioned green strategies include a combination of:

- (1) energy-efficiency measures, i.e. chiefly aiming at consumption reduction (as well as a decrease of related costs and emissions generated);
- (2) solutions that can be leveraged towards environmental impact reduction, i.e. mostly oriented to cut emissions generated from the warehouse and related activities.

Some of those measures and solutions can meet both aims simultaneously.

On the left-hand side of the proposed framework, the complete list of factors that have emerged from the literature review as potential motivations or barriers to adoption has been provided. Interestingly, some of those could act as either a barrier or motivation, depending on the specific case (e.g. Top management commitment). Each individual green strategy at logistics sites is then connected to the economic and/or environmental impact that have been highlighted in the examined literature. Finally, in order to properly quantify the




Figure 3. Framework with six main areas of intervention (“green strategies”) for improving energy efficiency and environmental sustainability at logistics sites

Source(s): Authors own work

impacts, the framework also emphasises the need for a system for performance measuring and monitoring.

6. Discussion and research agenda

Although green warehousing has been traditionally under-examined compared to other green supply chain management issues (Bartolini *et al.*, 2019), to date, institutional and social pressures have concurred to highlight the urgency of focusing on such a subject. Being a fairly new branch of research – whilst being one of the major areas that could reduce the environmental impact of business activities (Salhieh and Abushaikha, 2016) – the related literature is still scarce although increasing and deserves adequate attention. The objective of the paper is to build upon earlier seminal studies on the topic (Bartolini *et al.*, 2019) and further address three key areas of investigation in order to: (1) create a clear and complete classification of the strategies and energy-efficiency measures that logistics and warehouse managers can embrace to improve warehouse environmental sustainability; (2) discuss the related main environmental impacts, as well as their economic implications; and (3) analyse the main motivations and hurdles behind the adoption of such practices.

This study has made significant contributions to theory-building in the field of green warehousing through a deductive-abductive approach to the literature review, as recommended by Seuring *et al.* (2020). Given the fragmented nature of research on energy-efficiency measures and solutions towards environmental impact reduction in green warehousing, a comprehensive literature review becomes essential for exploring concepts, their relationships and identifying key elements that can facilitate a transition towards improved environmental sustainability from both theoretical and practical perspectives.

By conducting a comprehensive analysis of green warehousing, this study has developed a framework of six main areas of intervention (“green strategies”) towards environmental sustainability at logistics sites. Such a framework combines energy-efficiency measures (i.e. focus on consumption – and related costs – reduction) and solutions towards environmental impact reduction (i.e. focus on emission decrease). The proposed framework can serve as a valuable resource for future research and decision-making aimed at enhancing energy efficiency and environmental sustainability at logistics sites. The proposed conceptual framework provides insights into areas of intervention, individual measures, their impacts, motivations and critical factors, offering a solid foundation for practitioners when making informed decisions regarding environmental strategies and performance measurement in their warehouses, in alignment with the findings of Silva *et al.* (2022).

Through this contribution, our study not only enhances the theoretical understanding of green warehousing but also provides practical implications for practitioners in effectively managing and improving the energy efficiency and environmental sustainability of logistics sites. In this sense, our study makes a valuable contribution to middle-range theory-building within the field of green warehousing. Middle-range theory, in fact, bridges the gap between academia and practice, providing a conceptual foundation to explain and understand phenomena within a well-defined context (Swanson *et al.*, 2020).

In addition to offering a deeper understanding of the specific phenomenon under investigation, our work also provides a basis for further theoretical development and future research directions. The proposed framework has also revealed the gaps and limitations of the revised literature, therefore highlighting streams for future investigation. In the following, five main research recommendations (RRs) for future investigation are offered and discussed.

RR1. Validate and, potentially, extend the proposed framework of green strategies and energy-efficiency measures for improving warehouse environmental sustainability.

Building upon previous investigations in the arena of sustainable warehousing (e.g. [Bartolini et al., 2019](#)), the present review offers a strong conceptualisation based on the available academic literature on the topic and opens streams for future investigation. From this viewpoint, further validation of the proposed framework also based on a practitioners' perspective could be a promising research direction. Indeed, besides the academic literature review, a thorough analysis of secondary sources (e.g. company sustainability reports, data from solution providers), as well as direct interviews with companies could be particularly beneficial to corroborate the proposed classification and list of energy-efficiency measures, or else include potential elements that have been neglected by academia so far. This recommendation seems specifically relevant also in light of the progressive technology enhancement and the advent of new solutions that can be added to the framework ([Perotti et al., 2023](#)). An updated and complete classification of green strategies and energy-efficiency measures can represent useful support to logistics managers when making decisions to improve the environmental impact of their logistics sites. As an example, recent technologies such as mobile robots ([Bogue, 2016](#); [Varma et al., 2021](#)) or warehousing 4.0 solutions might be further investigated also with reference to their impact on warehouse energy efficiency and, in a broader sense, on warehouse sustainability performance.

RR2. Foster empirical investigation on the adoption of green strategies and energy-efficiency measures for improving warehouse environmental sustainability.

No papers were found that specifically address the level of adoption of such strategies. Instead, most contributions were focused on one or a very limited spectrum of energy-efficiency measures, without offering a holistic perspective. Promising future research directions may involve the evolution of their adoption over time to build a benchmark, in line with [Perotti et al. \(2023\)](#). To this extent, it could also be interesting to study the companies' prospective interest in terms of future interventions on green warehousing processes.

RR3. Encourage the development of a shared set of indicators and methodologies to compute the GHG emissions generated in warehouses and impacted by green warehousing strategies.

Based on the examined sample, only a few studies provided methodologies for computing the carbon footprint produced by logistics and warehousing activities (e.g. [Perotti et al., 2023](#)) and no shared view was offered. Overall, there is a need for more reliable data to demonstrate how sustainable actions can decrease the carbon footprint and improve warehouse energy efficiency, as per [Dobers et al. \(2022\)](#). This could also encourage a higher awareness of these issues and – potentially – higher future investments in the sector.

RR4. Develop analytical research to investigate logistics and supply chain-wide practices, their enablers and the related environmental effects.

The study of green strategies and related energy-efficiency measures within logistics sites as offered within the present paper needs to be further expanded to a supply chain level. This should involve the examination of how changes in logistics network design might impact the overall company's (or supply chain) environmental performance. Indeed, the strategic location of warehouses and the related allocation of resources to the various stages of a supply chain are of paramount importance and bring along the threefold objective of cost minimisation, service level improvement and CO₂ emission reduction ([Doolun et al., 2018](#)). Furthermore, the sharing economy for storage services ("warehouse capacity sharing") is also emerging as a new opportunity for improving the economic and environmental impact of warehouses thanks to a better saturation of the warehouse and better assets utilisation

(Feng *et al.*, 2017; Tornese *et al.*, 2020). Further research is needed to explore how sharing warehouse concepts and principles can be leveraged to this aim. This new paradigm requires a further investigation of the enabling technologies and specific platforms to enable companies to match supply and demand of warehouse capacity and to acquire real-time information on the requirements of companies utilising the service to quickly and efficiently meet them (Unnu and Pazour, 2019).

RR5. Promote further investigation on the relationship between the adoption of green warehousing strategies and energy-efficiency measures for improving warehouse environmental sustainability and the related social or organisational aspects.

Few studies have hinted at the positive relationship between employees' productivity and the adoption of energy-efficient solutions such as natural lighting, LED lighting and light sensors (Füchtenhans *et al.*, 2021), or green roof technologies. Still, much must be done for other solutions to clarify their social/organisational implications for warehousing and guide changes in current organisational patterns to improve warehouse sustainability by decreasing carbon emissions and promoting energy efficiency, in line with Prativiera *et al.* (2022).

7. Conclusions and implications

This paper aims at offering a framework of strategies and energy-efficiency measures for improving warehouse environmental sustainability based on an SLR approach (Denyer and Tranfield, 2009) of 60 scientific publications dealing with this subject. Related economic and environmental impacts have been carefully examined and the main motivations and barriers that could influence the adoption of these green warehousing strategies have been discussed. Finally, five major RRs have been identified for further investigation in this promising research arena.

Although interesting findings emerged from this study, limitations do exist. In particular, the main limitation lies in the potential omission of relevant contributions from the review. Although the keyword structure was trialed repeatedly during its design to achieve a highly effective and feasible research space, we cannot exclude the possibility that other papers dealing with this subject do exist, but under different labels. Nevertheless, precisely because of the methodology adopted, we believe that this analysis provides an adequate representation of the state-of-the-art of literature relating to energy-efficient solutions for warehouses.

This research aims to fill a gap in a field that is receiving growing interest and has the necessity to organise the related knowledge more systematically. Results might constitute an important theoretical contribution to the topic of environmental sustainability in the green warehousing scientific literature. To the best of the Authors' knowledge, this is the first attempt at building a comprehensive framework specifically categorising green strategies and energy-efficiency measures for improving environmental sustainability at logistics sites. Researchers can use it as a starting point to focus on one or more strategies to investigate their adoption level within a business context, analysing the related benefits and critical issues associated with their implementation, or else quantitatively assessing the warehouse's environmental performance over time in terms of consumption figures – and related costs – and associated GHG emissions, as per Dobers *et al.* (2022). This could also be extended by means of addressing other energy-efficiency measures currently neglected by the literature. A promising area for future investigation may involve the social side of sustainability connected to the adoption of green strategies within logistics facilities, as well as its related implication. Another promising area of research, with relevant potential for practical applications, can be related to the development of models to assess alternatives of investment in (sets of) energy-efficiency measures for green warehousing, evaluate the most cost-effective option and identify the aspects that act as hurdles or drivers that determine the convenience of an option. This particular development could represent a value for companies

that are considering making investments in this area but have no clear idea of the roadmap that can be embraced to reach higher energy-efficiency and environmental performance at their logistics sites, in line with Perotti *et al.* (2023).

Under the managerial aspect, this study constitutes valid support for warehouse managers and logistics service providers (LSPs) who are about to approach the challenge of turning their warehouses into greener nodes of their supply chains. Indeed, the proposed framework can be seen as a reference by managers willing to invest in green warehousing and are eager to understand the levers they should consider. Particularly, the identification of the possible areas of intervention, along with the expected related impacts (economic and/or environmental), can be a valuable starting point for the development of a strategic plan regarding the roadmap to be embraced in terms of energy-efficiency measure implementation at a logistics site. Moreover, although some specific features that influence the design and functioning of warehouses are sector-specific (i.e. refrigerated versus ambient-temperature warehouses), many commonalities would permit the application of this conceptual framework to different contexts. Wise environmental management of logistics sites can also help obtain building certifications (e.g. Leadership in Energy and Environmental Design (LEED), Building Research Establishment Environmental Assessment Methodology (BREEAM), Haute Qualité Environnementale (HQE) and Deutsche Gesellschaft für Nachhaltiges Bauen (DGNB)) that help achieve higher sustainable performances and might increase corporate reputation.

References

- Agyabeng-Mensah, Y., Ahenkorah, E., Afum, E., Dacosta, E. and Tian, Z. (2020), "Green warehousing, logistics optimization, social values and ethics and economic performance: the role of supply chain sustainability", *International Journal of Logistics Management*, Vol. 31 No. 3, pp. 549-574, doi: [10.1108/IJLM-10-2019-0275](https://doi.org/10.1108/IJLM-10-2019-0275).
- Ali, I. and Phan, H.M. (2022), "Industry 4.0 technologies and sustainable warehousing: a systematic literature review and future research agenda", *The International Journal of Logistics Management*, Vol. 33 No. 2, pp. 644-662, doi: [10.1108/IJLM-05-2021-0277](https://doi.org/10.1108/IJLM-05-2021-0277).
- Ali, Y., Saad, T.B., Sabir, M., Muhammad, N., Salman, A. and Zeb, K. (2020), "Integration of green supply chain management practices in construction supply chain of CPEC", *Management of Environmental Quality: An International Journal*, Vol. 31 No. 1, pp. 185-200, doi: [10.1108/MEQ-12-2018-0211](https://doi.org/10.1108/MEQ-12-2018-0211).
- Alshaebi, A., Dauod, H., Weiss, J. and Yoon, S.W. (2017), "Evaluation of different forklift battery systems using statistical analysis and discrete event simulation", *Proceedings of the 67th Annual Conference and Expo of the Institute of Industrial Engineers*, pp. 1637-1642.
- Bartolini, M., Bottani, E. and Grosse, E.H. (2019), "Green warehousing: systematic literature review and bibliometric analysis", *Journal of Cleaner Production*, Vol. 226, pp. 242-258, doi: [10.1016/j.jclepro.2019.04.055](https://doi.org/10.1016/j.jclepro.2019.04.055).
- Boenzi, F., Digiesi, S., Facchini, F., Mossa, G. and Mummolo, G. (2016), "Greening activities in warehouses: a model for identifying sustainable strategies in material handling", *Proceedings of the 26th DAAAM International Symposium*, pp. 980-988, doi: [10.2507/26th.daaam.proceedings.138](https://doi.org/10.2507/26th.daaam.proceedings.138).
- Bogue, R. (2016), "Growth in e-commerce boosts innovation in the warehouse robot market", *Industrial Robot: An International Journal*, Vol. 43 No. 6, pp. 583-587, doi: [10.1108/IR-07-2016-0194](https://doi.org/10.1108/IR-07-2016-0194).
- Burinskiene, A., Lorenc, A. and Lerher, T. (2018), "A simulation study for the sustainability and reduction of waste in warehouse logistics", *International Journal of Simulation Modelling*, Vol. 17 No. 3, pp. 485-497, doi: [10.2507/IJSIMM17\(3\)446](https://doi.org/10.2507/IJSIMM17(3)446).
- Carli, R., Digiesi, S., Dotoli, M. and Facchini, F. (2020a), "A control strategy for smart energy charging of warehouse material handling equipment", *Procedia Manufacturing*, Vol. 42, pp. 503-510, doi: [10.1016/j.promfg.2020.02.041](https://doi.org/10.1016/j.promfg.2020.02.041).

- Carli, R., Dotoli, M., Digiesi, S., Facchini, F. and Mossa, G. (2020b), "Sustainable scheduling of material handling activities in labor-intensive warehouses: a decision and control model", *Sustainability*, Vol. 12 No. 8, p. 3111, doi: [10.3390/SU12083111](https://doi.org/10.3390/SU12083111).
- Carter, C.R. and Rogers, D.S. (2008), "A framework of sustainable supply chain management: moving toward new theory", *International Journal of Physical Distribution and Logistics Management*, Vol. 38 No. 5, pp. 360-387, doi: [10.1108/09600030810882816](https://doi.org/10.1108/09600030810882816).
- Choi, T.Y. and Wacker, J.G. (2011), "Theory building in the OM/SCM field: pointing to the future by looking at the past", *Journal of Supply Chain Management*, Vol. 47 No. 2, pp. 8-11.
- Ciliberti, F., Pontrandolfo, P. and Scozzi, B. (2008), "Logistics social responsibility: standard adoption and practices in Italian companies", *International Journal of Production Economics*, Vol. 113 No. 1, pp. 88-106, doi: [10.1016/j.ijpe.2007.02.049](https://doi.org/10.1016/j.ijpe.2007.02.049).
- Colicchia, C., Creazza, A., Noè, C. and Strozzi, F. (2019), "Information sharing in supply chains: a review of risks and opportunities using the systematic literature network analysis (SLNA)", *Supply Chain Management: An International Journal*, Vol. 24 No. 1, pp. 5-21, doi: [10.1108/SCM-01-2018-0003](https://doi.org/10.1108/SCM-01-2018-0003).
- Cook, P. and Sproul, A. (2011), "Towards low-energy retail warehouse building", *Architectural Science Review*, Vol. 54 No. 3, pp. 206-214, doi: [10.1080/00038628.2011.590055](https://doi.org/10.1080/00038628.2011.590055).
- Crossan, M.M. and Apaydin, M. (2010), "A multi-dimensional framework of organizational innovation: a systematic review of the literature", *Journal of Management Studies*, Vol. 47 No. 6, pp. 1154-1191.
- Das, J., Tiwari, M., Sinah, A. and Khanzode, V. (2023), "Integrated warehouse assignment and carton configuration optimization using deep clustering-based evolutionary algorithms", *Expert Systems with Application*, Vol. 212, 11868, doi: [10.1016/j.eswa.2022.118680](https://doi.org/10.1016/j.eswa.2022.118680).
- Denyer, D. and Tranfield, D. (2009), "Producing a systematic review", Chapter 39, in Buchanan, D. and Bryman, A. (Eds), *The Sage Handbook of Organizational Research Methods*, Sage Publications, London, pp. 671-689.
- Dhooma, J. and Baker, P. (2012), "An exploratory framework for energy conservation in existing warehouses", *International Journal of Logistics Research and Applications*, Vol. 15 No. 1, pp. 37-51, doi: [10.1080/13675567.2012.668877V](https://doi.org/10.1080/13675567.2012.668877V).
- Dobers, K., Ehrler, V., Davydenko, I., Rüdiger, D. and Clausen, U. (2019), "Challenges to standardizing emissions calculation of logistics hubs as basis for decarbonizing transport chains on a global scale", *Transport Research Record*, Vol. 2673 No. 9, pp. 502-513, doi: [10.1177/0361198119844252](https://doi.org/10.1177/0361198119844252).
- Dobers, K., Perotti, S., Wilmsmeier, G., Mauer, G., Jarmer, J., Spaggiari, L., Hering, M., Romano, S. and Skalski, M. (2022), "Sustainable logistics hubs: greenhouse gas emissions as one sustainability key performance indicator", *Proceedings of the Transport Re-search Arena (TRA) Conference*, Lisbon (Portugal), 14th-17th November, pp. 1-8.
- Doolun, I.S., Ponnambalam, S.G., Subramanian, N. and Kanagaraj, G. (2018), "Data driven hybrid evolutionary analytical approach for multi objective location allocation decisions: automotive green supply chain empirical evidence", *Computers and Operations Research*, Vol. 98, pp. 265-283.
- Elkington, J. (2013), "Enter the triple bottom line", in *The Triple Bottom Line*, Routledge, pp. 23-38.
- Ene, S., Küçükoğlu, İ., Aksoy, A. and Öztürk, N. (2016), "A genetic algorithm for minimizing energy consumption in warehouses", *Energy*, Vol. 114, pp. 973-980, doi: [10.1016/j.energy.2016.08.045](https://doi.org/10.1016/j.energy.2016.08.045).
- Faveto, A., Panza, L., Bruno, G., Cirimele, V., Furio, S.S. and Lombardi, F. (2022), "Efficient management of industrial electric vehicles by means of static and dynamic wireless power transfer systems", *International Journal of Advanced Manufacturing Technology*, Vol. 123 Nos 3-4, pp. 1249-1267, doi: [10.1007/s00170-022-10216-0](https://doi.org/10.1007/s00170-022-10216-0).
- Feng, X., Moon, I. and Ryu, K. (2017), "Warehouse capacity sharing via transshipment for an integrated two-echelon supply chain", *Transportation Research E: Logistics and Transportation Review*, Vol. 104, pp. 17-35.

- Fichtinger, J., Ries, J.M., Grosse, E.H. and Baker, P. (2015), "Assessing the environmental impact of integrated inventory and warehouse management", *International Journal of Production Economics*, Vol. 170, pp. 717-729, doi: [10.1016/j.ijpe.2015.06.025](https://doi.org/10.1016/j.ijpe.2015.06.025).
- Fink, A. (2019), *Conducting Research Literature Reviews: From the Internet to Paper*, Sage Publications.
- Foster, A., Negro, D., Varga, L., Hu, Y., Fikiin, K. and Evans, J. (2018), "Financial viability of liquid air energy storage applied to cold storage warehouses", Proceedings of the 5th IIR International Conference on Sustainability and the Cold Chain, Beijing, China, pp. 508-515, doi: [10.18462/iir.iccc.2018.0067](https://doi.org/10.18462/iir.iccc.2018.0067).
- Füchtenhans, M., Glock, C.H., Grosse, E.H. and Zanoni, S. (2021), "Using smart lighting systems to reduce energy costs in warehouses: a simulation study", *International Journal of Logistics Research and Applications*, Vol. 26 No. 1, pp. 77-95, doi: [10.1080/13675567.2021.1937967](https://doi.org/10.1080/13675567.2021.1937967).
- Gioia, D.A., Corley, K.G. and Hamilton, A.L. (2013), "Seeking qualitative rigor in inductive research: notes on the Gioia methodology", *Organizational Research Methods*, Vol. 16 No. 1, pp. 15-31.
- Goh, S.H. (2019), "Barriers to low-carbon warehousing and the link to carbon abatement: a case from emerging Asia", *International Journal of Physical Distribution and Logistics Management*, Vol. 49 No. 6, pp. 679-704, doi: [10.1108/IJPDLM-10-2018-0354](https://doi.org/10.1108/IJPDLM-10-2018-0354).
- Gruchmann, T., Mies, A., Neukirchen, T. and Gold, S. (2021), "Tensions in sustainable warehousing: including the blue-collar perspective on automation and ergonomic workplace design", *Journal of Business Economics*, Vol. 1, pp. 151-178, doi: [10.1007/s11573-020-00991-1](https://doi.org/10.1007/s11573-020-00991-1).
- Hohenstein, N., Feisel, E., Hartmann, E. and Giunipero, L. (2015), "Research on the phenomenon of supply chain resilience: a systematic review and paths for further investigation", *International Journal of Physical Distribution and Logistics Management*, Vol. 45 Nos 1/2, pp. 90-117, doi: [10.1108/IJPDLM-05-2013-0128](https://doi.org/10.1108/IJPDLM-05-2013-0128).
- Ishizaka, A., Khan, S.A., Kusi-Sarpong, S. and Naim, I. (2022), "Sustainable warehouse evaluation with AHPSort traffic light visualization and post-optimal analysis method", *Journal of the Operational Research Society*, Vol. 73 No. 3, pp. 558-575, doi: [10.1080/01605682.2020.1848361](https://doi.org/10.1080/01605682.2020.1848361).
- Karia, N. and Asaari, M.H.A.H. (2013), "Green innovations in logistics industry: sustainability and competitive advantage", *Proceedings of the 20th International Business Information Management Association Conference*, (IBIMA), pp. 456-462.
- Kaur, J. and Awasthi, A. (2018), "A systematic literature review on barriers in green supply chain management", *International Journal of Logistics Systems and Management*, Vol. 30 No. 3, pp. 330-348, doi: [10.1504/IJLSM.2018.10013872](https://doi.org/10.1504/IJLSM.2018.10013872).
- Kovács, G. and Spens, K.M. (2005), "Abductive reasoning in logistics research", *International Journal of Physical Distribution and Logistics Management*, Vol. 35 No. 2, pp. 132-144.
- Lagorio, A., Pinto, R. and Golini, R. (2016), "Research in urban logistics: a systematic literature review", *International Journal of Physical Distribution and Logistics Management*, Vol. 46 No. 10, pp. 908-931, doi: [10.1108/IJPDLM-01-2016-0008](https://doi.org/10.1108/IJPDLM-01-2016-0008).
- Lapisa, R., Karudin, A., Martias, M., Krismadinata, K., Ambiyar, A., Romani, Z. and Salagnac, P. (2020), "Effect of skylight-roof ratio on warehouse building energy balance and thermal-visual comfort in hot-humid climate area", *Asian Journal of Civil Engineering*, Vol. 21 No. 5, pp. 915-923, doi: [10.1007/s42107-020-00249-9](https://doi.org/10.1007/s42107-020-00249-9).
- Lee, S., Jeon, H.W., Issabakhsh, M. and Ebrahimi, A. (2022), "An electric forklift routing problem with battery charging and energy penalty constraints", *Journal of Intelligent Manufacturing*, Vol. 33 No. 6, pp. 1761-1777, doi: [10.1007/s10845-021-01763-6](https://doi.org/10.1007/s10845-021-01763-6).
- Lerher, T., Edl, M. and Rosi, B. (2014), "Energy efficiency model for the mini-load automated storage and retrieval systems", *International Journal of Advanced Manufacturing Technology*, Vol. 70 Nos 1-4, pp. 97-115, doi: [10.1007/s00170-013-5253-x](https://doi.org/10.1007/s00170-013-5253-x).

- Li, X., Li, J., Zhou, G. and Lv, L. (2020), "Quantitative analysis of passive seasonal cold storage with a two-phase closed thermosiphon", *Applied Energy*, Vol. 260, 114250, doi: [10.1016/j.apenergy.2019.114250](https://doi.org/10.1016/j.apenergy.2019.114250).
- Liu, X., McKinnon, A.C., Grant, D.B. and Feng, Y. (2010), "Sources of competitiveness for logistics service providers: a UK industry perspective", *Logistics Research*, Vol. 2 No. 1, pp. 23-32.
- Malinowska, M., Rzeczycki, A. and Sowa, M. (2018), "Roadmap to sustainable warehouse", *SHS Web of Conferences*, Vol. 57 No. 2, pp. 10-28.
- Marchet, G., Melacini, M. and Perotti, S. (2014), "Environmental sustainability in logistics and freight transportation: a literature review and research agenda", *Journal of Manufacturing Technology Management*, Vol. 25 No. 6, pp. 775-811.
- Martin, B., Gerfried, J., Ewald, W., Walter, B., Manfred, K., Mario, S. and Robert, F. (2013), "Hydrogen powered fuel cell forklifts - demonstration of green warehouse logistics", *Proceedings of the World Electric Vehicle Symposium and Exhibition (EVS27)*, pp. 1-4, doi: [10.1109/EVS.2013.6914853](https://doi.org/10.1109/EVS.2013.6914853).
- Melacini, M., Perotti, S., Rasini, M. and Tappia, E. (2018), "E-fulfilment and distribution in omni-channel retailing: a systematic literature review", *International Journal of Physical Distribution and Logistics Management*, Vol. 48 No. 4, pp. 391-414.
- Meneghetti, A. and Monti, L. (2015), "Greening the food supply chain: an optimisation model for sustainable design of refrigerated automated warehouses", *International Journal of Production Research*, Vol. 53 No. 21, pp. 6567-6587.
- Meneghetti, A., Dal Borgo, E. and Monti, L. (2015), "Decision support optimisation models for design of sustainable automated warehouses", *International Journal of Shipping and Transport Logistics*, Vol. 7 No. 3, pp. 266-294.
- Meneghetti, A., Dal Magro, F. and Simeoni, P. (2018), "Fostering renewables into the cold chain: how photovoltaics affect design and performance of refrigerated automated warehouses", *Energies*, Vol. 11 No. 5, doi: [10.3390/en11051029](https://doi.org/10.3390/en11051029).
- Minashkina, D. and Happonen, A. (2020), "Decarbonizing warehousing activities through digitalization and automatization with WMS integration for sustainability supporting operations", *Proceedings of the 7th International Conference on Environment Pollution and Prevention (ICEPP)*, p. 158, doi: [10.1051/e3sconf/202015803002](https://doi.org/10.1051/e3sconf/202015803002).
- Molleti, S. and Armstrong, M. (2021), "Smart energy harvesting performance of photovoltaic roof assemblies in Canadian climate", *Intelligent Buildings International*, Vol. 13 No. 1, pp. 70-88, doi: [10.1080/17508975.2020.1802694](https://doi.org/10.1080/17508975.2020.1802694).
- Mostafaeipour, A., Bardel, B., Mohammadi, K., Sedaghat, A. and Dinpashoh, Y. (2014), "Economic evaluation for cooling and ventilation of medicine storage warehouses utilizing wind catchers", *Renewable and Sustainable Energy Reviews*, Vol. 38, pp. 12-19, doi: [10.1016/j.rser.2014.05.087](https://doi.org/10.1016/j.rser.2014.05.087).
- Nantee, N. and Sureeyatanapas, P. (2021), "The impact of logistics 4.0 on corporate sustainability: a performance assessment of automated warehouse operations", *Benchmarking: An International Journal*, Vol. 28 No. 10, pp. 2865-2895, doi: [10.1108/BIJ-11-2020-0583](https://doi.org/10.1108/BIJ-11-2020-0583).
- Navia-Osorio, E.G., Mazzarron, F.R., Porras-Amores, C. and Canas, I. (2022), "Industrial buildings with zero energy consumption: cathedral warehouse for Sherry Wines", *Sustainability*, Vol. 14 No. 1, doi: [10.3390/su14010563](https://doi.org/10.3390/su14010563).
- Oswiecinska, A., Hibbs, J., Zajic, I. and Burnham, K.J. (2015), "Towards energy efficient operation of heating, ventilation and air conditioning systems via advanced supervisory control design", *Journal of Physics: Conference Series*, Vol. 659, 012030, doi: [10.1088/1742-6596/659/1/012030](https://doi.org/10.1088/1742-6596/659/1/012030).
- Ozturk, H.M., Dombayci, O.A. and Caliskan, H. (2019), "Life-cycle cost, cooling degree day, and carbon dioxide emission assessments of insulation of refrigerated warehouses industry in Turkey",

- Journal of Environmental Engineering*, Vol. 145 No. 10, doi: [10.1061/\(ASCE\)EE.1943-7870.0001575](https://doi.org/10.1061/(ASCE)EE.1943-7870.0001575).
- Pamungkas, D., Pipattanasomporn, M., Rahman, S., Hariyanto, N. and Suwarno (2019), "Impacts of solar PV, battery storage and HVAC set point adjustments on energy savings and peak demand reduction potentials in buildings", *Proceedings of the Conference on the Industrial and Commercial use of Energy (ICUE)*. doi: [10.23919/ICUE-GESD.2018.8635736](https://doi.org/10.23919/ICUE-GESD.2018.8635736).
- Perdahci, C., Akin, H.C. and Cekic, O. (2018), "A comparative study of fluorescent and LED lighting in industrial facilities", *IOP Conference Series: Earth and Environmental Science*, Vol. 154 No. 1, doi: [10.1088/1755-1315/154/1/012010](https://doi.org/10.1088/1755-1315/154/1/012010).
- Perotti, S., Prataviera, L.B. and Melacini, M. (2022), "Assessing the environmental impact of logistics sites through CO₂e footprint computation", *Business Strategy and the Environment*, Vol. 31 No. 4, pp. 1679-1694.
- Perotti, S., Coslovich, M. and Granata, E. (2023), "Transitioning towards net-zero warehouses: empirical insights and best practices in Italy", *Proceedings of the 12th International Conference on Industrial Technology and Management*, Cambridge (UK), February 16th-18th February, pp. 1-7.
- Prataviera, L.B., Creazza, A. and Perotti, S. (2022), "How to integrate logistics environmental sustainability into corporate strategy? An Italian perspective", *26th Annual Conference of The Chartered Institute of Logistics and Transport, Proceedings of the Logistics Research Network (LRN) Conference*, Aston University (UK), 7th-9th September.
- Pratt, R. (2017), "Warehouse transformation", *ASHRAE Journal*, Vol. 59 No. 7, pp. 38-42.
- Rai, D., Sodagar, B., Fieldson, R. and Hu, X. (2011), "Assessment of CO₂ emissions reduction in a distribution warehouse", *Energy*, Vol. 36 No. 4, pp. 2271-2277, doi: [10.1016/j.energy.2010.05.006](https://doi.org/10.1016/j.energy.2010.05.006).
- Rajput, S. and Singh, S.P. (2020), "Industry 4.0 model for circular economy and cleaner production", *Journal of Cleaner Production*, Vol. 277, 123853.
- Rhoades, E. (2011), "Literature reviews", *The Volta Review*, Vol. 111 No. 1, pp. 61-71.
- Ries, J.M., Grosse, E.H. and Fichtinger, J. (2017), "Environmental impact of warehousing: a scenario analysis for the United States", *International Journal of Production Research*, Vol. 55 No. 21, pp. 6485-6499, doi: [10.1080/00207543.2016.1211342](https://doi.org/10.1080/00207543.2016.1211342).
- Roozbeh Nia, A., Haleh, H. and Saghaei, A. (2017), "Dual command cycle dynamic sequencing method to consider GHG efficiency in unit-load multiple-rack automated storage and retrieval systems", *Computers and Industrial Engineering*, Vol. 111, pp. 89-108.
- Saikovski, V. (2017), "Problems in the operating and calculation of payback of photovoltaic systems in buildings", *IEEE 58th International Scientific Conference on Power and Electrical Engineering of Riga Technical University (RTUCON)*, Riga, Latvia, pp. 1-4, doi: [10.1109/RTUCON.2017.8125624](https://doi.org/10.1109/RTUCON.2017.8125624).
- Sailor, D.J. and Vuppuluri, P. (2013), "Energy performance of sustainable roofing systems", *Proceedings of the ASME 2013 Heat Transfer Summer Conference*. doi: [10.1115/HT2013-17535](https://doi.org/10.1115/HT2013-17535).
- Salhieh, L. and Abushaikha, I. (2016), "Assessing the driving forces for greening business practices: empirical evidence from the United Arab Emirates' logistics service industry", *South African Journal of Business Management*, Vol. 47 No. 4, pp. 59-69, doi: [10.4102/sajbm.v47i4.75](https://doi.org/10.4102/sajbm.v47i4.75).
- Sarabia Escriva, E.J., Soto Francés, V. and Pinazo Ojer, J.M. (2020), "Comparison of annual cooling energy demand between conventional and inflatable dock door shelters for refrigerated and frozen food warehouses", *Thermal Science and Engineering Progress*, Vol. 15, doi: [10.1016/j.tsep.2019.100386](https://doi.org/10.1016/j.tsep.2019.100386).
- Seifhashem, M., Capra, B.R., Miller, W. and Bell, J. (2018), "The potential for cool roofs to improve the energy efficiency of single storey warehouse-type retail buildings in Australia: a simulation case study", *Energy and Buildings*, Vol. 158, pp. 1393-1403, doi: [10.1016/j.enbuild.2017.11.034](https://doi.org/10.1016/j.enbuild.2017.11.034).
- Seuring, S. and Müller, M. (2008), "From a literature review to a conceptual framework for sustainable supply chain management", *Journal of Cleaner Production*, Vol. 16 No. 15, pp. 1699-1710.

- Seuring, S., Yawar, S.A., Land, A., Khalid, R.U. and Sauer, P.C. (2020), "The application of theory in literature reviews—illustrated with examples from supply chain management", *International Journal of Operations & Production Management*, Vol. 41 No. 1, pp. 1-20.
- Silva, M.E., Fritz, M.M.C. and El-Garaihy, W.H. (2022), "Practice theories and supply chain sustainability: a systematic literature review and a research agenda", *Modern Supply Chain Research and Applications*, Vol. 4 No. 1, pp. 19-38, doi: [10.1108/MS CRA-01-2021-0001](https://doi.org/10.1108/MS CRA-01-2021-0001).
- Snyder, H. (2019), "Literature review as a research methodology: an overview and guidelines", *Journal of Business Research*, Vol. 104, pp. 333-339.
- Stankovic, R., Rogic, K. and Safran, M. (2022), "Saving energy by optimizing dock door allocation", *Energies*, Vol. 15 No. 16, doi: [10.3390/en15165862](https://doi.org/10.3390/en15165862).
- Sukjit, S. and Vanichchinchai, A. (2020), "An assessment of motivations on green warehousing in Thailand", *Proceedings of the 7th International Conference on Industrial Engineering and Applications (ICIEA)*, pp. 539-542, doi: [10.1109/ICIEA49774.2020.9102035](https://doi.org/10.1109/ICIEA49774.2020.9102035).
- Swanson, D., Goel, L., Francisco, K. and Stock, J. (2020), "Understanding the relationship between general and middle-range theorizing", *The International Journal of Logistics Management*, Vol. 31 No. 3, pp. 401-421.
- Tan, K., Ahmed, M.D. and Sundaram, D. (2009), "Sustainable warehouse management", *Proceedings of the International Workshop on Enterprise and Organizational Modeling and Simulation*. doi: [10.1145/1750405.1750415](https://doi.org/10.1145/1750405.1750415).
- Tappia, E., Marchet, G., Melacini, M. and Perotti, S. (2015), "Incorporating the environmental dimension in the assessment of automated warehouses", *Production Planning and Control*, Vol. 26 No. 10, pp. 824-838, doi: [10.1080/09537287.2014.990945](https://doi.org/10.1080/09537287.2014.990945).
- Tornese, F., Unnu, K., Gnoni, M.G. and Pazour, J.A. (2020), "On-demand warehousing: main features and business models", *Conference Proceedings of the XXV Summer School "Francesco Turco" – Industrial Systems Engineering*.
- Tranfield, D., Denyer, D. and Smart, P. (2003), "Towards a methodology for developing evidence-informed management knowledge by means of systematic review", *British Journal of Management*, Vol. 14 No. 3, pp. 207-222.
- Unnu, K. and Pazour, J.A. (2019), "Analysing varying cost structures of alternative warehouse strategies", *Conference Proceedings of the 2019 IISE Annual Conference*, Orlando, Florida.
- Vaismoradi, M., Turunen, H. and Bondas, T. (2013), "Content analysis and thematic analysis: implications for conducting a qualitative descriptive study", *Nursing & Health Sciences*, Vol. 15 No. 3, pp. 398-405.
- Varma, A.K., Karjee, J. and Mitra, D. (2021), "A self-adaptive network for multi-robot warehouse communication", *Computing*, Vol. 103 No. 2, pp. 333-356.
- Wacker, J.G. (2008), "A conceptual understanding for requirements for theory-building research: guidelines for scientific theory building", *Journal of Supply Chain Management*, Vol. 44 No. 3, pp. 5-15.
- Wahab, S.N., Sayuti, N.M. and Ab Talib, M.S. (2018), "Antecedents of green warehousing: a theoretical framework and future direction", *International Journal of Supply Chain Management*, Vol. 7 No. 6, pp. 382-388.
- Wehner, J., Altuntas Vural, C. and Halldórsson, Á. (2020), "Energy efficiency in logistics through service modularity: the case of household waste", *International Journal of Physical Distribution and Logistics Management*, Vol. 51 No. 1, pp. 76-94.
- World Economic Forum (2016), "World economic Forum white paper digital transformation of industries: in collaboration with accenture", White Paper. World Economic Forum, available at: <http://reports.weforum.org/digital-transformation/wp-content/blogs.dir/94/mp/files/pages/files/wef-dti-logisticswhitepaper-final-january-2016> (accessed 17 January 2021).
- Xin, L.J., Xien, K.C. and Wahab, S.N. (2019), "A study on the factors influencing green warehouse practice", *Proceedings of the 2019 International Conference on Building Energy Conservation*

Yang, P., Tao, P., Xu, P. and Gong, Y. (2023), "Bi-objective operation optimization in multi-shuttle automated storage and retrieval systems to reduce travel time and energy consumption", *Engineering Optimization*, Vol. 55 No. 9, pp. 1498-1515, doi: [10.1080/0305215X.2022.2096881](https://doi.org/10.1080/0305215X.2022.2096881).

You, Z., Wang, L., Han, Y. and Zare, F. (2018), "System design and energy management for a fuel cell/battery hybrid forklift", *Energies*, Vol. 11, p. 12, doi: [10.3390/en11123440](https://doi.org/10.3390/en11123440).

Corresponding author

Sara Perotti can be contacted at: sara.perotti@polimi.it

For instructions on how to order reprints of this article, please visit our website:

www.emeraldgroupublishing.com/licensing/reprints.htm

Or contact us for further details: permissions@emeraldinsight.com