

Index to *Advances in Cement Research*, Volume 1

No. 1, October 1987. pp. 1–64; No. 2, April 1988. pp. 65–124;
No. 3, July 1988. pp. 125–92; No. 4, October 1988. pp. 193–248.

Author index

- Abdul-Maula, S. See Rivera, M., Odler, I. and Abdul-Maula, S.
- Alonso, C. and Andrade, C. Corrosion of steel reinforcement in carbonated mortar containing chlorides. Vol. 1, No. 3, July 1988. pp. 155–63.
- Andrade, C. See Alonso, C. and Andrade, C.
- Banfill, P. F. G. and Rudzinski, L. R. The rheological behaviour of non-shrinking cement pastes. Vol. 1, No. 1, October 1987. pp. 45–51.
- Banfill, P. F. G. See also Gill, S. A. and Banfill, P. F. G.
- Bensted, J. Some applications of conduction calorimetry to cement hydration. Vol. 1, No. 1, October 1987. pp. 35–44.
- Bentur, A. Treatment of glassfibre strand in polymer and silica fume dispersions to improve the ageing performance of glassfibre-reinforced cements. Vol. 1, No. 3, July 1988. pp. 147–54.
- Bentur, A. See Scrivener, K. L., Bentur, A. and Pratt, P. L.
- Bollinghaus, R. See Nixon, P. J., Page, C. L., Canham, I. and Bollinghaus, R.
- Cabrera, J. G. and Plowman, C. The mechanism and rate of attack of sodium sulphate solution on cement and cement/pfa pastes. Vol. 1, No. 3, July 1988. pp. 171–9.
- Cabrera, J. G. and Plowman, C. Experimental techniques for studying hydration reactions of calcium aluminates. Vol. 1, No. 4, October 1988. pp. 243–8.
- Canham, I. See Nixon, P. J., Page, C. L., Canham, I. and Bollinghaus, R.
- Carciello, N. See Sugama, T., Kukacka, L. E. and Carciello, N.
- Cotterell, B. and Mai, Y-W. The effect of a fracture process zone on a model for crack growth in fibre-reinforced cementitious composites. Vol. 1, No. 2, April 1988. pp. 75–83.
- Craievich, A. F. See Vollet, D. R. and Craievich, A. F.
- Domone, P. L. and Thurairatnam, H. The effect of water/cement ratio, plasticizers and temperature on the rheology of cement grouts. Vol. 1, No. 4, October 1988. pp. 195–206.
- Dunster, A. M. and Parsonage, J. R. A study of the effects of saccharide retarders on Portland cement hydration using trimethylsilylation. Vol. 1, No. 4, October 1988. pp. 215–20.
- Durekovic, A. and Popovic, K. Effect of ammonium nitrate solution on the structure and strength properties of cement pastes containing silica fume. Vol. 1, No. 3, July 1988. pp. 138–46.
- Egan, P. J. A comparison between semi-isothermal and semi-adiabatic calorimetry of retarded cement mixes. Vol. 1, No. 2, April 1988. pp. 112–118.
- Gartner, E. M. See Tang, F. J. and Gartner, E. M.
- Gill, S. M. and Banfill, P. F. G. The viscometric examination of cement pastes with interrupted helical impellers. Vol. 1, No. 2, April 1988. pp. 92–8.
- Glasser, F. P. See Macphée, D. E., Lachowski, E. E. and Glasser, F. P.; and also Puertas, F. and Glasser, F. P.
- Groves, G. W. See Rodger, S. A. and Groves, G. W.
- Haimoni, A. and Hannant, D. J. Developments in the shear vane test to measure the gel strength of oilwell cement slurry. Vol. 1, No. 4, October, 1988. pp. 221–9.
- Hannant, D. J. See Haimoni, A. and Hannant, D. J.
- Jefferis, S. A. Discussion on paper: A consolidation model for bleeding of cement paste, by Tan, T. S. *et al.* Vol. 1, No. 3, July 1988. pp. 187–9.
- Killoh, D. C. A comparison of conduction calorimeter and heat of solution methods for measurement of heat of hydration of cement. Vol. 1, No. 3, July 1988. pp. 180–6.
- Kukacka, L. E. See Sugama, T., Kukacka, L. E. and Carciello, N.
- Lachowski, E. E. See Macphée, D. E., Lachowski, E. E. and Glasser, F. P.
- Lee, S. L. See Tan, T. S., Wee, T. H., Tan, S. A., Tam, C. T. and Lee, S. L.
- Macphée, D. E., Lachowski, E. E. and Glasser, F. P. Polymerization effects in C-S-H: implications for Portland cement hydration. Vol. 1, No. 3, July 1988. pp. 131–7.
- Mai, Y-W. See Cotterell, B. and Mai, Y-W.
- Nixon, P. J., Page, C. L., Canham, I. and Bollinghaus, R. Influence of sodium chloride on alkali-silica reaction. Vol. 1, No. 2, April 1988. pp. 99–106.
- Odler, I. See Rivera, M., Odler, I. and Abdul-Maula, S.; and also Zürz, A. and Odler, I.
- Page, C. L. See Nixon, P. J., Page, C. L., Canham, I. and Bollinghaus, R.
- Parrott, L. J. Moisture profiles in drying concrete. Vol. 1, No. 3, July 1988. pp. 164–70.
- Parsonage, J. R. See Dunster, A. M. and Parsonage, J. R.
- Plowman, C. See Cabrera, J. G. and Plowman, C.
- Popovic, K. See Durekovic, A. and Popovic, K.
- Pratt, P. L. See Scrivener, K. L., Bentur, A. and Pratt, P. L.
- Puertas, F. and Glasser, F. P. Modification of the ferrite phase in cement by manganese substitution. Vol. 1, No. 1, October 1987. pp. 31–4.
- Rivera, M., Odler, I. and Abdul-Maula, S. Formation of Portland clinker—studies on synthetic raw meals. Vol. 1, No. 1, October 1987. pp. 52–7.
- Rodger, S. A. and Groves, G. W. The microstructure of tricalcium silicate/pulverized-fuel ash blended cement pastes. Vol. 1, No. 2, April 1988. pp. 84–91.
- Rudzinski, L. R. See Banfill, P. F. G. and Rudzinski, L. R.
- Scrivener, K. L., Bentur, A. and Pratt, P. L. Quantitative characterization of the transition zone in high strength concretes. Vol. 1, No. 4, October 1988. pp. 230–7.
- Sugama, T., Kukacka, L. E. and Carciello, N. Effect of aluminium alkoxides on the mechanical properties of calcium aluminate cements at high temperatures. Vol. 1, No. 4, October 1988. pp. 207–214.
- Surana, M. S. and Joshi, S. N. Spectrophotometric method for estimating the reactivity of pozzolanic materials. Vol. 1, No. 4, October 1988. pp. 238–42.

- Tam, C. T. See Tan, T. S., Wee, T. H., Tan, S. A., Tam, C. T. and Lee, S. L.
- Tan, S. A. See Tan, T. S., Wee, T. H., Tan, S. A., Tam, C. T. and Lee, S. L.
- Tan, T. S., Wee, T. H., Tan, S. A., Tam, C. T. and Lee, S. L. A consolidation model for bleeding of cement paste. Vol. 1, No. 1, October 1987. pp. 18–26. Discussion: see Jefferis.
- Tang, F. J. and Gartner, E. M. Influence of sulphate source on Portland cement hydration. Vol. 1, No. 2, April 1988. pp. 67–74.
- Taylor, H. F. W. A method for predicting alkali ion concentrations in cement pore solutions. Vol. 1, No. 1, October, 1987. pp. 5–17.
- Thurairatnam, H. See Domone, P. L. and Thurairatnam, H.
- Vollet, D. R. and Craievich, A. F. Alternative model for the fine porous structure in hydrated tricalcium silicate. Vol. 1, No. 2, April 1988. pp. 107–111.
- Wee, T. H. See Tan, T. S., Wee, T. H., Tan, S. A., Tam, C. T. and Lee, S. L.
- Zürz, A. and Odler, I. XRD studies of the ferrite phase in hydrated Portland cement. Vol. 1, No. 1, October 1987. pp. 27–30.

Subject index

Admixtures

- A comparison between semi-isothermal and semi-adiabatic calorimetry of retarded cement mixes. Egan, P. J. Vol. 1, No. 2, April 1988. pp. 112–118.
- A study of the effects of saccharide retarders on Portland cement hydration using trimethylsilylation. Dunster, A. M. and Parsonage, J. R. Vol. 1, No. 4, October, 1988. pp. 000–000.
- Some applications of conduction calorimetry to cement hydration. Bensted, J. Vol. 1, No. 1, October 1987. pp. 35–44.
- The effect of water/cement ratio, plasticizers and temperature on the rheology of cement grouts. Domone, P. L. and Thurairatnam, H. Vol. 1, No. 4, October 1988. pp. 195–206.
- XRD studies of the ferrite phase in hydrated Portland cement. Zürz, A. and Odler, I. Vol. 1, No. 1, October 1987. pp. 27–30.

Aggregates

- Quantitative characterization of the transition zone in high strength concretes. Scrivener, K. L., Bentur, A. and Pratt, P. L. Vol. 1, No. 4, October 1988. pp. 230–7.

Alkalis and alkali-aggregate reaction

- Influence of sodium chloride on alkali-silica reaction. Nixon, P. J., Page, C. L., Canham, I. and Bollinghaus, R. Vol. 1, No. 2, April 1988. pp. 99–106.

Aluminium compounds

- Effect of aluminium alkoxides on the mechanical properties of calcium aluminate cements at high temperatures. Sugama, T., Kukacka, L. E. and Carciello, N. Vol. 1, No. 4, October 1988. pp. 207–214.

Ammonium compounds

- Effect of ammonium nitrate solution on the structure and strength properties of cement pastes containing silica fume. Durekovic, A. and Popovic, K. Vol. 1, No. 3, July 1988. pp. 136–46.

Backscattered electron (bse) imaging

- Quantitative characterization of the transition zone in high strength concretes. Scrivener, K. L., Bentur, A. and Pratt, P. L. Vol. 1, No. 4, October 1988. pp. 230–7.

Bleeding

- A consolidation model for bleeding of cement paste. Tan, T. S., Wee, T. H., Tan, S. A., Tam, C. T. and Lee, S. L. Vol. 1, No. 1, October 1987. pp. 18–26.
- Discussion on paper: A consolidation model for bleeding of cement paste, by Tan, T. S. *et al.* Jefferis, S. A. Vol. 1, No. 3, July 1988. pp. 187–9.

Bond

- Quantitative characterization of the transition zone in high strength concretes. Scrivener, K. L., Bentur, A. and Pratt, P. L. Vol. 1, No. 4, October 1988. pp. 230–7.

Book reviews

- Cement replacement materials. Editor: R. N. Swamy. Vol. 1, No. 2, April 1988. p. 120.
- Concrete durability: A multibillion-dollar opportunity. Vol. 1, No. 1, October 1987. pp. 59–60.
- Fly ash in cement and concrete. R. A. Helmuth. Vol. 1, No. 1, October 1987. p. 59.
- Microscopical examination and interpretation of Portland cement and clinker. Vol. 1, No. 1, October 1987. p. 58.

- Proceedings of the Ninth International Conference on Cement Microscopy. Editors: J. Bayles, G. R. Gouda and A. Nisperos. Vol. 1, No. 1, October 1987. p. 119.

- Research on the manufacture and use of cements. Editor: G. Frohnsdorff. Vol. 1, No. 2, April 1987. p. 120.

- Review of the 40th General Meeting, May 1986, Cement Association of Japan. Vol. 1, No. 1, October 1987. p. 60.

Calcium aluminate cements

- Effect of aluminium alkoxides on the mechanical properties of calcium aluminate cements at high temperatures. Sugama, T., Kukacka, L. E. and Carciello, N. Vol. 1, No. 4, October 1988. pp. 207–214.

- Some applications of conduction calorimetry to cement hydration. Bensted, J. Vol. 1, No. 1, October 1987. pp. 35–44.

- The effect of water/cement ratio, plasticizers and temperature on the rheology of cement grouts. Domone, P. L. and Thurairatnam, H. Vol. 1, No. 4, October 1988. pp. 195–206.

- The viscometric examination of cement pastes with interrupted helical impellers. Gill, S. M. and Banfill, P. F. G. Vol. 1, No. 2, April 1988. pp. 92–8.

Calcium aluminate hydrates

- Experimental techniques for studying hydration reactions of calcium aluminates. Cabrera, J. G. and Plowman, C. Vol. 1, No. 4, October 1988. pp. 243–8.

- The mechanism and rate of attack of sodium sulphate solution on cement and cement/pfa pastes. Cabrera, J. G. and Plowman, C. Vol. 1, No. 3, July 1988. pp. 171–9.

Calcium hydroxide

- A study of the effects of saccharide retarders on Portland cement hydration using trimethylsilylation. Dunster, A. M. and Parsonage, J. R. Vol. 1, No. 4, October 1988. pp. 215–220.

- XRD studies of the ferrite phase in hydrated Portland cement. Zürz, A. and Odler, I. Vol. 1, No. 1, October 1987. pp. 27–30.

Calorimetry

- A comparison between semi-isothermal and semi-adiabatic calorimetry of retarded cement mixes. Egan, P. J. Vol. 1, No. 2, April 1988. pp. 112–118.

- A comparison of conduction calorimeter and heat of solution methods for measurement of heat of hydration of cement. Killoh, D. C. Vol. 1, No. 3, July 1988. pp. 180–6.

- Some applications of conduction calorimetry to cement hydration. Bensted, J. Vol. 1, No. 1, October 1987. pp. 35–44.

Carbonation

- Corrosion of steel reinforcement in carbonated mortar containing chlorides. Alonso, C. and Andrade, C. Vol. 1, No. 3, July 1988. pp. 155–63.

Chlorides

- Corrosion of steel reinforcement in carbonated mortar containing chlorides. Alonso, C. and Andrade, C. Vol. 1, No. 3, July 1988. pp. 155–63.

- Influence of sodium chloride on alkali-silica reaction. Nixon, P. J., Page, C. L., Canham, I. and Bollinghaus, R. Vol. 1, No. 2, April 1988. pp. 99–106.

Concrete

- A method for predicting alkali ion concentrations in cement pore solutions. Taylor, H. F. W. Vol. 1, No. 1, October 1988. pp. 5–17.

- Influence of sodium chloride on alkali-silica reaction. Nixon, P. J., Page, C. L., Canham, I. and Bollinghaus, R. Vol. 1, No. 2, April 1988. pp. 99–106.

- Moisture profiles in drying concrete. Parrott, L. J. Vol. 1, No. 3, July 1988. pp. 164–70.

- Quantitative characterization of the transition zone in high strength concretes. Scrivener, K. L., Bentur, A. and Pratt, P. L. Vol. 1, No. 4, October 1988. pp. 230–7.

Corrosion

- Corrosion of steel reinforcement in carbonated mortar containing chlorides. Alonso, C. and Andrade, C. Vol. 1, No. 3, July 1988. pp. 155–63.

Cracks and cracking

- The effect of a fracture process zone on a model for crack growth in fibre-reinforced cementitious composites. Cotterell, B. and Mai, Y.-W. Vol. 1, No. 2, April 1988. pp. 75–83.

- Treatment of glassfibre strand in polymer and silica fume dispersions to improve the ageing performance of glassfibre-reinforced cements. Bentur, A. Vol. 1, No. 3, July 1988. pp. 147–54.

Curing

- Moisture profiles in drying concrete. Parrott, L. J. Vol. 1, No. 3, July 1988. pp. 164–70.

- Polymerization effects in C-S-H: implications for Portland cement hydration. Macphie, D. E., Lachowski, E. E. and Glasser, F. P. Vol. 1, No. 3, July 1988. pp. 131–7.

C₃A

Experimental techniques for studying hydration reactions of calcium aluminates. Cabrera, J. G. and Plowman, C. Vol. 1, No. 4, October 1988. pp. 243–8.

Formation of Portland clinker—studies on synthetic raw meals. Rivera, M., Odler, I. and Abdul-Maula, S. Vol. 1, No. 1, October 1987. pp. 52–7.

Influence of sulphate source on Portland cement hydration. Tang, F. J. and Gartner, E. M. Vol. 1, No. 2, April 1988. pp. 67–74.

C₄AF

Experimental techniques for studying hydration reactions of calcium aluminates. Cabrera, J. G. and Plowman, C. Vol. 1, No. 4, October 1988. pp. 243–8.

Influence of sulphate source on Portland cement hydration. Tang, F. J. and Gartner, E. M. Vol. 1, No. 2, April 1988. pp. 67–74.

C₂S

Formation of Portland clinker—studies on synthetic raw meals. Rivera, M., Odler, I. and Abdul-Maula, S. Vol. 1, No. 1, October 1987. pp. 52–7.

C₃S

Alternative model for the fine porous structure in hydrated tricalcium silicate. Vollet, D. R. and Craievich, A. F. Vol. 1, No. 2, April 1988. pp. 107–111.

The microstructure of tricalcium silicate/pulverized-fuel ash blended cement pastes. Rodger, S. A. and Groves, G. W. Vol. 1, No. 2, April 1988. pp. 84–91.

XRD studies of the ferrite phase in hydrated Portland cement. Zürz, A. and Odler, I. Vol. 1, No. 1, October, 1987. pp. 27–30.

C–S–H

Alternative model for the fine porous structure in hydrated tricalcium silicate. Vollet, D. R. and Craievich, A. F. Vol. 1, No. 2, April 1988. pp. 107–111.

A study of the effects of saccharide retarders on Portland cement hydration using trimethylsilylation. Dunster, A. M. and Parsonage, J. R. Vol. 1, No. 4, October 1988. pp. 215–220.

Polymerization effects in C–S–H: implications for Portland cement hydration. Macphee, D. E., Lachowski, E. E. and Glasser, F. P. Vol. 1, No. 3, July 1988. pp. 131–7.

The microstructure of tricalcium silicate/pulverized-fuel ash blended cement pastes. Rodger, S. A. and Groves, G. W. Vol. 1, No. 2, April 1988. pp. 84–91.

Diffusion

The mechanism and rate of attack of sodium sulphate solution on cement and cement/pfa pastes. Cabrera, J. G. and Plowman, C. Vol. 1, No. 3, July 1988. pp. 171–9.

Electrical properties

Corrosion of steel reinforcement in carbonated mortar containing chlorides. Alonso, C. and Andrade, C. Vol. 1, No. 3, July 1988. pp. 155–63.

Electron microscopy

Effect of aluminium alkoxides on the mechanical properties of calcium aluminate cements at high temperatures. Sugama, T., Kukacka, L. E. and Carciello, N. Vol. 1, No. 4, October 1988. pp. 207–214.

Experimental techniques for studying hydration reactions of calcium aluminates. Cabrera, J. G. and Plowman, C. Vol. 1, No. 4, October 1988. pp. 243–8.

Modification of the ferrite phase in Portland cement by manganese substitution. Puertas, F. and Glasser, F. P. Vol. 1, No. 1, October 1987. pp. 31–4.

The mechanism and rate of attack of sodium sulphate solution on cement and cement/pfa pastes. Cabrera, J. G. and Plowman, C. Vol. 1, No. 3, July 1988. pp. 171–9.

The microstructure of tricalcium silicate/pulverized-fuel ash blended cement pastes. Rodger, S. A. and Groves, G. W. Vol. 1, No. 2, April 1988. pp. 84–91.

Energy-dispersive X-ray analysis (EDXA)

Effect of aluminium alkoxides on the mechanical properties of calcium aluminate cements at high temperatures. Sugama, T., Kukacka, L. E. and Carciello, N. Vol. 1, No. 4, October 1988. pp. 207–214.

Ettringite

The mechanism and rate of attack of sodium sulphate solution on cement and cement/pfa pastes. Cabrera, J. G. and Plowman, C. Vol. 1, No. 3, July 1988. pp. 171–9.

The rheological behaviour of non-shrinking cement pastes. Banfill, P. F. G. and Rudzinski, L. R. Vol. 1, No. 1, October 1987. pp. 45–51.

Expansive and non-shrinking cements

The rheological behaviour of non-shrinking cement pastes. Banfill, P. F. G. and Rudzinski, L. R. Vol. 1, No. 1, October 1987. pp. 45–51.

Ferrites

Modification of the ferrite phase in Portland cement by manganese substitution. Puertas, F. and Glasser, F. P. Vol. 1, No. 1, October 1987. pp. 31–4.

Fibre-reinforced materials

The effect of a fracture process zone on a model for crack growth in fibre-reinforced cementitious composites. Cotterell, B. and Mai, Y-W. Vol. 1, No. 2, April 1988. pp. 75–83.

Treatment of glassfibre strand in polymer and silica fume dispersions to improve the ageing performance of glassfibre-reinforced cements. Bentur, A. Vol. 1, No. 3, July 1988. pp. 147–54.

Fracture and fracture mechanics

The effect of fracture process zone on a model for crack growth in fibre-reinforced cementitious composites. Cotterell, B. and Mai, Y-W. Vol. 1, No. 2, April 1988. pp. 75–83.

Treatment of glassfibre strand in polymer and silica fume dispersions to improve the ageing performance of glassfibre-reinforced cements. Bentur, A. Vol. 1, No. 3, July 1988. pp. 147–54.

Free lime

Formation of Portland clinker—studies on synthetic raw meals. Rivera, M., Odler, I. and Abdul-Maula, S. Vol. 1, No. 1, October 1987. pp. 52–7.

Grouts

Developments in the shear vane test to measure the gel strength of oilwell cement slurry. Haimoni, A. and Hannant, D. J. Vol. 1, No. 4, October 1988. pp. 221–9.

Discussion on paper: A consolidation model for bleeding of cement paste, by Tan, T. S. *et al.* Jefferis, S. A. Vol. 1, No. 3, July 1988. pp. 187–9.

The effect of water/cement ratio, plasticizers and temperature on the rheology of cement grouts. Domone, P. L. and Thuraiatnam, H. Vol. 1, No. 4, October 1988. pp. 195–206.

The viscometric examination of cement pastes with interrupted helical impellers. Gill, S. M. and Banfill, P. F. G. Vol. 1, No. 2, April 1988. pp. 92–8.

Gypsum

Influence of sulphate source on Portland cement hydration. Tang, F. J. and Gartner, E. M. Vol. 1, No. 2, April 1988. pp. 67–74.

Some applications of conduction calorimetry to cement hydration. Bensted, J. Vol. 1, No. 1, October 1987. pp. 35–44.

Heat of hydration

A comparison between semi-isothermal and semi-adiabatic calorimetry of retarded cement mixes. Egan, P. J. Vol. 1, No. 2, April 1988. pp. 112–118.

A comparison of conduction calorimeter and heat of solution methods for measurement of heat of hydration of cement. Killoh, D. C. Vol. 1, No. 3, July 1988. pp. 180–6.

Some applications of conduction calorimetry to cement hydration. Bensted, J. Vol. 1, No. 1, October 1987. pp. 35–44.

Infrared (IR) spectroscopy

Effect of aluminium alkoxides on the mechanical properties of calcium aluminate cements at high temperatures. Sugama, T., Kukacka, L. E. and Carciello, N. Vol. 1, No. 4, October 1988. pp. 207–214.

Interfaces

XRD studies of the ferrite phase in hydrated Portland cement. Zürz, A. and Odler, I. Vol. 1, No. 1, October 1987. pp. 27–30.

Iron compounds

Formation of Portland clinker—studies on synthetic raw meals. Rivera, M., Odler, I. and Abdul-Maula, S. Vol. 1, No. 1, October 1987. pp. 52–7.

Manganese compounds

Modification of the ferrite phase in Portland cement by manganese substitution. Puertas, F. and Glasser, F. P. Vol. 1, No. 1, October 1987. pp. 31–4.

Microstructure

Quantitative characterization of the transition zone in high strength concretes. Scrivener, K. L., Bentur, A. and Pratt, P. L. Vol. 1, No. 4, October 1988. pp. 230–7.

The microstructure of tricalcium silicate/pulverized-fuel ash blended cement pastes. Rodger, S. A. and Groves, G. W. Vol. 1, No. 2, April 1988. pp. 84–91.

Treatment of glassfibre strand in polymer and silica fume dispersions to improve the ageing performance of glassfibre-reinforced cements. Bentur, A. Vol. 1, No. 3, July 1988. pp. 147–54.

Modelling

A consolidation model for bleeding of cement paste. Tan, T. S., Wee, T. H., Tan, S. A., Tam, C. T. and Lee, S. L. Vol. 1, No. 1, October 1987. pp. 18–26.

Alternative model for the fine porous structure in hydrated tri-

- calcium silicate. Vollet, D. R. and Craievich, A. F. Vol. 1, No. 2, April 1988. pp. 107-111.
- A method for predicting alkali ion concentrations in cement pore solutions. Taylor, H. F. W. Vol. 1, No. 1, October 1987. pp. 5-17.
- Developments in the shear vane test to measure the gel strength of oilwell cement slurry. Haimoni, A. and Hannant, D. J. Vol. 1, No. 4, October 1988. pp. 221-9.
- Moisture profiles in drying concrete. Parrott, L. J. Vol. 1, No. 3, July 1988. pp. 164-70.
- The effect of a fracture process zone on a model for crack growth in fibre-reinforced cementitious composites. Cotterell, B. and Mai, Y-W. Vol. 1, No. 2, April 1988. pp. 75-83.
- Moisture**
- Moisture profiles in drying concrete. Parrott, L. J. Vol. 1, No. 3, July 1988. pp. 164-70.
- Polymerization effects in C-S-H: implications for Portland cement hydration. Macphée, D. E., Lachowski, E. E. and Glasser, F. P. Vol. 1, No. 3, July 1988. pp. 131-7.
- Mortars**
- Influence of sodium chloride on alkali-silica reaction. Nixon, P. J., Page, C. L., Canham, I. and Bollinghaus, R. Vol. 1, No. 2, April 1988. pp. 99-106.
- Nitrates**
- Effect of ammonium nitrate solution on the structure and strength properties of cement pastes containing silica fume. Durekovic, A. and Popovic, K. Vol. 1, No. 3, July 1988. pp. 138-46.
- Nuclear magnetic resonance (NMR)**
- Alternative model for the fine porous structure in hydrated tricalcium silicate. Vollet, D. R. and Craievich, A. F. Vol. 1, No. 2, April 1988. pp. 107-111.
- Polymerization effects in C-S-H: implications for Portland cement hydration. Macphée, D. E., Lachowski, E. E. and Glasser, F. P. Vol. 1, No. 3, July 1988. pp. 131-7.
- Oilwell cements**
- Developments in the shear vane test to measure the gel strength of oilwell cement slurry. Haimoni, A. and Hannant, D. J. Vol. 1, No. 4, October 1988. pp. 221-9.
- Some applications of conduction calorimetry to cement hydration. Bensted, J. Vol. 1, No. 1, October 1987. pp. 35-44.
- The effect of water/cement ratio, plasticizers and temperature on the rheology of cement grouts. Domone, P. L. and Thurairatnam, H. Vol. 1, No. 4, October 1988. pp. 195-206.
- Particle size distribution**
- Some applications of conduction calorimetry to cement hydration. Bensted, J. Vol. 1, No. 1, October 1987. pp. 35-44.
- Polymerization of silicates**
- A study of the effects of saccharide retarders on Portland cement hydration using trimethylsilylation. Dunster, A. M. and Parsonage, J. R. Vol. 1, No. 4, October 1988. pp. 000-000.
- Effect of ammonium nitrate solution on the structure and strength properties of cement pastes containing silica fume. Durekovic, A. and Popovic, K. Vol. 1, No. 3, July 1988. pp. 138-46.
- Polymerization effects in C-S-H: implications for Portland cement hydration. Macphée, D. E., Lachowski, E. E. and Glasser, F. P. Vol. 1, No. 3, July 1988. pp. 131-7.
- Polymers**
- Treatment of glassfibre strand in polymer and silica fume dispersions to improve the ageing performance of glassfibre-reinforced cements. Bentur, A. Vol. 1, No. 3, July 1988. pp. 147-54.
- Pore solutions**
- A method for predicting alkali ion concentrations in cement pore solutions. Taylor, H. F. W. Vol. 1, No. 1, October 1987. pp. 5-17.
- Influence of sodium chloride on alkali-silica reaction. Nixon, P. J., Page, C. L., Canham, I. and Bollinghaus, R. Vol. 1, No. 2, April 1988. pp. 99-106.
- Porosity and pore size distribution**
- Alternative model for the fine porous structure in hydrated tricalcium silicate. Vollet, D. R. and Craievich, A. F. Vol. 1, No. 2, April 1988. pp. 107-111.
- Effect of ammonium nitrate solution on the structure and strength properties of cement pastes containing silica fume. Durekovic, A. and Popovic, K. Vol. 1, No. 3, July 1988. pp. 138-46.
- Quantitative characterization of the transition zone in high strength concretes. Scrivener, K. L., Bentur, A. and Pratt, P. L. Vol. 1, No. 4, October 1988. pp. 230-7.
- Portland cement clinkers**
- Formation of Portland clinker—studies on synthetic raw meals. Rivera, M., Odler, I. and Abdul-Maula, S. Vol. 1, No. 1, October 1987. pp. 52-7.
- Modification of the ferrite phase in Portland cement by manganese substitution. Puertas, F. and Glasser, F. P. Vol. 1, No. 1, October 1987. pp. 31-4.
- Portland cement pastes**
- Developments in the shear vane test to measure the gel strength of oilwell cement slurry. Haimoni, A. and Hannant, D. J. Vol. 1, No. 4, October 1988. pp. 221-9.
- Influence of sulphate source on Portland cement hydration. Tang, F. J. and Gartner, E. M. Vol. 1, No. 2, April 1988. pp. 67-74.
- Quantitative characterization of the transition zone in high strength concretes. Scrivener, K. L., Bentur, A. and Pratt, P. L. Vol. 1, No. 4, October 1988. pp. 230-7.
- The viscometric examination of cement pastes with interrupted helical impellers. Gill, S. M. and Banfill, P. F. G. Vol. 1, No. 2, April 1988. pp. 92-8.
- XRD studies of the ferrite phase in hydrated Portland cement. Zürr, A. and Odler, I. Vol. 1, No. 1, October 1987. pp. 27-30.
- Portland cements**
- A method for predicting alkali ion concentrations in cement pore solutions. Taylor, H. F. W. Vol. 1, No. 1, October 1987. pp. 5-17.
- A study of the effects of saccharide retarders on Portland cement hydration using trimethylsilylation. Dunster, A. M. and Parsonage, J. R. Vol. 1, No. 4, October 1988. pp. 215-220.
- Corrosion of steel reinforcement in carbonated mortar containing chlorides. Alonso, C. and Andrade, C. Vol. 1, No. 3, July 1988. pp. 155-63.
- Influence of sulphate source on Portland cement hydration. Tang, F. J. and Gartner, E. M. Vol. 1, No. 2, April 1988. pp. 67-74.
- Polymerization effects in C-S-H: implications for Portland cement hydration. Macphée, D. E., Lachowski, E. E. and Glasser, F. P. Vol. 1, No. 3, July 1988. pp. 131-7.
- Some applications of conduction calorimetry to cement hydration. Bensted, J. Vol. 1, No. 1, October 1987. pp. 35-44.
- The effect of water/cement ratio, plasticizers and temperature on the rheology of cement grouts. Domone, P. L. and Thurairatnam, H. Vol. 1, No. 4, October 1988. pp. 195-206.
- The mechanism and rate of attack of sodium sulphate solution on cement and cement/pfa pastes. Cabrera, J. G. and Plowman, C. Vol. 1, No. 3, July 1988. pp. 171-9.
- XRD studies of the ferrite phase in hydrated Portland cement. Zürr, A. and Odler, I. Vol. 1, No. 1, October 1987. pp. 27-30.
- Portland-pfa cements**
- A method for predicting alkali ion concentrations in cement pore solutions. Taylor, H. F. W. Vol. 1, No. 1, October 1987. pp. 5-17.
- Corrosion of steel reinforcement in carbonated mortar containing chlorides. Alonso, C. and Andrade, C. Vol. 1, No. 3, July 1988. pp. 155-63.
- The mechanism and rate of attack of sodium sulphate solution on cement and cement/pfa pastes. Cabrera, J. G. and Plowman, C. Vol. 1, No. 3, July 1988. pp. 171-9.
- Potassium compounds**
- A method for predicting alkali ion concentrations in cement pore solutions. Taylor, H. F. W. Vol. 1, No. 1, October 1987. pp. 5-17.
- Influence of sodium chloride on alkali-silica reaction. Nixon, P. J., Page, C. L., Canham, I. and Bollinghaus, R. Vol. 1, No. 2, April 1988. pp. 99-106.
- Pozzolanas and pozzolanic cements**
- Corrosion of steel reinforcement in carbonated mortar containing chlorides. Alonso, C. and Andrade, C. Vol. 1, No. 3, July 1988. pp. 155-63.
- Spectrophotometric method for estimating the reactivity of pozzolanic materials. M. S. Surana and S. N. Joshi. Vol. 1, No. 4, October 1988. pp. 238-42.
- Pulverized-fuel ash**
- A method for predicting alkali ion concentrations in cement pore solutions. Taylor, H. F. W. Vol. 1, No. 1, October 1987. pp. 5-17.
- Moisture profiles in drying concrete. Parrott, L. J. Vol. 1, No. 3, July 1988. pp. 164-70.
- Some applications of conduction calorimetry to cement hydration. Bensted, J. Vol. 1, No. 1, October 1987. pp. 35-44.
- Spectrophotometric method for estimating the reactivity of pozzolanic materials. M. S. Surana and S. N. Joshi. Vol. 1, No. 4, October 1988. pp. 238-42.
- The mechanism and rate of attack of sodium sulphate solution on cement and cement/pfa pastes. Cabrera, J. G. and Plowman, C. Vol. 1, No. 3, July 1988. pp. 171-9.
- The microstructure of tricalcium silicate/pulverized-fuel ash blended cement pastes. Rodger, S. A. and Groves, G. W. Vol. 1, No. 2, April 1988. pp. 84-91.
- Radioactive wastes**
- Polymerization effects in C-S-H: implications for Portland cement hydration. Macphée, D. E., Lachowski, E. E. and Glasser, F. P. Vol. 1, No. 3, July 1988. pp. 131-7.
- Raw materials**
- Formation of Portland clinker—studies on synthetic raw meals. Rivera, M., Odler, I. and Abdul-Maula, S. Vol. 1, No. 1, October 1987. pp. 52-7.

Modification of the ferrite phase in Portland cement by manganese substitution. Puertas, F. and Glasser, F. P. Vol. 1, No. 1, October 1987. pp. 31-4.

Refractory materials

Effect of aluminium alkoxides on the mechanical properties of calcium aluminate cements at high temperatures. Sugama, T., Kukacka, L. E. and Carciello, N. Vol. 1, No. 4, October 1988. pp. 207-214.

Rheological properties

A consolidation model for bleeding of cement paste. Tan, T. S., Wee, T. H., Tan, S. A., Tam, C. T. and Lee, S. L. Vol. 1, No. 1, October 1987. pp. 18-26.

Developments in the shear vane test to measure the gel strength of oilwell cement slurry. Haimoni, A. and Hannant, D. J. Vol. 1, No. 4, October 1988. pp. 221-9.

Discussion on paper: A consolidation model for bleeding of cement paste, by Tan, T. S. *et al.* Jefferis, S. A. Vol. 1, No. 3, July 1988. pp. 187-9.

The effect of water/cement ratio, plasticizers and temperature on the rheology of cement grouts. Domone, P. L. and Thurairatnam, H. Vol. 1, No. 4, October 1988. pp. 195-206.

The rheological behaviour of non-shrinking cement pastes. Banfill, P. F. G. and Rudzinski, L. R. Vol. 1, No. 1, October 1987. pp. 45-51.

The viscometric examination of cement pastes with interrupted helical impellers. Gill, S. M. and Banfill, P. F. G. Vol. 1, No. 2, April 1988. pp. 92-8.

Seawater

The effect of water/cement ratio, plasticizers and temperature on the rheology of cement grouts. Domone, P. L. and Thurairatnam, H. Vol. 1, No. 4, October 1988. pp. 195-206.

Setting behaviour

A comparison between semi-isothermal and semi-adiabatic calorimetry of retarded cement mixes. Egan, P. J. Vol. 1, No. 2, April 1988. pp. 112-118.

A consolidation model for bleeding of cement paste. Tan, T. S., Wee, T. H., Tan, S. A., Tam, C. T. and Lee, S. L. Vol. 1, No. 1, October 1987. pp. 18-26.

A study of the effects of saccharide retarders on Portland cement hydration using trimethylsilylation. Dunster, A. M. and Parsonage, J. R. Vol. 1, No. 4, October 1988. pp. 215-220.

Discussion on paper: A consolidation model for bleeding of cement paste, by Tan, T. S. *et al.* Jefferis, S. A. Vol. 1, No. 3, July 1988. pp. 187-9.

Influence of sulphate source on Portland cement hydration. Tang, F. J. and Gartner, E. M. Vol. 1, No. 2, April 1988. pp. 67-74.

Some applications of conduction calorimetry to cement hydration. Bensted, J. Vol. 1, No. 1, October 1987. pp. 35-44.

The rheological behaviour of non-shrinking cement pastes. Banfill, P. F. G. and Rudzinski, L. R. Vol. 1, No. 1, October 1987. pp. 45-51.

Silica fume

Effect of ammonium nitrate solution on the structure and strength properties of cement pastes containing silica fume. Durekovic, A. and Popovic, K. Vol. 1, No. 3, July 1988. pp. 138-46.

Quantitative characterization of the transition zone in high strength concretes. Scrivener, K. L., Bentur, A. and Pratt, P. L. Vol. 1, No. 4, October 1988. pp. 230-7.

Some applications of conduction calorimetry to cement hydration. Bensted, J. Vol. 1, No. 1, October 1987. pp. 35-44.

Treatment of glassfibre strand in polymer and silica fume dispersions to improve the ageing performance of glassfibre-reinforced cements. Bentur, A. Vol. 1, No. 3, July 1988. pp. 147-54.

Slags and slag cements

Corrosion of steel reinforcement in carbonated mortar containing chlorides. Alonso, C. and Andrade, C. Vol. 1, No. 3, July 1988. pp. 155-63.

Moisture profiles in drying concrete. Parrott, L. J. Vol. 1, No. 3, July 1988. pp. 164-70.

Some applications of conduction calorimetry to cement hydration. Bensted, J. Vol. 1, No. 1, October 1987. pp. 35-44.

Small angle X-ray scattering (SAXS)

Alternative model for the fine porous structure in hydrated tricalcium silicate. Vollet, D. R. and Craievich, A. F. Vol. 1, No. 2, April 1988. pp. 107-111.

Sodium compounds

A method for predicting alkali ion concentrations in cement pore solutions. Taylor, H. F. W. Vol. 1, No. 1, October 1987. pp. 5-17.

Influence of sodium chloride on alkali-silica reaction. Nixon, P. J., Page, C. L., Canham, I. and Bollinghaus, R. Vol. 1, No. 2, April 1988. pp. 99-106.

Spectrophotometric method for estimating the reactivity of pozz-

olanic materials. M. S. Surana and S. N. Joshi. Vol. 1, No. 4, October 1988. pp. 238-42.

Steel reinforcement

Corrosion of steel reinforcement in carbonated mortar containing chlorides. Alonso, C. and Andrade, C. Vol. 1, No. 3, July 1988. pp. 155-63.

Strength

Effect of ammonium nitrate solution on the structure and strength properties of cement pastes containing silica fume. Durekovic, A. and Popovic, K. Vol. 1, No. 3, July 1988. pp. 138-46.

Effect of aluminium alkoxides on the mechanical properties of calcium aluminate cements at high temperatures. Sugama, T., Kukacka, L. E. and Carciello, N. Vol. 1, No. 4, October 1988. pp. 207-214.

Influence of sulphate source on Portland cement hydration. Tang, F. J. and Gartner, E. M. Vol. 1, No. 2, April 1988. pp. 67-74.

Spectrophotometric method for estimating the reactivity of pozzolanic materials. M. S. Surana and S. N. Joshi. Vol. 1, No. 4, October 1988. pp. 238-42.

Treatment of glassfibre strand in polymer and silica fume dispersions to improve the ageing performance of glassfibre-reinforced cements. Bentur, A. Vol. 1, No. 3, July 1988. pp. 147-54.

Sulphate-resisting cements

Corrosion of steel reinforcement in carbonated mortar containing chlorides. Alonso, C. and Andrade, C. Vol. 1, No. 3, July 1988. pp. 155-63.

Sulphates

Influence of sulphate source on Portland cement hydration. Tang, F. J. and Gartner, E. M. Vol. 1, No. 2, April 1988. pp. 67-74.

The mechanism and rate of attack of sodium sulphate solution on cement and cement/pfa pastes. Cabrera, J. G. and Plowman, C. Vol. 1, No. 3, July 1988. pp. 171-9.

Temperature effects

A comparison between semi-isothermal and semi-adiabatic calorimetry of retarded cement mixes. Egan, P. J. Vol. 1, No. 2, April 1988. pp. 112-118.

The effect of water/cement ratio, plasticizers and temperature on the rheology of cement grouts. Domone, P. L. and Thurairatnam, H. Vol. 1, No. 4, October 1988. pp. 195-206.

Test methods and procedures

A comparison between semi-isothermal and semi-adiabatic calorimetry of retarded cement mixes. Egan, P. J. Vol. 1, No. 2, April 1988. pp. 112-118.

A comparison of conduction calorimeter and heat of solution methods for measurement of heat of hydration of cement. Killoh, D. C. Vol. 1, No. 3, July 1988. pp. 180-6.

Developments in the shear vane test to measure the gel strength of oilwell cement slurry. Haimoni, A. and Hannant, D. J. Vol. 1, No. 4, October 1988. pp. 221-9.

Experimental techniques for studying hydration reactions of calcium aluminates. Cabrera, J. G. and Plowman, C. Vol. 1, No. 4, October 1988. pp. 243-8.

Moisture profiles in drying concrete. Parrott, L. J. Vol. 1, No. 3, July 1988. pp. 164-70.

Spectrophotometric method for estimating the reactivity of pozzolanic materials. M. S. Surana and S. N. Joshi. Vol. 1, No. 4, October 1988. pp. 238-42.

The effect of water/cement ratio, plasticizers and temperature on the rheology of cement grouts. Domone, P. L. and Thurairatnam, H. Vol. 1, No. 4, October 1988. pp. 195-206.

The viscometric examination of cement pastes with interrupted helical impellers. Gill, S. M. and Banfill, P. F. G. Vol. 1, No. 2, April 1988. pp. 92-8.

Thermal analysis

Effect of aluminium alkoxides on the mechanical properties of calcium aluminate cements at high temperatures. Sugama, T., Kukacka, L. E. and Carciello, N. Vol. 1, No. 4, October 1988. pp. 207-214.

Modification of the ferrite phase in Portland cement by manganese substitution. Puertas, F. and Glasser, F. P. Vol. 1, No. 1, October 1987. pp. 31-4.

The rheological behaviour of non-shrinking cement pastes. Banfill, P. F. G. and Rudzinski, L. R. Vol. 1, No. 1, October 1987. pp. 45-51.

Transition zones

Quantitative characterization of the transition zone in high strength concretes. Scrivener, K. L., Bentur, A. and Pratt, P. L. Vol. 1, No. 4, October 1988. pp. 230-7.

Trimethylsilylation

A study of the effects of saccharide retarders on Portland cement hydration using trimethylsilylation. Dunster, A. M. and Parsonage, J. R. Vol. 1, No. 4, October 1988. pp. 215-20.

Index

White cement

Some applications of conduction calorimetry to cement hydration. Bensted, J. Vol. 1, No. 1, October 1987. pp. 35–44.

X-ray diffraction

Effect of aluminium alkoxides on the mechanical properties of calcium aluminate cements at high temperatures. Sugama, T., Kukacka, L. E. and Carciello, N. Vol. 1, No. 4, October 1988. pp. 207–214.

Effect of ammonium nitrate solution on the structure and strength properties of cement pastes containing silica fume. Durekovic, A. and Popovic, K. Vol. 1, No. 3, July 1988. pp. 138–46.

Experimental techniques for studying hydration reactions of calcium aluminates. Cabrera, J. G. and Plowman, C. Vol. 1, No. 4, October 1988. pp. 243–8.

Formation of Portland clinker—studies on synthetic raw meals. Rivera, M., Odler, I. and Abdul-Maula, S. Vol. 1, No. 1, October 1987. pp. 52–7.

Influence of sulphate source on Portland cement hydration. Tang, F. J. and Gartner, E. M. Vol. 1, No. 2, April 1988. pp. 67–74.

Modification of the ferrite phase in Portland cement by manganese substitution. Puertas, F. and Glasser, F. P. Vol. 1, No. 1, October 1987. pp. 31–4.

The mechanism and rate of attack of sodium sulphate solution on cement and cement/pfa pastes. Cabrera, J. G. and Plowman, C. Vol. 1, No. 3, July 1988. pp. 171–9.

ZRD studies of the ferrite phase in hydrated Portland cement. Zürz, A. and Odler, I. Vol. 1, No. 1, October 1987. pp. 27–30.