

CONTENTS OF GÉOTECHNIQUE VOLUME LIII

February, March, April, May, June, August, September, October, November, December 2003

No. 1, 1–141; No. 2, 143–298; No. 3, 299–375; No. 4, 377–454; No. 5, 455–537; No. 6, 533–609; No. 7, 611–688; No. 8, 689–766; No. 9, 767–844; No. 10, 845–914

Editorial. <i>H. R. Thomas</i>	1
Instabilities on moraine slopes induced by loss of suction: a case history. <i>S. M. Springman, C. Jommi and P. Teyssere</i>	3
The influence of partial soil saturation on pile behaviour. <i>K. Georgiadis, D. M. Potts and L. Zdravkovic</i>	11
Mechanical behaviour of heavily compacted bentonite under high suction changes. <i>A. Lloret, M. V. Villar, M. Sánchez, A. Gens, X. Pintado and E. E. Alonso</i>	27
Coupling of hydraulic hysteresis and stress–strain behaviour in unsaturated soils. <i>S. J. Wheeler, R. S. Sharma and M. S. R. Buisson</i>	41
The vadose zone soil-water balance and transpiration rates of vegetation. <i>G. E. Blight</i>	55
Suction effects on a compacted clay under non-isothermal conditions. <i>E. Romero, A. Gens and A. Lloret</i>	65
Retention and transport of a hydrocarbon in a silt. <i>Y. J. Cui, P. Delage and P. Alzoghbi</i>	83
Critical-state parameters for an unsaturated residual sandy clay. <i>D. G. Toll and B. H. Ong</i>	93
Modelling the variation of degree of saturation in a deformable unsaturated soil. <i>D. Gallipoli, S. J. Wheeler and M. Karstunen</i>	105
Elastic-plastic modelling of unsaturated soil using results from a new triaxial test with controlled suction. <i>J. A. Blatz and J. Graham</i>	113
An elasto-plastic model for unsaturated soil incorporating the effects of suction and degree of saturation on mechanical behaviour. <i>D. Gallipoli, A. Gens, R. Sharma and J. Vaunat</i>	123
<i>Technical note</i>	
Calibration of tensiometer for direct measurement of matric suction. <i>A. Tarantino and L. Mongiovì</i>	137
Performance of an unsaturated expansive soil slope subjected to artificial rainfall infiltration. <i>C. W. W. Ng, L. T. Zhan, C. G. Bao, D. G. Fredlund and B. W. Gong</i>	143
Tensiometer saturation and the reliable measurement of soil suction. <i>W. A. Take and M. D. Bolton</i>	159
Total suction measurement of unsaturated soils with a device using the chilled-mirror dew-point technique. <i>E.-C. Leong, S. Tripathy and H. Rahardjo</i>	173
The mechanical behaviour of a reconstituted unsaturated silty clay. <i>M. R. Cunningham, A. M. Ridley, K. Dineen and J. B. Burland</i>	183
Micromechanical considerations of unsaturated pyramidal packing. <i>F. Molenkamp and A. H. Nazemi</i>	195
Water infiltration into a large-scale <i>in situ</i> experiment in an underground research laboratory. <i>H. R. Thomas, P. J. Cleall, N. Chandler, D. Dixon and H. P. Mitchell</i>	207
Patterns and mechanisms of migration of light non-aqueous phase liquid in an unsaturated sand. <i>R. S. Sharma and M. H. A. Mohamed</i>	225
Soil matrix suction: some examples of its measurement and application in geotechnical engineering. <i>A. M. Ridley, K. Dineen, J. B. Burland and P. R. Vaughan</i>	241
Interactions between two rough spheres, water bridge and water vapour. <i>F. Molenkamp and A. H. Nazemi</i>	255
Observations on the behaviour of clay fill containing occluded air bubbles. <i>P. R. Vaughan</i>	265
<i>Technical notes</i>	
Effective stress in unsaturated soil: a microstructural analysis. <i>X. S. Li</i>	273
Assessment of statistical models for indirect determination of permeability functions from soil–water characteristic curves. <i>S. S. Agus, E. C. Leong and T. Schanz</i>	279
Shallow flowslides triggered by intense rainfalls on natural slopes covered by loose unsaturated pyroclastic soils. <i>L. Olivares and L. Picarelli</i>	283
Suction effects on rockfill compressibility. <i>L. A. Oldecop and E. E. Alonso</i>	289
A practical hysteresis model for the soil–water characteristic curve for soils with negligible volume change. <i>H. Q. Pham, D. G. Fredlund and S. L. Barbour</i>	293
Editorial. <i>G. T. Houlsby</i>	299
Piled rafts in overconsolidated clay: comparison of <i>in situ</i> measurements and numerical analyses. <i>O. Reul and M. F. Randolph</i>	301
PSD measurement using the single particle optical sizing (SPOS) method. <i>D. J. White</i>	317
Mobilised strength components in brittle failure of rock. <i>V. Hajiabdolmajid, P. Kaiser and C. D. Martin</i>	327
Source near-field effects and pulse tests in soil samples. <i>M. Arroyo, D. Muir Wood and P. D. Greening</i>	337
Seismic bearing capacity of foundations on slopes. <i>J. Kumar and V. B. K. Mohan Rao</i>	347
<i>Technical note</i>	
Seismic bearing capacity of rough footings on slopes using limit equilibrium. <i>J. Kumar and N. Kumar</i>	361
<i>Discussion</i>	
Monitoring sedimentation of a clay slurry. <i>J. Blewett, W. J. McCarter, T. M. Chrisp and G. Starrs</i>	370
On the application of the Hiley formula in driving long piles. <i>T. Triantafyllidis</i>	373
Generalised framework of limit equilibrium methods for slope stability analysis. <i>D. Y. Zhu, C. F. Lee and H. D. Jiang</i>	377
Proposal for a new plasticity chart. <i>E. Polidori</i>	397

A state-dependent multi-mechanism model for sands. <i>H. L. Fang</i>	407
The middle surface concept and its application to the elasto-plastic behaviour of saturated sands. <i>Y. Yang and K. K. Muraleetharan</i>	421
<i>Technical Notes</i>	
A simple non-associated three surface kinematic hardening model. <i>G. R. McDowell and K. W. Hau</i>	433
Assessment of strength development in cement-admixed high water content clays with Abrams' law as a basis. <i>S. Horpibulsuk, N. Miura and T. S. Nagaraj</i>	439
On the plastic hardening of sand. <i>G. R. McDowell, Y. Nakata and M. Hyodo</i>	349
<i>Discussion</i>	
Seismic bearing capacity factors for spread foundation. <i>J. Kumar and V. B. K. Mohan Rao</i>	445
Soil consolidation associated with grouting during shield tunnelling in soft clayey ground. <i>K. Komiya, K. Soga, H. Agaki, M. R. Jafari and M. D. Bolton</i>	447
Swelling pressure of sodium montmorillonites. <i>A. Sridharan and D. Choudhury</i>	449
Relationship between K_0 and overconsolidation ratio: a theoretical approach. <i>V. Sivakumar, I. G. Doran, J. Graham and T. Navaneethan</i>	450
Small-strain stiffness and damping ratio of Pisa clay from surface wave tests. <i>S. Foti</i>	455
Stability of seismically loaded slopes using limit analysis. <i>D. Loukidis, P. Bandini and R. Salgado</i>	463
Modelling the osmosis effect on solute migration through porous media. <i>M. Manassero and A. Dominijanni</i>	481
Isotropic yielding in an artificially cemented soil cured under stress. <i>G. V. Rotta, N. C. Consoli, P. D. M. Prietto, M. R. Coop and J. Graham</i>	493
Reduction of equipment-generated damping in resonant column measurements. <i>J. Meng and G. J. Rix</i>	503
<i>Technical note</i>	
Undrained bearing capacity factors for conical footings on clay. <i>G. T. Houlsby and C. M. Martin</i>	513
<i>Discussion</i>	
Failure mechanism of the Aznalcóllar Dam, Seville, Spain. <i>C. Olalla and V. Cuellar</i>	521
Dynamic thermo-poro-mechanical analysis of catastrophic landslides. <i>I. Vardoulakis</i>	523
Analysis of laterally loaded pile groups using a variational approach. <i>W. Y. Shen and C. I. Teh</i>	525
<i>Géotechnique</i> Reviewers	527
PhD Theses: 2002	528
42nd Rankine Lecture: Numerical analysis: a virtual dream or practical reality? <i>D. M. Potts</i>	533
Effect of strength non-homogeneity on the shape of failure envelopes for combined loading of strip and circular foundations on clay. <i>S. Gourvenec and M. Randolph</i>	575
Characteristics of stress waves recorded in small-scale field blast tests on a layered rock-soil site. <i>C. Wu, H. Hao, Y. Lu and Y. Zhou</i>	587
<i>Technical note</i>	
Deviation for Darcy's law observed in one-dimensional consolidation. <i>S. Hansbo</i>	601
<i>Discussion</i>	
A thermomechanical analysis of a family of soil models. <i>I. F. Collins and P. A. Kelly</i>	606
On the relationship between stress-dilatancy, anisotropy, and plastic dissipation for granular materials. <i>I. F. Collins and B. Muhunthan</i>	611
Soil deformation measurement using particle image velocimetry (PIV) and photogrammetry. <i>D. J. White, W. A. Take and M. D. Bolton</i>	619
Discrete element simulation of crushable soil. <i>Y. P. Cheng, Y. Nakata and M. D. Bolton</i>	633
Estimation of active earth pressure against rigid retaining walls considering arching effects. <i>K. H. Paik and R. Salgado</i>	643
Experimental study of boundary effects in dynamic centrifuge modelling. <i>B. Teymur and S. P. G. Madabhushi</i>	655
<i>Technical Notes</i>	
<i>In situ</i> sampling of sediment-filled fractures. <i>S. J. Kemp, J. M. Pearce and D. Oates</i>	665
Residual strength of clays and correlations using Atterberg limits. <i>L. D. Wesley</i>	669
Determination of the coefficient of consolidation using a least squares method. <i>A. H. C. Chan</i>	673
Analysis and assessment of sampling disturbance of soft sensitive clays. <i>T. S. Nagaraj, N. Miura, S. G. Chung and K. Nagendra Prasad</i>	679
<i>Discussion</i>	
Three-dimensional modelling of NATM tunnelling in decomposed granite soil. <i>J. H. Shin, D. M. Potts and L. Zdravkovic</i>	685
Book reviews	688
Effects of long-term pre-loading on the performance of a footing on clay. <i>B. M. Lehané and R. J. Jardine</i>	689
Upper-bound solution for seismic bearing capacity of shallow foundations near slopes. <i>F. Askari and O. Farzaneh</i>	697

Elastic response of circular footings embedded in a non-homogeneous half-space	<i>J. P. Doherty and A. J. Deeks</i>	703
Behaviour of calcareous soils in undrained cyclic simple shear	<i>X. Mao and M. Fahey</i>	715
Modelling of natural soft clay destruction processes using viscoplasticity theory	<i>G. Rocchi, M. Fontana and M. Da Prat</i>	729
Permeability of a bentonite–crushed granite rock mixture using different experimental techniques	<i>C. Mata and A. Ledesma</i>	747
<i>Technical note</i>		
The two-dimensional consolidation theory of electro-osmosis	<i>J. Q. Su and Z. Wang</i>	759
<i>Discussion</i>		
Strength variation in young reef limestones	<i>C. J. Burton, A. C. Waltham and S. J. McLaren</i>	764
Displacements ahead of an advancing NATM tunnel in the London clay	<i>J. P. Van Der Berg, C. R. I. Clayton and D. B. Powell</i>	767
Upper bound limit analysis of circular foundations on clay under general loading	<i>M. F. Randolph and A. M. Puzrin</i>	785
Cavity expansion in cemented materials: structure degradation effects	<i>F. Schnaid and F. M. Mántaras</i>	797
A state-dependent elasto-plastic model for saturated and unsaturated soils	<i>C. F. Chiu and C. W. W. Ng</i>	809
<i>Technical notes</i>		
Suction and strength in heavily compressed carbonate sand	<i>J. Atkinson and A. Nocilla</i>	831
A hypothesis for mitigation of risk of liquefaction	<i>S. Pietruszczak, G. N. Pande and M. Oulapour</i>	833
<i>Discussion</i>		
Suction in compacted states	<i>A. Vatsala and B. R. Srinivasa Murthy</i>	839
Influence of compaction procedure on the mechanical behaviour of an unsaturated compacted clay, Parts 1 and 2	<i>V. Sivakumar and S. J. Wheeler</i>	842
Erratum		844
Introduction for 43rd Rankine Lecture 19 march 2003		845
Science and empiricism in pile foundation design	<i>M. F. Randolph</i>	847
Uplift resistance of buried submarine pipelines: comparison between centrifuge modelling and full-scale tests	<i>A. C. Palmer, D. J. White, A. J. Baumgard, M. D. Bolton, A. J. Barefoot, M. Finch, T. Powell, A. S. Faranski and J. A. S. Baldry</i>	877
Performance of miniature piezocones in thinly layered soils	<i>C. C. Hird, P. Johnson and G. C. Sills</i>	885
Evaluation of continuous hyperplastic critical state (CHCS) model	<i>I. Einav and A. M. Puzrin</i>	901
<i>Technical note</i>		
Micromechanics of creep of granular materials	<i>G. R. McDowell</i>	915
Contents of Volume 53		917
Index to Volume 53		920