

# Facilitated virtual learning for advanced geriatric education among nursing students during the COVID pandemic in Taiwan

VL for  
advanced  
geriatric  
education

59

Pei-Lun Hsieh

*Department of Nursing, National Taichung University of Science and Technology,  
Taichung, Taiwan*

Shang-Yu Yang

*Asia University, Taichung, Taiwan*

Wen-Yen Lin

*National Taichung University of Science and Technology, Taichung, Taiwan, and*

Tien-Chi Huang

*Department of Information Management,*

*National Taichung University of Science and Technology, Taichung, Taiwan*

Received 21 December 2021

Revised 30 January 2022

Accepted 6 February 2022

## Abstract

**Purpose** – This study explored the students' perception of their adoption and acceptance of virtual learning (VL), the factors affecting the adoption of educational technologies and the correlation between their intention, perceived behavioral control and care competence in caring for older adults.

**Design/methodology/approach** – A cross-sectional survey was conducted. Surveys were administered to evaluate the participants who were involved in VL on geriatric care during coronavirus disease 2019 (COVID-19) pandemic. A total of 315 nursing students participated in the survey, and 287 valid questionnaires were collected (response rate: 91.11%).

**Findings** – A total of 287 participants (mean age 21.09, SD 1.44 years; 242/287, 84.3% female) were included in the study. The variables of intention to use technologies were positively correlated with care competence ( $r = 0.59, p < 0.001$ ). The results revealed that the major predictors were perceived ease-of-use (PEOU) ( $\beta = 0.28$ , 95% confidence interval (CI) 0.16–0.40) and perceived usefulness (PU) ( $\beta = 0.22$ , CI 0.09–0.35) which were significantly positive predictors of competence in geriatric care.

© Pei-Lun Hsieh, Shang-Yu Yang, Wen-Yen Lin and Tien-Chi Huang. Published by Emerald Publishing Limited. This article is published under the Creative Commons Attribution (CC BY 4.0) licence. Anyone may reproduce, distribute, translate and create derivative works of this article (for both commercial and non-commercial purposes), subject to full attribution to the original publication and authors. The full terms of this licence may be seen at <http://creativecommons.org/licences/by/4.0/legalcode>.

The authors sincerely express appreciation to the experts in the geriatric nursing education fields and their academic, policy and workforce knowledge for helping the authors adapt the questionnaire to the context, and for assessing the content validity of the questionnaire.

**Funding:** We are grateful for the funding we received from the Ministry of Science and Technology (110-2511-H-025-007). The funders had no role in the design of the study; in the collection, analyses, interpretation of data; in the writing of the manuscript, in the decision to publish the results.

**Conflict of interest:** The authors declare that there are no competing interests

**Author contributions:** PLH and TCH were responsible for the study idea and design. PLH performed the data collection. WYL supported the technical detail problems of the virtual learning system. SYU performed the data analysis. PLH was responsible for the drafting of the manuscript. PLH and TCH made critical revisions to the paper for important intellectual content. All authors read and approved the final manuscript.



Library Hi Tech  
Vol. 41 No. 1, 2023  
pp. 59-70  
Emerald Publishing Limited  
0737-8831  
DOI 10.1108/LHT-12-2021-0472

**Research limitations/implications** – Nursing students lack in clinical knowledge and situational experience in geriatric care; therefore, their perceptiveness, expressions and reflection on the process of providing care to hospitalized older patients should be increased. These results indicated that students improved in geriatric healthcare after/during the VL program during COVID-19 pandemic.

**Originality/value** – It is hoped that the present study would make an invaluable contribution to existing research on education in general and on the quality of care in geriatric nursing as limited studies have been published so far.

**Keywords** Care competence, COVID-19, Geriatric care, Student, Virtual learning, Health education

**Paper type** Research paper

## 1. Introduction

Coronavirus disease 2019 (COVID-19) started to spread globally in the spring of 2020; thus, the preparation of healthcare staff and training of an adequate number of nurses and high-quality professionals have become key challenges (World Health Organization, 2021). As these changes appear to be far from temporary, they have accelerated the transition to a “new normal” regime of nursing education online for the foreseeable future (Hatzipanagos *et al.*, 2020; Pham and Ho, 2020). During the COVID-19 outbreak, virtual technologies have supported education-related projects pertaining to policy, business and societal applications (Crawford *et al.*, 2020).

Virtual learning environments (VLEs) have developed steadily since the advent of the COVID-19 pandemic. Its development and usage also meant the permanent availability of accessories including earpiece, personal computers and Internet connectivity (Amrane-Cooper, 2020). The extent to which countries have been able to adapt to this new normal is dictated by prior experience in and the limitations of VLEs themselves (Dhawan, 2020), with the education for the majority of students around the globe at a standstill (Adedoyin and Soykan, 2020). In Indonesia, for instance, major barriers included Internet instability, cost and long periods of concentration (Amir *et al.*, 2020), while those found in Sudan included connectivity issues, unfamiliarity, technical issues, time flexibility and others (Gismalla *et al.*, 2021). A World Bank briefing report explored VLE strategies implemented in different countries (Ludi, 2020).

In response to the COVID-19 pandemic, medical education shifted toward virtual courses between 2020 and 2021 (Du *et al.*, 2020; Harper *et al.*, 2020). However, students have reported stress related to virtual learning (VL) and difficulties in completing their schoolwork or practicum. Faced with this problem, there is a need to get prepared for the possibility of another transition to remote learning if a second wave of COVID-19 outbreak occurs, and educators must understand whether their students’ challenges and preferences, and medical education institutions can develop virtual teaching strategies to support students. Distance education has evolved from offline to virtual settings, and high levels of Internet accessibility and the COVID-19 pandemic have made VLEs become a common delivery method for higher education (Ali, 2020; Murphy, 2020).

## 2. Literature review and hypothesis formulation

VLEs have improved learning accessibility for students in remote locations who may not be able to attend classes conducted at educational facilities during the COVID-19 pandemic (Daniel, 2020). VLEs related to geriatric care have several applications in the field of gerontology and provide a secure environment for activities. Educational facilities are improving their technological capabilities and continually integrating innovative teaching platforms into education (Esfijani, 2015). Despite the decline in higher education enrollment, VLEs in public institutions is increasing (Gonzalez *et al.*, 2020).

The technology acceptance model (TAM) is a most widely applied information systems theory that models how learners come to accept and use a technology. The model suggests

that when users are presented with a new technology, a number of factors influence their decision about how and when they will use it. The factors included the perceived usefulness (PU) which means whether or not someone perceives that technology to be useful for what they want to do; Perceived ease-of-use (PEOU) which refers to the degree to which a person believes that using a particular system would be free from effort; Perceived flexibility (PF) that has a significantly positive and direct effect on affective commitment. If the technology is useful, easy to use and flexible, then the barriers are conquered, and the ease-of-use enables learners to hold a positive attitude towards learning it (Davis and Venkatesh, 1966; Lee *et al.*, 2005, 2011).

VLEs have different possible ways of its evaluation of the students' perception and intention, such as satisfaction proved to be decisive for continuance intention, and practical implications (Knutzen, 2019), motivation, cognitive benefits, agentic learning, social constructivism and reflective thinking (Pereira *et al.*, 2015). The TAM for the acceptance of the e-learning system, which can help organization decision-makers in planning, evaluating and executing the use of e-learning systems, is used to improve the students' learning performance, which can help decision-makers in higher education, universities, as well as colleges to evaluate, plan and execute the use of e-learning systems (Al-Rahmi *et al.*, 2019).

The aging population and corresponding need to train healthcare providers in the provision of safe and quality geriatric care has implications for professional nursing education. An essential factor in building knowledge and expertise in the future workforce is the curriculum for programs, which must include content on geriatrics and the provision of geriatric care. A new paradigm in the teaching and learning of geriatric care through VL is catalyzing a pedagogical shift in how we teach and learn during the COVID-19 pandemic (Joos *et al.*, 2021).

Top-down lecturing and student passivity are being replaced by a more interactive and collaborative framework through which students and instructors cocreate the learning process. Although studies have examined specific VL topics, few studies have explored the broader aspect of VL of geriatric care as a research theme (Davis and Venkatesh, 1966; Lee *et al.*, 2005, 2011). The study explored the correlation between nursing students' acceptance of VL and their care competence after they participated in VL related to geriatric care during the COVID-19 pandemic.

The study explored the nursing students' acceptance of new technological learning after they participated in VL related to geriatric care during the COVID-19 pandemic. The hypothesis (H) and research questions (RQs) of the study are as follows.

*RQ1.* What are nursing students' perceptions of their adoption and acceptance of VL during the COVID-19 pandemic?

*H1, H2 and H3.* PU, PEOU and PF influence VL adoption intention.

*H4 and H5.* PEOU influences the perceived VL usefulness and flexibility.

We aimed at testing hypotheses H1 through H5 of the research model under this research question [RQ1]. To bridge the gap, we proposed hypotheses H6, H7 and H8 under RQ2 and RQ3.

*RQ2.* What are the nursing students' perceptions of factors (e.g. intention, perceived behavioral control and care competence) that affect the adoption of educational technologies?

*RQ3.* How do intention, perceived behavioral control and care competence influence each other?

*H6, H7 and H8.* PF, usefulness and intention to use influences care competence.

### 3. Methods

#### 3.1 Study design, setting and participants' recruitment

The present study adopted a cross-sectional design to investigate nursing students' current perceptions regarding the VL for geriatric care education. A total of 315 nursing students from the department of nursing of a national university of science and technology were enrolled as participants during the COVID-19 pandemic in Taiwan. The themes for VL were as follows: (1) provision of the most up-to-date and culturally appropriate geriatric care available and (2) teaching nursing care related to aging-process assessment and care planning through the Internet or Cisco Webex online meetings and discussions.

Purposive sampling was used to collect data, and participants were enrolled. To determine if we achieved the needed sample size for our regression analyses, *a priori* sample size calculator for multiple regressions was used. The result showed that with the anticipated medium effect size set at 0.10, the statistical power level at 0.95, and the significance level at  $p = 0.05$ , the minimum sample size required for the current study was 133. Thus, the sample size requirement in this study was reached. In total, 315 questionnaires were administered, and 287 valid questionnaires were collected (response rate: 91.11%).

The participants were students from selected courses and programs who were invited to voluntarily participate in the study if they were nursing students who completed a geriatric care course; students who dropped out of their study and transferred students were excluded. Due to the pandemic, online courses were provided from November 2020 to January 2021 through Cisco Webex, and the recruitment of participants was conducted before the implementation of online course. In the VL course, weekly (2 h) learning tasks or activities were designed and respective completion time was required for these tasks within the 8-week course during COVID pandemic. Each virtual lecture included 100-min chunked lectures that covered one course topic each, including the lecture of the teacher (30-min lecture) and links to illustrative web resources in each lecture (20-min). It was assumed that the students spent additional time to review these lectures and explored the links to web resources (20-min). After reading/viewing the lectures, students or team leader would post a short "knowledge check" self-assessment statement to the course Dropbox (15 min). This activity would help the student gauge his/her understanding and retention of the lecture material (15 min). The students were required to complete a 5-item online quiz to check their understanding of key terms and concepts from the lecture at the end of the course.

The survey was used to evaluate the participants who were involved in courses during COVID-19 pandemic for VL to geriatric care in the university. Surveys were administered between February and April in 2021. A signed informed consent form was obtained from each participant after the objective of the study was explained in website. Mandarin Chinese versions of the questionnaire and consent forms were filled out by the participants.

#### 3.2 Measurements

The study variables were developed based on the relevant literature and the TAM as the study conceptual framework (Davis and Venkatesh, 1966; Lee *et al.*, 2005, 2011). The questionnaire was divided into three parts. The first part covered the participants' general information, the second part examined their use of virtual technology while engaging in home-based learning during the COVID-19 pandemic period, and the third part was related to the geriatric care competence variables of this research. In total, 5 primary variables and 30 items were used in the research; the variables were PF, PEOU, PU, intention to use technologies and care competence.

#### 3.3 Acceptance of virtual learning for geriatric care education questionnaire

This study used a self-developed questionnaire survey designed by the author to assess variables related to care competence and acceptance of VL during the COVID-19 pandemic.

The scale used in the present study is based on the TAM model developed by [Davis and Venkatesh \(1966\)](#) and [Lee et al. \(2005\)](#); it examined PF (three items), PEOU (three items), PU (six items), and attitude toward and intention to use technologies (three items). All questions were evaluated on a five-point Likert scale (1 = *strongly disagree*, 5 = *strongly agree*).

### 3.4 Geriatric care competence questionnaire

Current care competence was assessed using a self-developed questionnaire to assess factors related to care competence based on the essential components of baccalaureate education for professional geriatric practice from American Association of Colleges of Nursing (AACN) in [2010](#); the questionnaire contained 15 items that were scored using a five-point Likert-type scale (1 = *strongly disagree*, 5 = *strongly agree*).

### 3.5 Pilot testing

The content of the self-developed questionnaires was developed with reference to the literature, and validity was assessed through expert review. The researcher tested the reliability (with the Cronbach's alpha equal to or greater than 0.70) of the questionnaires administered to 30 respondents before the actual process of data collection commenced. The expert panel reported a mean individual content validity index of 0.80–0.90. The scales' high consistency and reliability were verified by a Cronbach's alpha of 0.92.

### 3.6 Data analysis

Data were analyzed using SPSS version 20 (SPSS, Chicago, IL, USA). Demographic characteristics were summarized using descriptive statistics, specifically frequency distributions, numbers (percentages) and means  $\pm$  standard deviations. Cronbach's alpha reliability analysis was used to examine the internal consistency of the questionnaire items. Pearson's correlation coefficient was conducted to examine the criterion validity of the questionnaire. Multiple regression was performed to determine the factors affecting attitude toward and intention to use virtual technology learning and nursing competence in geriatric care, and the factors were revealed by including variables with statistical significance.

### 3.7 Ethical approval

Ethical approval for human research was obtained from the Central Regional Research Ethics Committee. A signed-informed consent form was obtained from each participant after the objective of the study was explained to them. To ensure that research ethics standards were adhered to, the researcher explained the study's purpose and research process to the participants and informed them about the protection of their personal rights. Signed-informed consent forms were obtained from the participants prior to data collection.

## 4. Results

### 4.1 Participants' characteristics

Most participants (97.9%) were new to VL. The statistical analysis results indicated that most participants were female (84.3%) and had an average age of 21.09 (standard deviation [SD] = 1.44) years. College seniors accounted for the largest percentage (38.5%) of the sample followed by juniors (37.3%). In terms of practicum experience, 98.9% of the participants had practicum experience in basic nursing, and 49.5%, 49.5% and 8.01% had practicum experience in community nursing, medical-surgery and geriatric/long-term care settings. [Table 1](#) presents the full demographic profile of the final sample.

4.2 Acceptance of virtual learning for geriatric care education and perception of geriatric care competence


Figure 1 shows the respondents' answers to the acceptance of VL for geriatric education and perception of geriatric care competence. The participants' scores for overall VL acceptance ranged from agree to strongly agree (total mean = 4.13, SD = 0.66). The highest and lowest average scores were observed for PF and PEOU. The participants' mean score for care competence ranked close to full agreement (total mean = 3.96, SD = 0.51). The highest score was obtained for care ethics, followed by basic elderly care capacity, and information management and application in individual care.

4.3 Regression analysis of factors associated with acceptance of virtual learning and care competence

The present study analyzed the correlations between demographic attributes, current acceptance of VL for geriatric care education, attitude toward and intention to use technologies, and care competence. Table 2 provides an overview of the correlation between TAM, care intention and competence variables. Convergent validity was evaluated with the measurement scales using two criteria suggested by Fornell and Larcker (1981), namely the average variance extracted (AVE) of all indicator factors for each construct exceeding the variance due to measurement error for that construct (i.e. should exceed 0.50) (Fornell and Larcker, 1981) and the study composite reliability (CR) ranging from 0.71 to 0.94 and the AVE from 0.50 to 0.54. A Pearson's correlation analysis revealed significantly positive correlations between the PU, intention to use ( $r = 0.68, p < 0.001$ ) and the care competence ( $r = 0.54, p < 0.001$ ) that could verify H1, H2 and H3. PEOU was positively correlated with flexibility ( $r = 0.88, p < 0.001$ ), intention to use ( $r = 0.56, p < 0.001$ ) and usefulness ( $r = 0.78, p < 0.001$ ) that could verify H4 and H5. PF was positively correlated with intention to use ( $r = 0.84,$

| Variables                          | Value        |
|------------------------------------|--------------|
| Age in years, mean (SD)            | 21.09 (1.44) |
| Gender, female, n (%)              | 242 (84.3)   |
| School system, n (%)               |              |
| Junior college                     | 44 (15.3)    |
| College                            | 243 (84.7)   |
| Year, n (%)                        |              |
| Freshman                           | 44 (15.4)    |
| Junior                             | 132 (37.3)   |
| Senior                             | 110 (38.5)   |
| Virtual learning experience, n (%) |              |
| Yes                                | 2 (0.7)      |
| No                                 | 281 (97.9)   |
| Practicum experience, n (%)        |              |
| Basic nursing                      | 284 (98.9)   |
| Medical-surgical nursing           | 142 (49.5)   |
| Acute-critical nursing             | 16 (0.06)    |
| OB/GYN                             | 137 (47.7)   |
| Pediatrics                         | 154 (0.54)   |
| Psychiatry                         | 134 (46.7)   |
| Community nursing                  | 142 (49.5)   |
| Geriatric/long-term care           | 23 (8.0)     |

**Table 1.**  
Baseline demographic  
characteristics of  
subjects ( $N = 287$ )



**Figure 1.**  
VL for geriatric  
education and  
perception of geriatric  
care competence. (a)  
Acceptance of virtual  
learning for geriatric  
care education. (b)  
Perception of care  
competence

| Items            | AVE  | Usefulness | Ease of use | Flexibility | Intention to use | Nursing competence |
|------------------|------|------------|-------------|-------------|------------------|--------------------|
| Usefulness       | 0.53 | 1          |             |             |                  |                    |
| Ease of use      | 0.52 | 0.78**     | 1           |             |                  |                    |
| Flexibility      | 0.50 | 0.93**     | 0.88**      | 1           |                  |                    |
| Intention to use | 0.54 | 0.68**     | 0.65**      | 0.84**      | 1                |                    |
| Care Competence  | 0.51 | 0.54**     | 0.56**      | 0.47**      | 0.59**           | 1                  |

**Note(s):** \*\* Significant at the 0.01 level  
Statistic was based on Pearson correlation analysis  
AVE = average variance extracted

**Table 2.**  
Correlation between  
technology acceptance  
model, care intention  
and care  
competence (N = 287)

$p < 0.001$ ) and care competence ( $r = 0.47, p < 0.001$ ) that could verify H6, H7 and H8. Furthermore, the variables of intention to use technologies were positively correlated with care competence ( $r = 0.59, p < 0.001$ ). For all the multiple regression model constructs, the significant factors were identified using survey data. The results revealed that the major predictors were PEOU ( $\beta = 0.28, 95\%$  confidence interval (CI) 0.16–0.40) and PU ( $\beta = 0.22, CI$  0.09–0.35); the explanatory power of competence in geriatric care was 33%.

## 5. Discussion

### 5.1 Principal results and comparison with prior studies

The present study explored students' adoption and acceptance of VL for geriatric care education during the COVID-19 pandemic (while they were affected by stay-at-home lockdown measures). The body of evidence indicates that VL simulation distinguishes participants' experience levels (Knutzen, 2019; Martín-Gutiérrez *et al.*, 2017). Ease of use and usefulness were ranked as the major factors that influenced the participants' competence after they engaged in VL (Araka *et al.*, 2020; Aslan and Duruhan, 2021). Virtual education offers students the opportunity to study at their own pace and convenience. Therefore, flexibility and convenience are major drivers of the demand for VL education (Adedoyin and Soykan, 2020; Amrane-Cooper, 2020; Crawford *et al.*, 2020; Dhawan, 2020; Hatzipanagos *et al.*, 2020; Pham and Ho, 2020).

The present study results indicated that the participants' PEOU, PF and PU with respect to VL for geriatric care education could affect their competence (Davis and Venkatesh, 1966; Gonzalez *et al.*, 2020). After transitioning to VL, many students reported that VL was a pleasant experience and expressed positive attitudes toward VL for geriatric care education (Araka *et al.*, 2020; Aslan and Duruhan, 2021). This study explored students' care competence and examined its relationship with their acceptance of VL for geriatric care education during the COVID-19 pandemic.

Previous studies indicated that many students worldwide have had to transition from in-person instruction to a VLE midway through their semester during the COVID-19 pandemic (Adedoyin and Soykan, 2020; Amrane-Cooper, 2020; Amir *et al.*, 2020; Dhawan, 2020; Gismalla *et al.*, 2021; Ludi, 2020). The interaction between students and teachers is mediated by technology, and the design of learning content and environments can influence learning outcomes (Araka *et al.*, 2020; Aslan and Duruhan, 2021). An evaluation of the effectiveness of VL of geriatric care revealed that as a tool, VL has positive effects on the social and emotional well-being of older adults.

Comparison with prior studies have explored specific areas of VL such as innovations in VL strategies (Joos *et al.*, 2021), synchronism and quality in virtual education (Esfijani, 2015), accessibility in virtual higher education (Martín-Gutiérrez *et al.*, 2017), problem-based learning in VLEs (Aslan and Duruhan, 2021), self-regulated learning in VLEs (Araka *et al.*, 2020) and game-based learning in VLEs (Pellas and Mystakidis, 2020). The study participants had the highest average score for PF of VL. Since virtual education has been studied for decades, and the positive effects of virtual teaching are the result of instructional design and planning (Hodges *et al.*, 2020), the findings in this were consistent with past studies that have reviewed VL and positive innovations in VL strategies (Araka *et al.*, 2020; Aslan and Duruhan, 2021; Esfijani, 2015; Joos *et al.*, 2021; Martín-Gutiérrez *et al.*, 2017; Pellas and Mystakidis, 2020).

Most participants were new to VL and might have thought that VL was not desirable for geriatric care education. However, they were still able to learn about geriatric care (including aspects such as basic geriatric care skills, assessment, nursing ethics and case management) through VL. Therefore, instructors must clearly explain to students that the transition to VL was a response to the global COVID-19 crisis. VL instruction is an

extensively studied field due to the anticipated full-scale adoption of VL and teaching in the future (Murphy, 2020).

Significant effects on behavioral change (with respect to geriatric care competence) were also observed; this finding is consistent with those of previous studies (Amir *et al.*, 2020; Bervell and Umar, 2017; Lafraxo *et al.*, 2021). Attitudes toward and intention to adopt VL and student's behavioral change in care competence positively influence the actual adoption of VL and teaching during the COVID-19 crisis (Bączek *et al.*, 2021; Muthuprasad *et al.*, 2021; Pal and Vanijja, 2020).

The findings verified that the participants' motivation increased when they transitioned to VL, and interaction was a motivating factor for them during the COVID-19 pandemic. The findings also indicated that the participants used more platforms and virtual educational tools after transitioning to VL. Furthermore, the present study revealed that PU and PEOU influenced the participants' intention to use VL technology. Collectively, the before mentioned findings are consistent with those of previous studies (Adedoyin and Soykan, 2020; Amrane-Cooper, 2020; Amir *et al.*, 2020; Araka *et al.*, 2020; Aslan and Duruhan, 2021; Bączek *et al.*, 2021; Dhawan, 2020; Gismalla *et al.*, 2021; Ludi, 2020; Martín-Gutiérrez *et al.*, 2017; Muthuprasad *et al.*, 2021; Pal and Vanijja, 2020; Pellas and Mystakidis, 2020).

### 5.2 Limitations

The survey results could have been influenced by the situation of the participants when they filled out the questionnaire; thus, the results may not fully reflect their current situation. Moreover, the participants' responses included subjective statements, making it difficult to determine their actual intention. Due to the quantitative nature of the study, it was difficult to clarify the participants' perceived acceptance of technology through their care experiences. Future studies should incorporate qualitative interviews to expand on the influencing factors revealed in the present study.

## 6. Conclusion

On the basis of the findings, it can be learned that when transitioning to VL, the participants' motivation would increase, and more platforms and virtual educational tools would be used. During the COVID-19 pandemic, the need for the transition to VL has brought positive influence when it comes to medical education. This present study, thus, proposes the following suggestions regarding medical education, practice and research. This study identified the factors that influence students' adoption and acceptance of VL during the COVID-19 pandemic and implementation of stay-at-home orders; it also verified that VL provides more learning opportunities for students and can lead to behavioral change with regard to care competence. It is hoped that this study can serve as a reference for future study on the online teaching strategy and its effectiveness in the post COVID-19 era in the field of clinical medicine and nursing education.

### Abbreviations

|    |              |
|----|--------------|
| H1 | Hypothesis 1 |
| H2 | Hypothesis 2 |
| H3 | Hypothesis 3 |
| H4 | Hypothesis 4 |
| H5 | Hypothesis 5 |
| H6 | Hypothesis 6 |
| H7 | Hypothesis 7 |
| H8 | Hypothesis 8 |

|      |                            |
|------|----------------------------|
| RQ 1 | Research question 1        |
| RQ 2 | Research question 2        |
| RQ 3 | Research question 3        |
| VL   | Virtual learning           |
| CI   | Confidence interval        |
| PU   | Perceived usefulness       |
| PEOU | Perceived ease-of-use      |
| PF   | Perceived flexibility      |
| AVE  | Average variance extracted |
| CR   | Composite reliability      |

References

Adedoyin, O.B. and Soykan, E. (2020), "Covid-19 pandemic and online learning: the challenges and opportunities", *Interactive Learning Environments*, Vol. 28, pp. 1-13, doi: [10.1080/10494820.2020.1813180](https://doi.org/10.1080/10494820.2020.1813180).

Al-Rahmi, W.M., Yahaya, N., Aldraiweesh, A.A., Alamri, M.M., Aljarboa, N.A., Alturki, U. and Aljeraiwi, A.A. (2019), "Integrating technology acceptance model with innovation diffusion theory: an empirical investigation on students' intention to use e-learning systems", *IEEE Access*, Vol. 7, pp. 26797-26809, doi: [10.1109/ACCESS.2019.2899368](https://doi.org/10.1109/ACCESS.2019.2899368).

Ali, W. (2020), "Online and remote learning in higher education institutes: a necessity in light of COVID-19 pandemic", *Higher Education Studies*, Vol. 10 No. 3, pp. 16-25, doi: [10.5539/hes.v10n3p16](https://doi.org/10.5539/hes.v10n3p16).

American Association of Colleges of Nursing (2010), "Recommended baccalaureate competencies and curricular guidelines for the nursing care of older adults", available at: [http://www.aacn.nche.edu/geriatric-nursing/AACN\\_Gerocompetencies.pdf](http://www.aacn.nche.edu/geriatric-nursing/AACN_Gerocompetencies.pdf) (accessed 20 December 2020).

Amir, L.R., Tanti, I., Maharani, D.A., Wimardhani, Y.S., Julia, V., Sulijaya, B. and Puspitawati, R. (2020), "Student perspective of classroom and distance learning during COVID-19 pandemic in the undergraduate dental study program Universitas Indonesia", *BMC Medical Education*, Vol. 20 No. 1, pp. 1-8, doi: [10.1186/s12909-020-02312-0](https://doi.org/10.1186/s12909-020-02312-0).

Amrane-Cooper, L. (2020), *The New Normal of Online Learning in a Post Covid-19 World*, Univ London, p. 1, available at: <https://london.ac.uk/news-opinion/london-connection/qand-a/online-learning-post-covid-19> (accessed 5 September 2021).

Araka, E., Maina, E., Gitonga, R. and Oboko, R. (2020), "Research trends in measurement and intervention tools for self-regulated learning for e-learning environments—systematic review (2008-2018)", *Research and Practice in Technology Enhanced Learning*, Vol. 15 No. 1, pp. 1-21, doi: [10.1186/s41039-020-00129-5](https://doi.org/10.1186/s41039-020-00129-5).

Aslan, S.A. and Duruhan, K. (2021), "The effect of virtual learning environments designed according to problem-based learning approach to students' success, problem-solving skills, and motivations", *Education and Information Technologies*, Vol. 26 No. 2, pp. 2253-2283, doi: [10.1007/s10639-020-10354-6](https://doi.org/10.1007/s10639-020-10354-6).

Bączek, M., Zagańczyk-Bączek, M., Szpringer, M., Jaroszyński, A. and Woźakowska-Kapłon, B. (2021), "Students' perception of online learning during the COVID-19 pandemic: a survey study of Polish medical students", *Medicine (Baltimore)*, Vol. 100 No. 7, e24821, doi: [10.1097/MD.00000000000024821](https://doi.org/10.1097/MD.00000000000024821).

Bervell, B. and Umar, I.N. (2017), "Validation of the UTAUT model: re-considering non-linear relationships of exogeneous variables in higher education technology acceptance research", *Eurasia Journal of Mathematics, Science and Technology Education*, Vol. 13 No. 10, pp. 6471-6490, doi: [10.12973/ejmste/78076](https://doi.org/10.12973/ejmste/78076).

Crawford, J., Butler-Henderson, K., Rudolph, J., Malkawi, B., Glowatz, M., Burton, R., Magni, P. and Lam, S. (2020), "COVID-19: 20 countries' higher education intra-period digital pedagogy

- responses", *Journal of Applied Learning and Teaching*, Vol. 3 No. 1, pp. 1-20, doi: [10.37074/jalt.2020.3.1.7](https://doi.org/10.37074/jalt.2020.3.1.7).
- Daniel, S.J. (2020), "Education and the COVID-19 pandemic", *Prospects*, Vol. 49 No. 1, pp. 91-96, doi: [10.1007/s11125-020-09464-3](https://doi.org/10.1007/s11125-020-09464-3).
- Davis, F.D. and Venkatesh, V. (1966), "A critical assessment of potential measurement biases in the technology acceptance model: three experiments", *International Journal of Human-Computer Studies*, Vol. 45 No. 1, pp. 19-45, doi: [10.1006/ijhc.1996.0040](https://doi.org/10.1006/ijhc.1996.0040).
- Dhawan, S. (2020), "Online learning: a panacea in the time of COVID-19 crisis", *Journal of Educational Technology Systems*, Vol. 49 No. 1, pp. 5-22, doi: [10.1177/0047239520934018](https://doi.org/10.1177/0047239520934018).
- Du, J., Dong, L., Wang, T., Yuan, C., Fu, R., Zhang, L., Liu, B., Zhang, M., Yin, Y., Qin, J. and Bouey, J. (2020), *Psychological Symptoms Among Frontline Healthcare Workers during COVID-19 Outbreak in Wuhan*, General Hospital Psychiatry, Wuhan.
- Esfijani, A. (2015), "Measuring quality in online education: a meta-synthesis", *American Journal of Distance Education*, Vol. 32 No. 1, pp. 57-73, doi: [10.1080/08923647.2018.1417658](https://doi.org/10.1080/08923647.2018.1417658).
- Fornell, C. and Larcker, D.F. (1981), "Evaluating structural equation models with unobservable variables and measurement error", *Journal of Marketing Research*, Vol. 18 No. 1, pp. 39-50, doi: [10.2307/3151312](https://doi.org/10.2307/3151312).
- Gismalla, M.D.A., Mohamed, M.S., Ibrahim, O.S.O., Elhassan, M.M.A. and Mohamed, M.N.E. (2021), "Medical students' perception towards E-learning during COVID 19 pandemic in a high burden developing country", *BMC Medical Education*, Vol. 21 No. 1, pp. 1-7, doi: [10.1186/s12909-021-02811-8](https://doi.org/10.1186/s12909-021-02811-8).
- Gonzalez, T., De La Rubia, M.A., Hincz, K.P., Comas-Lopez, M., Subirats, L., Fort, S. and Sacha, G.M. (2020), "Influence of COVID-19 confinement on students' performance in higher education", *PloS One*, Vol. 15 No. 10, e0239490, doi: [10.1371/journal.pone.0239490](https://doi.org/10.1371/journal.pone.0239490).
- Harper, C.A., Satchell, L.P., Fido, D. and Litzman, R.D. (2020), "Functional fear predicts public health compliance in the COVID-19 pandemic", *International Journal of Mental Health and Addiction*, Vol. 18, pp. 1-14, doi: [10.1007/s11469-020-00281-5](https://doi.org/10.1007/s11469-020-00281-5).
- Hatzipanagos, S., Tait, A. and Amrane-Cooper, L. (2020), "Towards a post Covid-19 digital authentic assessment practice: when radical changes enhance the student experience", in *European Distance and E-Learning Network (EDEN) Conference Proceedings*, Lisbon, pp. 59-65, No. 1.
- Hodges, C., Moore, S., Lockee, B., Trust, T. and Bond, A. (2020), "The difference between emergency remote teaching and online learning", *Educational Review*, Vol. 27, pp. 1-12.
- Joos, E., Zivkovic, I. and Shariff, F. (2021), "Virtual learning in global surgery: current strategies and adaptation for the COVID-19 pandemic", *International Journal of Surgery Global Health*, Vol. 4 No. 1, e42, doi: [10.1097/GH9.0000000000000042](https://doi.org/10.1097/GH9.0000000000000042).
- Knutzen, K.B. (2019), "A hybrid model of experiential learning within the social virtual world of second life", *Journal of Virtual World Research*, Vol. 12 No. 2, pp. 1-19, doi: [10.4101/jvwr.v12i2.7364](https://doi.org/10.4101/jvwr.v12i2.7364).
- Lafraxo, M.A., Ouadoud, M., El Madhi, Y., Rehali, M. and Soulaymani, A. (2021), "Burnout syndrome prevention measures among nursing staff: implementing a mobile application based on MIT's app inventor tool using the scratch programming code", *International Journal of Online and Biomedical Engineering*, Vol. 17 No. 4, pp. 81-95, doi: [10.3991/ijoe.v17i04.20393](https://doi.org/10.3991/ijoe.v17i04.20393).
- Lee, M.K., Cheung, C.M. and Chen, Z. (2005), "Acceptance of Internet-based learning medium: the role of extrinsic and intrinsic motivation", *Information and Management*, Vol. 42 No. 8, pp. 1095-1104, doi: [10.1016/j.im.2003.10.007](https://doi.org/10.1016/j.im.2003.10.007).
- Lee, Y.H., Hsieh, Y.C. and Hsu, C.N. (2011), "Adding innovation diffusion theory to the technology acceptance model: supporting employees' intentions to use e-learning systems", *Journal of Educational Technology and Society*, Vol. 14 No. 4, pp. 124-137.
- Ludi, E. (2020), *How Countries Are Using EDTECH (Including Online Learning, Radio, Television, Texting) to Support Access to Remote Learning during the COVID-19 Pandemic*, Swiss Agency for Development and Cooperation, Austria.

- Martín-Gutiérrez, J., Mora, C.E., Añorbe-Díaz, B. and González-Marrero, A. (2017), "Virtual technologies trends in education", *Eurasia Journal of Mathematics, Science and Technology Education*, Vol. 13 No. 2, pp. 469-486, doi: [10.12973/eurasia.2017.00626a](https://doi.org/10.12973/eurasia.2017.00626a).
- Murphy, M.P. (2020), "COVID-19 and emergency eLearning: consequences of the securitization of higher education for post-pandemic pedagogy", *Contemporary Security Policy*, Vol. 41 No. 3, pp. 492-505, doi: [10.1080/13523260.2020.1761749](https://doi.org/10.1080/13523260.2020.1761749).
- Muthuprasad, T., Aiswarya, S., Aditya, K.S. and Jha, G.K. (2021), "Students' perception and preference for online education in India during COVID -19 pandemic", *Social Sciences and Humanities Open*, Vol. 3 No. 1, p. 100101, doi: [10.1016/j.ssaho.2020.100101](https://doi.org/10.1016/j.ssaho.2020.100101).
- Pal, D. and Vanijja, V. (2020), "Perceived usability evaluation of Microsoft Teams as an online learning platform during COVID-19 using system usability scale and technology acceptance model in India", *Children and Youth Services Review*, Vol. 119, p. 105535, doi: [10.1016/j.childyouth.2020.105535](https://doi.org/10.1016/j.childyouth.2020.105535).
- Pellas, N. and Mystakidis, S. (2020), "A systematic review of research about game-based learning in virtual worlds", *Journal of Universal Computer Science*, Vol. 26 No. 8, pp. 1018-1042, doi: [10.3897/jucs.2020.054](https://doi.org/10.3897/jucs.2020.054).
- Pereira, F.A.M., Ramos, A.S.M., Andrade, A.P.V. and Oliveira, B.M.K. (2015), "Use of virtual learning environments: a theoretical model using decomposed expectancy disconfirmation theory", *Journal of Information Systems and Technology Management*, Vol. 12 No. 2, pp. 333-350, doi: [10.4301/s1807-17752015000200008](https://doi.org/10.4301/s1807-17752015000200008).
- Pham, H.H. and Ho, T.T.H. (2020), "Toward a 'new normal' with e-learning in Vietnamese higher education during the post COVID-19 pandemic", *Higher Education Research and Development*, Vol. 39 No. 7, pp. 1327-1331, doi: [10.1080/07294360.2020.1823945](https://doi.org/10.1080/07294360.2020.1823945).
- World Health Organization (2021), "WHO coronavirus disease (COVID-19) dashboard", available at: <https://covid19.who.int/table> (accessed 11 February 2021).

**Corresponding author**

Tien-Chi Huang can be contacted at: [tchuang@nutc.edu.tw](mailto:tchuang@nutc.edu.tw)

For instructions on how to order reprints of this article, please visit our website:

[www.emeraldgroupublishing.com/licensing/reprints.htm](http://www.emeraldgroupublishing.com/licensing/reprints.htm)

Or contact us for further details: [permissions@emeraldinsight.com](mailto:permissions@emeraldinsight.com)