

Awareness and adoption of wearable technologies for health and safety management in the Nigerian construction industry

Awareness &
adoption of
wearable
technologies

15

Kabir Ibrahim

*Department of Quantity Surveying and Construction Management,
University of the Free State, Bloemfontein Campus, Bloemfontein, South Africa*

Fredrick Simpeh

*Department of Construction and Wood Technology Education,
Akonte Appiah-Menka University of Skills Training and Entrepreneurial
Development, Tanoso-Kumasi, Ghana, and*

Oluseyi Julius Adebawale

*Department of Construction Management, Nelson Mandela University,
Gqeberha, South Africa*

Received 17 November 2022
Revised 1 February 2023
28 March 2023
21 May 2023
Accepted 25 May 2023

Abstract

Purpose – Technologies have had a positive impact on the construction industry. Technologies such as BIM, automation, augmented and virtual reality, Internet of Things and robotics have been adopted by construction firms to enhance productivity. However, not much research has been done on the awareness and adoption of wearable technologies for health and safety (H&S) management. This paper investigates the level of awareness and adoption of wearable technologies for H&S management in the Nigerian construction industry.

Design/methodology/approach – A quantitative research method was adopted for the study. An electronic questionnaire format was used as an instrument to collect the data. Both descriptive (mean score) and inferential statistics (Kruskal–Wallis test) were used to analyse the data.

Findings – The results indicate that organisations rarely use H&S wearable devices for H&S management although professionals within the construction industry are somewhat aware of the common H&S wearable devices. The findings further indicate that all 11 variables were perceived as “rarely adopted”, whereas 2 variables were perceived as “aware”, 3 variables as “slightly aware” and the remaining 6 variables as “somewhat aware”.

Research limitations/implications – Data were collected from only construction professionals working in government agencies, consultancy firms and grade D contracting firms in Lagos and Abuja. For a broader perspective, a study that expands the number of states and categories of construction firms is recommended.

Practical implications – The construction industry in Nigeria can use the recommendations to improve H&S management on site. Moreover, the recommendations can contribute to the development of policies to promote the adoption of wearable technologies in construction sites.

Originality/value – Research on wearable technologies, particularly in the Nigerian construction industry, is at the developing stage. With this article, the authors contribute to the body of knowledge in this area of research.

Keywords Adoption, Awareness, Construction, Health and safety, Nigeria, Wearable technology

Paper type Research paper



© Kabir Ibrahim, Fredrick Simpeh and Oluseyi Julius Adebawale. Published in *Frontiers in Engineering and Built Environment*. Published by Emerald Publishing Limited. This article is published under the Creative Commons Attribution (CC BY 4.0) licence. Anyone may reproduce, distribute, translate and create derivative works of this article (for both commercial and non-commercial purposes), subject to full attribution to the original publication and authors. The full terms of this licence may be seen at <http://creativecommons.org/licences/by/4.0/legalcode>

Frontiers in Engineering and Built
Environment
Vol. 4 No. 1, 2024
pp. 15-28
Emerald Publishing Limited
e-ISSN: 2634-2502
p-ISSN: 2634-2499
DOI 10.1108/FEBE-11-2022-0041

Introduction

The construction industry in every country plays a key role towards economic development. It provides the necessary facilities and infrastructure needed for other sectors' development. The construction industry contributes to about 7% of the global job creation and 10% of global Gross Domestic Product (GDP) (Djokoto *et al.*, 2014). With specific reference to Nigeria, Ogunsanya *et al.* (2019) indicated that the construction industry contributes to the economy by employing over 6 million people. Moreover, Abubakar *et al.* (2018) revealed that the construction sector makes a 3.8% contribution to the Nigerian GDP. Notwithstanding the significant contributions to employment and the GDP of a country, the construction industry's health and safety (H&S) outlook is generally negative. For example, ILO (2017) revealed that the construction industry accounts for about one-sixth of the 313 million global annual injuries. Several studies conducted across the globe highlight the inherent risk and negative outlook of the construction industry (e.g. Legg *et al.*, 2015; Okoro *et al.*, 2022; Maiti and Choi, 2019). This situation is not different in Nigeria. For example, Umeokafor (2020) revealed that effective implementation of H&S legislation, standards and measures is lacking in Nigeria. Other studies conducted by Kukoyi and Smallwood (2017), Ibrahim *et al.* (2018) and Umeokafor (2020) provide evidence of construction H&S management challenges/lapses in Nigeria.

The nature of construction and the activities involved such as manual handling (e.g. lifting weights), material handling (e.g. working with dangerous materials and pollutants), working around plants, working at height and working in/with awkward postures make construction hazardous and risky (Antwi-Afari *et al.*, 2017; Haslam *et al.*, 2005; Dutta *et al.*, 2020). Apart from the nature of work, several other factors such as suitability and condition of materials, shortcomings with equipment and tools, and workplace issues also contribute to construction H&S problems (Haslam *et al.*, 2005). Moreover, insufficient supervision, H&S management inadequacy, and poor H&S training contribute to construction H&S problems (CIDB, 2009). To mitigate the negative outlook of construction and the level of accidents on site, effective measures need to be implemented. Pollitt (2006) is of the opinion that instituting effective training and awareness creation systems can help improve H&S management on site. Furtherance to awareness creation among contractors and employees, Vitharana *et al.* (2015) revealed that educating workers on risk factors and risk prevention can also help to improve safety on site. Moreover, the application/adoption of technologies could help to mitigate these H&S challenges. Notwithstanding, the majority of studies on construction H&S have focused on policy, management approaches, and human and cultural aspects of safety (Williams *et al.*, 2020), with less attention on the application of technologies in H&S management (Awolusi *et al.*, 2018). In the African context, little research has been carried out on the application of technologies for H&S management. To buttress, Aghimien *et al.* (2019) indicated that countries in Africa have less research focus on the application of digital technologies in the construction industry. The few studies conducted in Africa include Afolabi *et al.* (2019), Moshood *et al.* (2020), Oke and Arowoia (2021), Agyekum *et al.* (2022) and Ejidike *et al.* (2022). Wearable safety devices, geographic information systems, sensing technologies, virtual reality and BIM are the main technologies currently adopted for H&S management in Africa (Agyekum *et al.*, 2022). This demonstrates that wearable devices are one of the important H&S technologies adopted in the construction industry. With regard to wearable devices, there is no evidence of studies conducted in sub-Saharan Africa to determine the extent of their adoption for H&S management. The study of Afolabi *et al.* (2019) focused on e-Procurement technologies in Nigeria whilst Moshood *et al.* (2020) determined, "barriers and benefits of ICT adoption in the Nigerian construction industry: A comprehensive literature review". Moreover, the focus of Oke and Arowoia's study was on augmented reality technology in the construction industry (Oke and Arowoia, 2021). It is on this premise that this paper seeks to investigate the level of awareness and adoption of wearable technology for H&S management in the Nigerian construction industry.

Overview of construction health and safety in Nigeria

The unsatisfactory state of construction H&S management in Nigeria can be attributed to a number of factors. For example, [Umeokafor \(2018\)](#) revealed that the H&S regulatory system in Nigeria is fragmented, and that compliance with H&S laws is very low. Also, construction firms in Nigeria allocate few resources to H&S management and rarely keep on-site accident and injury records ([Ikechukwu et al., 2013](#)). Moreover, there is lack of specification of the client roles and responsibilities in the H&S regulation leading to a low level of client involvement ([Umeokafor, 2017](#)). As a result of these lapses, researchers have proposed several interventions to improve construction H&S in Nigeria. [Okoye \(2016\)](#) proposed construction H&S performance improvement frameworks whereas [Okoye et al. \(2017\)](#) developed H&S intervention strategies for the industry. Although the recommendations from the existing studies are steps in the right direction, there is still much to be done to improve H&S in the Nigerian construction industry. [Umeokafor \(2018\)](#) revealed that H&S studies conducted in Nigeria do not focus on issues that can have significant improvement in H&S management such as designing out hazards and building information modelling and advanced technology. Construction H&S studies in Nigeria have generally focused on occupational hazards, risk assessment and control, and risk management and techniques. Some studies have focused on the general practice of safety management and accident prevention, whilst a few other studies address H&S regulations and compliance (e.g. [Kukoyi and Adebowale, 2021](#); [Umeokafor, 2018](#); and [Umeokafor, 2020](#)). Whereas advanced technologies could improve construction H&S on site, little research has been done on the use of technologies to promote construction H&S management. Smart practices have proven to have some advantages over traditional H&S programmes in terms of accidents and fatalities prevention in construction workplaces ([Okoye et al., 2017](#)). One of the technologies that can be adopted to promote H&S management is wearable devices.

Wearable technologies for health and safety management

Wearable technologies have applications across many industries and/or fields; they are widely used in the medical and health fields, sports, mining, military, education and infotainment ([Awolusi et al., 2018](#)). [Seneviratne et al. \(2017\)](#) defined wearable devices as wearable computer devices that are controlled by, and can interact with, the user. These devices are generally incorporated into clothing and accessories of the wearer ([Sultan, 2015](#)). Characteristics of wearable devices are wearability, portability and intelligence ([Cheng et al., 2021](#)). [Cheng et al. \(2021\)](#) indicated that wearable devices are undergoing rapid development due to their ability to perform functions on the user's body. Thus, wearable devices have broad applications across many fields including the construction industry ([Awolusi et al., 2018](#)). [Mardonova and Choi \(2018\)](#) conducted a review of wearable technologies and their applications to the mining industry. The authors classified the wearable devices into smartwatch, smart eyewear, fitness tracker, smart clothing, smart camera and wearable medical device. [Awolusi et al. \(2018\)](#) classified sensors for wearable devices applicable for construction H&S as physiological monitoring, environmental sensing, proximity detection and location tracking. [Nnaji et al. \(2021\)](#) identified smartphone, smartwatch, smart band, smart ring, smart bracelet, smart necklace, smart safety hard hats, smart safety vests, smart safety glasses, smart safety boots, wearable lights, attachable devices and wearable cameras as the main wearable devices used in construction projects in the United States of America. [Nnaji et al. \(2021\)](#) further revealed that the most popular wearable devices are smartphone and safety hard hats, followed by smart safety vests, smart safety glasses, wearable lights and attachable devices. [Agyekum et al. \(2022\)](#) revealed that the common wearable devices adopted for H&S in the Ghanaian construction industry are safety hats, vests and glasses. [Ahn et al. \(2019\)](#) noted that wearable technologies are used in the construction industry for risk recognition, to avoid musculoskeletal disorders of workers, keep watch on workers'

mental health status, guide against falls during work, and evaluate workload and fatigue levels of workers. The common wearable devices applicable for construction H&S management are discussed in [Table S1](#).

Awareness and adoption of wearable technologies

Several frameworks and models such as Technology Acceptance Model, Theory of Planned Behavior, Diffusion of Innovation theory, Theory of Reasoned Action, Model of PC Utilisation, Motivational Model, Unified Theory of Acceptance and Use of Technology and Social Cognitive Theory are used to explain user adoption of new technologies ([Taherdoost, 2018](#)). Adoption theory examines the individual and the choices an individual makes to accept or reject a particular innovation ([Straub, 2009](#)). [Rogers \(2003\)](#) enumerated five stages of the adoption process:

- (1) Awareness – Awareness of the innovation, but lacking complete information about it.
- (2) Interest – Growing interest and information seeking.
- (3) Evaluation – Decision whether or not to try innovation based on present and future situations (process may end here if negative decision).
- (4) Trial – Making use of the innovation. (If use does not continue, this is called “reneging” on adoption.)
- (5) Adoption – Continued full use of the innovation.

Awareness is the first stage of the process. [Straub \(2009\)](#) believes that a very high awareness rate is a good condition, though not sufficient, for making an informed adoption decision. The authors further indicated that 100% awareness rate is needed to promote adoption. Creating awareness of the advantages of innovative technologies and providing evidence of successes achieved help to counter resistance and thereby promote the adoption of innovative technologies ([Arabshahi et al., 2022](#)). However, after awareness is created, further steps – such as education and research – must be taken to ensure effective adoption. Information dissemination resulting from research on the application of technologies helps to promote the uptake of technologies. The few studies on the awareness of technologies in the construction industry demonstrate that the technological awareness level is low in developing countries such as Nigeria ([Martinez-Aires et al., 2018](#)). A study by [Afolabi et al. \(2019\)](#) and [Moshood et al. \(2020\)](#) indicated that the level of awareness regarding the benefits to be derived from the adoption of technology is still low in Nigeria.

With regard to the adoption of technologies, studies suggest that the construction industry is behind the other industries. For example, [Agyekum et al. \(2022\)](#) found that the level of usage of technologies for H&S management among construction professionals in Ghana is moderate. Similarly, [Arabshahi et al. \(2022\)](#) stated that despite the potential of sensing technology on construction performance, its adoption in construction projects is slow. The authors further revealed that even the popular technologies are not adopted by many construction companies. [Nnaji et al. \(2021\)](#) revealed that not all the common wearable devices are adopted for H&S risk mitigation in the United States of America, a country where technology is advanced. The authors further revealed that the most common wearable devices used in construction projects are smartphones, smart hard hats and smart vests. This worrying trend is even worse in developing countries such as Nigeria. [Oke and Arowoiya \(2021\)](#) noted that the adoption of technologies in the Nigerian construction industry is still in a nascent stage. Similarly, [Ejidiye et al. \(2022\)](#) found that professionals in the Nigerian construction industry are aware of the inherent advantages of using technologies; however, they rarely adopt technologies that could enhance performance.

Research methodology

This study sought to analyse the level of awareness and adoption of wearable technology for H&S management in the Nigerian construction industry. In doing so, deductive reasoning was adopted. This approach enables researchers to move from a generally accepted theory to a specific conclusion (Babbie, 2013). The majority of positivist studies are quantitative in nature. Positivists argue that objective, observable and verifiable facts are the only means of understanding and explaining a phenomenon. In line with the philosophy and approach, quantitative data was collected. Therefore, a quantitative approach using a positivist viewpoint was adopted for this study.

The research population comprised active construction industry professionals – e.g. Architects, Builders, Engineers, H&S officers and Quantity Surveyors – employed by government agencies, consultancy firms and grade A contracting firms. Sampling is the process of selecting a subset of a population to represent the entire population of interest. Accordingly, sampling helps to extract acceptable respondents to represent the larger population from whom data is collected (Welman *et al.*, 2005). Probability and non-probability are the two main methods of sampling. Purposive sampling, a type of non-probability sampling technique, was adopted. Purposive sampling enables the researcher to identify people who have the knowledge or experience to take part in a study. Construction organisations are classified into into grades A, B, C and D based on the organisations' capacity to execute projects. Category D are firms with the capacity to bid for projects between N250m and N1bn. Wearable safety technologies are relatively new to developing countries; consequently, only big construction firms (i.e. grade D), government agencies and consultancy firms were targeted for the study. These categories of firms were selected because they have the financial strength and resources to invest in technologies. Thus, only construction professionals working in government agencies, consultancy firms and grade D firms in Nigeria (i.e. Lagos and Abuja) were included in the study. For data collection, an electronic questionnaire format was used, where a survey link was generated and sent to multiple construction professionals' social media platforms. The survey was open from 15 May 2022 through 4 September 2022. A total of 120 questionnaires were received; however, 12 were not fully completed. Therefore, 108 representing 90% were used for the analysis.

The questionnaire was divided into three sections: demographics, awareness and adoption. The awareness section of the questionnaire was captured on a 4-point Likert scale where 1 = not aware; 2 = slightly aware; 3 = somewhat aware and 4 = aware, whilst the questions for the adoption were captured on a 5-point Likert scale where 1 = never; 2 = rarely; 3 = sometimes; 4 = often and 5 = always. A Mean Score (MS) value range was determined to ensure consistent classification and interpretations. For the 4-point scale, 1 was subtracted from 4 which equals 3, after that, the 3 was divided by 4 equalling 0.75 which becomes the MS range. Consequently, the MS range for “not aware” becomes $>1.00 \leq 1.75$; “slightly aware” becomes $>1.75 \leq 2.50$; “somewhat aware” becomes $>2.50 \leq 3.25$ and “aware” becomes $>3.25 \leq 4.00$. With regard to the 5-point scale, 1 was subtracted from 5 which equals 4, after that, the 4 was divided by 5 equalling 0.8 which becomes the MS range. Consequently, the MS range for “never” becomes $>1.00 \leq 1.80$; “rarely” becomes $>1.80 \leq 2.60$; “sometimes” becomes $>2.60 \leq 3.40$; “often” becomes $>3.40 \leq 4.20$ and “always” becomes $>4.20 \leq 5.00$. This approach was also adopted by Adebowale (2018) and Simpeh and Adisa (2021).

Before data gathering, the research questionnaire was vetted by senior industry practitioners. The feedback received helped to improve the questionnaire. To ensure the reliability of the research, the questionnaire was tested with Cronbach's alpha value. Ursachi *et al.* (2015) clarified that whilst a value of 0.8 or greater Cronbach's alpha value is considered very good, a value of 0.6–0.7 indicates an acceptable level of reliability. The Cronbach's alpha coefficient value obtained for the awareness was 0.843 whereas 0.959 was obtained for the adoption. This demonstrates that the questions on the questionnaire were reliable.

Both descriptive (i.e. Mean Score) and inferential (Kruskal–Wallis test) statistics were used to analyse the data. The MS helped to present the data in a meaningful and understandable way, thereby simplifying the interpretation of the data. The Kruskal–Wallis test was used to measure/determine whether there are significant differences in the responses obtained from the different employer type. The p -values were set at 5% ($p < 0.05$), this implies that there is a significant difference in the responses from the different employer type if the value is below 0.05.

Analysis and discussion

Profile of respondent

The demographic information of the respondents indicates that whereas 15% of the respondents were Female, 85% were Male. Thus, majority of the respondents were male. This is anticipated because construction, particularly, in sub-Saharan Africa is male-dominated. Regarding the profession of the respondents, Builders had the highest percentage of 40.7%, followed by Quantity Surveyors with 37.0%. Next was the Architect with 11.1%, H&S officers with 5.6 and Engineers with 1.9%, while others make up the remaining 3.7%. In total, 44% of the employees were from Government Agency, 37% from Contracting and 19% from Consultancy. With regard to the level of education, B.Sc./B.Tech had the highest percentage of 41% whereas HND recorded the lowest (i.e. 9%). The qualification and wide-ranged professional representation indicate that the respondents were best positioned to provide valid responses. See [Table S2](#).

Level of awareness of wearable safety devices in the construction industry

[Table 1](#) shows the respondent's views regarding their level of awareness of wearable safety devices in the construction industry. The Mean Item Score (MIS) is adopted to rank the level of awareness, whilst the Kruskal–Wallis test (non-parametric test) is used to determine whether there are significant differences in the groups (i.e. employee type).

Government agencies had the highest awareness MIS, followed by Consultancy firms, and finally Contracting firms. Respondents from Government agencies ranked Smartwatch (3.46) and Wearable camera (3.46) first, followed by Fitness tracker (3.17). Those from Consultancy firms ranked Smartwatch (3.30) first, followed by Smart bracelet/band (3.10), and Wearable camera (2.90), Smart eyewear (2.90) and Sensor-equipped safety vest (2.90) in third position. With regard to Contracting firms, Smartwatch (3.41) was ranked first, followed by Wearable camera (3.22) and Smart bracelet/band (3.02). All the three employee types ranked Smartwatch as the first wearable safety device whereas Dust sensor, Rain sensor and Sensor incorporated into footwear were all ranked in the bottom three. Moreover, the MIS demonstrate that all the three employee types are aware of Smartwatch as a wearable safety device.

With regard to the combined responses, Smartwatch was ranked first with an MIS of 3.41, followed by Wearable camera with an MIS of 3.22, whereas Sensor incorporated into footwear was ranked last with an MIS of 2.22. The MS range obtained demonstrates that participants are “aware” of Smartwatch and Wearable camera as wearable safety devices. Sensor-equipped safety vest, Smart eyewear, Sensor-equipped safety helmet, Smart bracelet/band, Fitness tracker, Wearable camera and Wearable medical device all obtained MISs between 2.50 and 3.25, demonstrating that respondents are “somewhat aware” of these devices. The last three (Dust sensor, Rain sensor and Sensor incorporated into footwear) were all in the range of “slightly aware”. None of the wearable devices was rated below 1.75. This implies that none of the devices was rated as “not aware”.

Variables	Government agencies		Employer type		Contracting firms		Total		Kruskal–Wallis	Asymp. Sig.
	MIS	RK	Consultancy firms	RK	MIS	RK	MIS	RK		
Sensor-equipped safety vest	2.92	7	2.90	3	2.25	7	2.67	7	7.429	0.024*
Smart eyewear	3.08	4	2.90	3	2.70	5	2.91	5	3.284	0.194
Sensor-equipped safety helmet	2.79	8	2.80	6	2.20	8	2.57	8	5.736	0.057
Smartwatch	3.46	1	3.30	1	3.40	1	3.41	1	2.031	0.362
Smart bracelet/band	3.04	5	3.10	2	2.95	3	3.02	3	0.987	0.610
Fitness tracker	3.17	3	2.80	6	2.90	4	3.00	4	1.393	0.498
Wearable camera	3.46	1	2.90	3	3.10	2	3.22	2	5.398	0.067
Wearable medical device	3.04	5	2.70	8	2.40	6	2.74	6	6.251	0.044*
Dust sensor	2.54	11	2.40	9	2.10	9	2.35	9	3.611	0.164
Rain sensor	2.67	10	2.30	10	1.90	10	2.31	10	10.161	0.006*
Sensor incorporated into footwear	2.75	9	2.20	11	1.60	11	2.22	11	21.485	0.000*
Source(s): Table by authors										

Table 1.
Level of awareness of wearable safety devices in the construction industry

The Kruskal–Wallis test between employer types shows that the p -values obtained for seven of the variables (i.e. Smart eyewear, Sensor-equipped safety helmet, Smartwatch, Smart bracelet/band, Fitness tracker, Wearable camera and Dust sensor) were above 0.05. This demonstrates that there are no significant differences in the responses from the different employer type. However, Sensor-equipped safety vest, Wearable medical device, Rain sensor and Sensor incorporated into footwear obtained p -values below 0.05, implying significant differences in the responses.

Adoption level of wearable safety devices. The respondent's views on the adoption of wearable safety devices are presented in Table 2. Respondents from Government agencies ranked Fitness tracker (2.83) as the most adopted smart device, followed by Smartwatch (2.71) in the second position, and Smart bracelet/band (2.50) in the third position. With regard to Consultancy firms, Sensor-equipped safety vest (2.60) was ranked first, followed by Sensor-equipped safety helmet (2.40) and Fitness tracker (2.30). Those from Contracting firms ranked Smartwatch (2.10) first, followed by Fitness tracker (1.80) in second position and Smart eyewear (1.75) in third position. It is important to highlight that the three highest ranked wearable devices (i.e. Fitness tracker, Smartwatch and Sensor-equipped safety vest) across all the three employee types were in the range of “sometimes” adopted. Thus, none of the wearable devices was in the range of “often” or “always” adopted. Moreover, it is evident from Table 2 that Government agencies had the highest adoption MIS, followed by Consultancy firms, and Contracting firms in third position. Additionally, the MISs for the Contracting firms demonstrate that 9 out of the 11 variables were rated as “never” adopted.

For the combined responses, Smartwatch was ranked first with an MIS of 2.39 and the second in rank was Fitness tracker with an MIS of 2.35. Sensor-equipped safety vest was third in rank with an MIS of 2.11, the next ranked factor was Sensor-equipped safety helmet having an MIS of 2.09. Rain sensor and Sensor incorporated into footwear were the least ranked with MIS of 1.83. The MS range demonstrates that all the wearable devices obtained MISs between 1.80 and 2.60, demonstrating that all the wearable devices are “rarely” adopted in the Nigerian construction industry.

The Kruskal–Wallis test reveals that there are no significant differences in 6 of the 11 variables. These 6 variables (Sensor-equipped safety vest, Smart bracelet/band, Fitness tracker, Dust sensor, Rain sensor and Sensor incorporated into footwear) had a p -value below 0.05. The other 5 out of the 11 variables all recorded p -values above 0.05. Although five variables recorded significant differences, it is important to state that, with the exception of smartwatch, all these variables were either rated as “rarely” or “never” adopted by all the three employer types.

Awareness versus adoption

The awareness versus adoption ratings show that whereas all 11 variables were perceived as “rarely adopted”, only 2 variables were perceived as “aware”, 3 variables as “slightly aware” and the remaining 6 variables as “somewhat aware”. It is evident that the level of awareness is comparatively higher than the adoption rate (see Table S3). This implies that as much as the participants are generally “somewhat aware” of the common H&S-related wearable devices, their organisation “rarely” use them for H&S management.

Discussion and implications

The MS range obtained reveals that the awareness level of the wearable devices for H&S management was in three categories – “aware”, “somewhat aware” and “slightly aware”. Two technologies (i.e. Smartwatch and Wearable camera) were classified as “aware”, 3 technologies

Variables	Government agencies		Employer type		Contracting firms		Total		Kruskal–Wallis	Asymp. Sig.
	MIS	RK	Consulancy firms	RK	MIS	RK	MIS	RK		
Sensor-equipped safety vest	2.38	4	2.60	1	1.55	8	2.11	3	10.452	0.005*
Smart eyewear	2.29	8	2.00	6	1.75	3	2.04	6	3.091	0.213
Sensor-equipped safety helmet	2.33	5	2.40	2	1.65	5	2.09	4	3.885	0.143
Smartwatch	2.71	2	2.20	4	2.10	1	2.39	1	5.568	0.062
Smart bracelet/band	2.50	3	1.90	7	1.65	6	2.07	5	10.658	0.005*
Fitness tracker	2.83	1	2.30	3	1.80	2	2.35	2	13.225	0.001*
Wearable camera	2.25	9	1.70	11	1.70	4	1.94	9	3.717	0.156
Wearable medical device	2.33	6	1.80	9	1.65	7	1.98	7	4.448	0.108
Dust sensor	2.25	10	2.20	5	1.50	9	1.96	8	8.489	0.014*
Rain sensor	2.33	7	1.80	10	1.25	11	1.83	10	17.465	0.000*
Sensor incorporated into footwear	2.21	11	1.90	8	1.35	10	1.83	10	10.328	0.006*
Source(s): Table by authors										

Table 2.
Adoption level of wearable safety devices

(i.e. Dust sensor, Rain sensor and Sensor incorporated into footwear) as “slightly aware”, and 6 technologies (Sensor-equipped safety vest, Smart eyewear, Sensor-equipped safety helmet, Smart bracelet/band, Fitness tracker, Wearable camera and Wearable medical device) as “somewhat aware”. With the exception of Smartwatch and Wearable camera which received high awareness rating, respondents were not fully aware of all the other technologies. [Straub \(2009\)](#) believes that a 100% awareness rate is needed to promote adoption. Unfortunately, the findings reveal that professionals in the Nigerian construction industry have just a moderate awareness level of wearable devices for H&S management. The findings collaborate with the studies of [Aghimien et al. \(2019\)](#) and [Akinlolu et al. \(2020\)](#), who revealed that the awareness of technologies in the construction industry is low in Africa. Moreover, the result is consistent with the finding of [Okoro et al. \(2022\)](#) who opined that there is low awareness with regard to technologies that could enhance H&S practices in South Africa. From the Nigerian point of view, [Umeokafor \(2018\)](#) revealed that H&S studies conducted in Nigeria focus less on technology. Similarly, [Afolabi et al. \(2019\)](#) and [Moshood et al. \(2020\)](#) also found that the level of awareness of the benefits associated with the adoption of technology in the Nigerian construction industry is low.

This implies that continuous awareness creation and education on the emerging trends in H&S management and the advantages/benefits of adopting innovative technologies in H&S management is paramount. [Pollitt \(2006\)](#) posited that effective training and awareness creation systems help to improve H&S management on site. There is a need for construction firms, particularly the big firms, government agencies and consultancy firms to make conscious efforts by setting up a research unit within their firms and/or partnering with research and higher learning institutions to engage in innovative/technological researches. The government and other construction industry stakeholders also have a responsibility to provide financial support to promote research into these areas and further use their platforms to disseminate the findings of such studies. Seminars, special conferences and sensitisation drives should also be organised by construction industry stakeholders to drive this agenda. By so doing, construction firms and the construction industry professionals will become aware and will be willing to accept and adopt these technologies.

With regard to the adoption, all 11 technologies were perceived as “rarely adopted”. This finding correlates with those of [Akram et al. \(2019\)](#) and [Akinlolu et al. \(2020\)](#). [Arabshahi et al. \(2022\)](#) similarly found that technological devices are rarely adopted in the construction industry. Another study conducted by [Agyekum et al. \(2022\)](#) demonstrates that the adoption level of technologies in sub-Saharan Africa is very low. With specific reference to wearable devices, [Nnaji et al. \(2021\)](#) revealed that not all the common wearable devices are adopted for H&S risk mitigation in the United States of America. Studies suggest that countries from Americas, Europe, Australia and Asia are the most technologically innovative in the world ([Martinez-Aires et al., 2018](#); [Institute of Management, 2018](#)). Therefore, the findings are not particularly surprising because the general uptake and application of technologies in most of the countries on the African continent is low. With specific references to the Nigerian construction industry, [Ejidiike et al. \(2022\)](#) revealed that construction firms and professionals in Nigeria rarely adopt technologies.

This implies that after awareness is created, the construction firms, government agencies and consultancy firms have a responsibility to promote the acceptance of these new technologies and develop an organisational culture that embraces change. Moreover, organisations must devise strategies to break the resistance to change. This is crucial because adoption can only thrive if firms develop a culture that embraces change. The number of H&S professionals who responded to the questionnaire is quite low. This implies that the construction industry must put in more effort to promote H&S as a profession in the country.

Conclusion

Organisations have become aware of the important role technologies play in promoting the efficiency of activities. Several technologies such as building information modelling, automation and robotics have been adopted by construction firms to enhance productivity. Wearable technologies are now adopted to enhance construction H&S management. The study reported in this paper investigated the level of awareness and adoption of wearable technology for H&S management in the Nigerian (Abuja and Lagos) construction industry. The findings reveal that all 11 variables were perceived as “rarely adopted”, whereas 2 variables were perceived as “aware”, 3 variables as “slightly aware” and the remaining 6 variables as “somewhat aware”. Although some variables recorded significant differences, the differences recorded were not important since all those variables were either rated as “rarely” or “never” adopted by all the three employer types. It is, therefore, concluded that organisations “rarely” use wearable devices for H&S management although professionals within the construction industry are somewhat aware of the common H&S wearable devices. Only construction professionals working in government agencies, consultancy firms, and grade D contracting firms in Lagos and Abuja were used in this study; therefore, the findings of the study may not be generalised beyond this group. A study that expands the number of participating firms is, thus, recommended. The adoption level recorded is very low; therefore, it is recommended that construction/consultancy firms and government agencies commit more financial resources to promote the acceptance and procure these devices to promote H&S management on construction sites. All stakeholders in the construction industry have a responsibility to campaign for the adoption of H&S wearable devices by emphasising their importance and benefits. Research on wearable technologies, in developing countries, is very low. Therefore, this study contributes to the body of knowledge in this evolving area of research.

References

- Abubakar, M., Abdullahi, M. and Bala, K. (2018), “Analysis of the causality links between the growth of the construction industry and the growth of the Nigerian economy”, *Journal of Construction in Developing Countries*, Vol. 23 No. 1, pp. 103-113.
- Adebawale, O.J. (2018), “A multi-stakeholder approach to productivity improvement in the South African construction industry”, PhD Thesis, Nelson Mandela University, South Africa.
- Afolabi, A., Ibem, E., Aduwo, E., Tunji-Olayeni, P. and Oluwunmi, O. (2019), “Critical success factors (CSFs) for e-Procurement adoption in the Nigerian construction industry”, *Buildings*, Vol. 9 No. 2, p. 47.
- Aghimien, D., Aigbavboa, C., Oke, A. and Thwala, W. (2019), “Mapping out research focus for robotics and automation research in construction-related studies: a bibliometric approach”, *Journal of Engineering, Design and Technology*, Vol. 18 No. 5, pp. 1063-1079.
- Agyekum, K., Pittri, H., Botchway, E.A., Amudjie, J., Kumah, V.M.A., Kotei-Martin, J.N. and Oduro, R.A. (2022), “Exploring the current technologies essential for health and safety in the Ghanaian construction industry”, *Merits*, Vol. 2022 No. 2, pp. 314-330, doi: [10.3390/merits2040022](https://doi.org/10.3390/merits2040022).
- Ahn, C.R., Lee, S., Sun, C., Jebelli, H., Yang, K. and Choi, B. (2019), “Wearable sensing technology applications in construction safety and health”, *Journal of Construction Engineering and Management*, No. 11, 03119007.
- Akinlolu, M., Haupt, T., Edwards, D.J. and Simpeh, F. (2020), “A bibliometric review of the status and emerging research trends in construction safety management technologies”, *International Journal of Construction Management*, Vol. 122 No. 14, doi: [10.1080/15623599.2020.1819584](https://doi.org/10.1080/15623599.2020.1819584).
- Akram, R., Thaheem, M.J., Nasir, A.R., Ali, T.H. and Khan, S. (2019), “Exploring the role of building information modeling in construction safety through science mapping”, *Safety Science*, Vol. 120, pp. 456-470.

- Antwi-Afari, M.F., Li, H., Edwards, D.J., Pärn, E.A., Seo, J. and Wong, A.Y.L. (2017), "Biomechanical analysis of risk factors for work-related musculoskeletal disorders during repetitive lifting task in construction workers", *Automation in Construction*, Vol. 83, pp. 41-47.
- Arabshahi, M., Wang, D., Wang, Y., Rahnamayiezekavat, P., Tang, W. and Wang, X. (2022), "A governance framework to assist with the adoption of sensing technologies in construction", *Sensors*, Vol. 22, p. 260, 2022, doi: [10.3390/s22010260](https://doi.org/10.3390/s22010260).
- Awolusi, I., Marks, E. and Hallowell, M. (2018), "Wearable technology for personalized construction safety monitoring and trending: review of applicable devices", *Automation in Construction*, Vol. 85 No. 2018, pp. 96-106.
- Babbie, E. (2013), *The Practice of Social Research*, 13th ed., Thomson Wadsworth, Belmont, CA.
- Cheng, Y., Wang, K., Xu, H., Li, T., Jin, Q. and Cui, D. (2021), "Recent developments in sensors for wearable device applications", *Analytical and Bioanalytical Chemistry*, Vol. 413, pp. 6037-6057, 2021.
- Construction Industry Development Board (cidb) (2009), *Construction Health & Safety in South African Status & Recommendations*, Cidb, Pretoria, available at: <http://www.cidb.org.za/publications/Documents/Construction%20Health%20and%20Safety%20in%20South%20Africa.pdf> (accessed May 2020).
- Djokoto, S.D., Dadzie, J. and Ababio, E.O. (2014), "Barriers to sustainable construction in the Ghanaian construction industry: consultants perspectives", *Journal of Sustainable Development*, Vol. 7, pp. 134-143.
- Dutta, A., Breloff, S.P., Dai, F., Sinsel, E.W., Warren, C.M., Carey, R.E. and Wu, J.Z. (2020), "Effects of working posture and roof slope on activation of lower limb muscles during shingle installation", *Ergonomics*, Vol. 63, pp. 1182-1193.
- Ejidike, C.C., Mewomo, M.C. and Anugwo, I.C. (2022), "Assessment of construction professionals' awareness of the smart building concepts in the Nigerian construction industry", *Journal of Engineering, Design and Technology*, Vol. ahead-of-print No. ahead-of-print, doi: [10.1108/JEDT-05-2022-0263](https://doi.org/10.1108/JEDT-05-2022-0263).
- Haslam, R.A., Hide, S.A., Gibb, A.G.F., Gyi, D.E., Pavitt, T., Atkinson, S. and Duff, A.R. (2005), "Contributing factors in construction accidents", *Applied Ergonomics*, Vol. 36 No. 4, pp. 401-415.
- Ibrahim, A., Ibrahim, K. and Shakantu, M.W. (2018), "Factors responsible for poor safety performance of small and medium construction contracting firms in Nigeria", in Emuze, F. (Ed.). *Proceedings of the 10th Construction Industry Development Board (cidb) Postgraduate Conference*, Nelson Mandela University and Central University of Technology, South Africa.
- Ikechukwu, A.D., Dorothy, L.B. and Ashem, E.G. (2013), "Effective regulation and level of awareness: an exposé of the Nigeria's construction industry", *Open Journal of Safety Science and Technology*, Vol. 2 No. 4, pp. 140-146.
- Institute of Management. (2018), "World digital competitiveness ranking", available at: www.imd.org/wcc/world-competitiveness-center-rankings/world-digital-competitiveness-rankings-2018/ (accessed 15 July 2022).
- International Labour Organisation (2017), *Global Estimates of Modern Slavery: Forced Labour and Forced Marriage*, ILO.
- Kukoyi, P.O. and Adebawale, O.J. (2021), "Impediments to construction safety improvement", *Journal of Engineering, Project, and Production Management*, Vol. 11 No. 3, pp. 207-214, 2021.
- Kukoyi, P.O. and Smallwood, J.J. (2017), "A qualitative study of health and safety (H&S) construction practices in Lagos", *Journal of Construction Business and Management*, Vol. 1 No. 1, pp. 1-7.
- Legg, S.J., Olsen, K.B., Laird, I.S. and Hasle, P. (2015), "Managing safety in small and medium enterprises", *Safety Science*, Vol. 71 Part C, pp. 189-196.
- Maiti, S. and Choi, J.H. (2019), "An evidence-based approach to health and safety management in megaprojects", *International Journal of Construction Management*, Vol. 21 No. 10, pp. 1-13, doi: [10.1080/15623599.2019.1602580](https://doi.org/10.1080/15623599.2019.1602580).

- Mardonova, M. and Choi, Y. (2018), "Review of wearable device technology and its applications to the mining industry", *Energies*, Vol. 11 No. 547, pp. 1-14.
- Martinez-Aires, M.D., López-Alonso, M. and Martínez-Rojas, M. (2018), "Building information modeling and safety management: a systematic review", *Safety Science*, Vol. 2018 No. 101, pp. 11-18.
- Moshood, T.D., Nawanir, G., Sorooshian, S., Mahmud, F. and Adeleke, A.Q. (2020), "Barriers and benefits of ICT adoption in the Nigerian construction industry. a comprehensive literature review", *Applied System Innovation*, Vol. 3 No. 4, p. 46.
- Nnaji, C., Awolusi, I., Park, J. and Albert, A.(2021), "Wearable sensing devices: towards the development of a personalized system for construction safety and health risk mitigation", *Sensors*, Vol. 21, p. 682, 2021, doi: [10.3390/s21030682](https://doi.org/10.3390/s21030682).
- Ogunsanya, O.A., Aigbavboa, C.O., Thwala, D.W. and Edwards, D.J. (2019), "Barriers to sustainable procurement in the Nigerian construction industry: an exploratory factor analysis", *International Journal of Construction Management*, Vol. 22 No. 5, pp. 861-872.
- Oke, A.E. and Arowoiya, V.A. (2022), "An analysis of the application areas of augmented reality technology in the construction industry", *Smart and Sustainable Built Environment*, Vol. 11 No. 4, pp. 1081-1098, doi: [10.1108/SASBE-11-2020-0162](https://doi.org/10.1108/SASBE-11-2020-0162).
- Okoro, C.S., Nnaji, C. and Adediran, A. (2022), *Determinants of Immersive Technology Acceptance in the Construction Industry: Management Perspective*, Construction and Architectural Management, Engineering.
- Okoye, P.U. (2016), "Improving the safety performance of Nigeria construction workers: a social ecological approach", *Universal Journal of Engineering Science*, Vol. 4 No. 2, pp. 22-37.
- Okoye, P.U., Okolie, K.C. and Ngwu, C. (2017), "Multilevel safety intervention implementation strategies for Nigeria construction industry", *Journal of Construction Engineering*, Vol. 2017, p. 14, doi: [10.1155/2017/8496258](https://doi.org/10.1155/2017/8496258).
- Pollitt, D. (2006), "Training means zero accidents for FHm", *Human Resource Management International Digest*, Vol. 14 No. 4, pp. 23-25.
- Rogers, E.M. (2003), *Diffusion of Innovations*, The Free Press, New York.
- Seneviratne, S., Hu, Y., Nguyen, T., Lan, G., Khalifa, S., Thilakarathna, K., Hassan, M. and Seneviratne, A. (2017), "Survey of wearable devices and challenges", *IEEE Commun Surv Tutor*, Vol. 19 No. 4, pp. 2573-2620, doi: [10.1109/Comst.2017.2731979](https://doi.org/10.1109/Comst.2017.2731979).
- Simpheh, F. and Adisa, S. (2021), "Evaluation of on-campus student housing facilities security and safety performance", *Facilities*, Vol. 39 Nos 7/8, pp. 470-487, doi: [10.1108/F-04-2020-0051](https://doi.org/10.1108/F-04-2020-0051).
- Straub, E.T. (2009), "Understanding technology adoption: theory and future directions for informal learning", *Review of Educational Research*, Vol. 79 No. 2, pp. 625-649, doi: [10.3102/0034654308325896](https://doi.org/10.3102/0034654308325896).
- Sultan, N. (2015), "Reflective thoughts on the potential and challenges of wearable technology for healthcare provision and medical education", *International Journal of Information Management*, Vol. 35, pp. 521-526.
- Taherdoost, H. (2018), "A review of technology acceptance and adoption models and theories", *Procedia Manufacturing*, Vol. 22 No. 2018, pp. 960-967.
- Umeokafor, N. (2017), "An appraisal of the barriers to client involvement in health and safety in Nigeria's construction industry", *Journal of Engineering, Design and Technology*, Vol. 15 No. 4, pp. 471-487, doi: [10.1108/JEDT-06-2016-0034](https://doi.org/10.1108/JEDT-06-2016-0034).
- Umeokafor, N.I. (2018), "Construction health and safety research in Nigeria: towards a sustainable future", in Saurin, T.A., Costa, D.B., Behm, M. and Emuze, F. (Eds), *Proceedings: Joint CIBW99 and TG59 Conference*, Salvador, ISBN 978-85-67169-11-8, pp. 213-221.
- Umeokafor, N., I. (2020), "Why copied or transposed safety, health and well-Being Legislation and standards are impracticable and irrelevant in Developing Economies", *Policy and Practice in Health and Safety*, Vol. 18 No. 1, pp. 41-54.

- Ursachi, G., Horodnic, I.A. and Zait, A. (2015), "How reliable are measurement scales? External factors with indirect influence on reliability estimators", *Procedia Economics and Finance*, Vol. 20 No. 2015, pp. 679-686.
- Vitharana, V.H.P., De Silva, G.H.M.J.S. and De Silva, S. (2015), "Health hazards, risk and safety practices in construction sites – a review study", *Engineer: Journal of the Institution of Engineers, Sri Lanka*, Vol. 48 No. 3, pp. 35–44, doi: [10.4038/engineer.v48i3](https://doi.org/10.4038/engineer.v48i3).
- Welman, C., Kruger, S.J. and Mitchell, B. (2005), *Research Methodology*, 3rd ed., Oxford University Press, Oxford.
- Williams, J., Fugar, F. and Adinyira, E. (2020), "Assessment of health and safety culture maturity in the construction industry in developing economies: a case of Ghanaian construction industry", *Journal of Engineering, Design and Technology*, Vol. 18, pp. 865-881, 2020.

Supplementary table

The supplementary material for this article can be found online.

Corresponding author

Fredrick Simpeh can be contacted at: simfredy24@yahoo.com

For instructions on how to order reprints of this article, please visit our website:

www.emeraldgroupublishing.com/licensing/reprints.htm

Or contact us for further details: permissions@emeraldinsight.com